

海生研収書報告

No. 0804-0903

2008年4月-2009年3月収録

2009年7月発行



財団 海洋生物環境研究所

問合せ先：中央研究所 情報チーム 〒299-5105 千葉県夷隅郡御宿町岩和田300/TEL (0470) 68-7511

今回収録した文献は、以下の“キーワード”で大きく括ってあります。

ページ

発電所取放水	2
環境アセスメント・モニタリング	5
付着生物生態・対策	9
クラゲ生態・対策	16
水温	20
海洋酸性化・CO ₂	34
海洋環境・環境保全	37
海洋汚染	45
鉄	48
貧酸素	49
海洋環境放射能	53
化学物質	54
生物実験	62
生態系	64
藻場・干潟・サンゴ礁	71
安定同位体	74
モデリング・GIS	75
増養殖	77
資源	82

注1：書き出しが「****」となっている文献は、無記名（著者不詳）のものです。

注2：各文献の書誌的事項の最後のS付き番号は、当所ライブラリーでの登録番号です。

発電所取放水

- 家塚史仁・和田 明 (2008) 水中放流方式による温排水拡散解析への3次元噴流モデルの適用性. 土木学会年次学術講演会講演概要集(CD-ROM) 63rd: 483-484. S44186
- 石丸 裕 (2008) 河川, 港湾, 湖沼, 海洋における建設施工龍門(核四)計画循環冷却水放水路工事—外洋における没水型鋼管矢板井筒工法による水中放水口並びに放水路トンネルの建設. 建設の施工企画, (702): 59-63. S44178
- 河内友一・福本 直 (2008) 島根原子力発電所3号機増設に伴う取水設備の水理学的検討. エネルギア総研レビュー, (12): 2-5. S44149
- 木原直人・森 信人 (2008) 電力設備と気象 発電所港湾施設における気象・海象災害の予測と対策. 日本風工学会誌, (114): 11-16. S44183
- 太田真紀・神谷亭子・熊谷直幸・山下桂司・柳川敏治・川端豊喜 (2008) 発電所取海水における付着生物幼生の出現状況と簡易付着モニタリング法の検討. Sess. Org., 25(2): 97-98. S44179
- 尾野真也 (2008) 日本初の洋上風力発電施設「風海鳥(かざみどり)」～900世帯分に相当する年間3800MWhを供給～. アクアネット, 11(9): 40-43. S44040
- 佐々木康成・大和信大・櫻庭英二・高橋和孝・山名清二・三間敏夫 (2008) 最新の上・下水オゾン処理技術 火力発電所冷却塔向け下水処理水のオゾン処理. 環境浄化技術, 7(2): 24-28. S44175
- 新貝達成・上松瀬裕子・中野俊樹・山口敏康・佐藤 実・畠山 治・尾形信二 (2008) 海藻バイオマスの微生物による有用物質への変換について. 日本水産学会大会講演要旨集, 2008(春季), 87pp. S44176
- 杉山陽一 (2008) 取水口へのクラゲ来襲の検知技術の開発. 検査技術, 13(2): 59-63. S44177
- 鈴木唯士・杉山陽一・澤 雅明 (2008) 取水槽内の付着貝類の堆積メカニズムに関する研究. 電力土木, (337): 37-41. S44185
- 富田雅美・近藤久雄 (2008) 火力発電所取水口築場で発生する魚介類の生ゴミ急速処理システムによるリサイクル. 電力土木, (334): 54-57. S44181
- 椿崎仙市 (2007) 現場に密着した保守技術 [60] 水処理の大切さ—火力発電プラントの水質管理技術(その1)—. 火力原子力発電, 58(11): 25-31. S43148
- 上原春男 (2008) 海洋温度差発電の新しい展望. 海洋深層水研究(海洋深層水利用学会), 9(1): 21-30. S44234
- ACKERMAN, K. V. & SUNDQUIST, E. T. (2008) Comparison of two U.S. power-plant carbon dioxide emissions data sets. Environ. Sci. Technol., 42(15): 5688-5693. S43942
- BOUBEE, J., JELLYMAN, D. & SINCLAIR, C. (2008) Eel protection measures within the Manapouri hydro-electric power scheme, South Island, New Zealand. Hydrobiol., 609: 71-82. S43823
- CHAE, J., CHOI, H. W., LEE, W. J., KIM, D. & LEE, J. H. (2008) Distribution of a

- pelagic tunicate, *Salpa fusiformis* in warm surface current of the eastern Korean waters and its impingement on cooling water intakes of Uljin nuclear power plant. *J. Environ. Biol.*, 29(4): 585-590. S44070
- CHUANG, Y. L., YANG, H.-H. & LIN, H.-J. (2009) Effects of a thermal discharge from a nuclear power plant on phytoplankton and periphyton in subtropical coastal waters. *J. Sea. Res.*, 61(4): 197-205. S44544
- COUTANT, C. (2008) Thermal workshop revives interest in water temperatures. *Fisheries*, 33(1): 29-30. S43276
- DIAS, C. D. O. & BONECKER, S. L. C. (2008) Long-term study of zooplankton in the estuarine system of Ribeira Bay, near a power plant (Rio de Janeiro, Brazil). *Hydrobiol.*, 614(1): 65-81. S44154
- DRASTIK, J., KUBECKA, J., TUSER, M., CECH, M., FROUZOVA, J., JAROLIM, O. & PRCHALOVA, M. (2008) The effect of hydropower on fish stocks: comparison between cascade and non-cascade reservoirs. *Hydrobiol.*, 609: 25-36. S43822
- ENCINA, L., RODRIGUEZ-RUIZ, A. & GRANADO-LORENCIO, C. (2008) Distribution of common carp in a Spanish reservoir in relation to thermal loading from a nuclear power plant. *J. Therm. Biol.*, 33(8): 444-450. S44191
- FERGUSON, J. W., PLOSKEY, G. R., LEONARDSSON, K., ZABEL, R. W. & LUNDQVIST, H. (2008) Combining turbine blade-strike and life cycle models to assess mitigation strategies for fish passing dams. *Can. J. Fish. Aquat. Sci.*, 65(8) : 1568-1585. S44082
- FORKEL, C. (2009) Transposition of the EU Water Framework Directive in Europe. -Implications for thermal power plants. *VGB Powertech*, 89(1-2): 64,67-69. S44545
- GREENWOOD, M. F. D. (2008) Trawls and cooling-water intakes as estuarine fish sampling tools: Comparisons of catch composition, trends in relative abundance, and length selectivity. *Estuarine Coast. Shelf Sci.*, 76(1): 121-130. S43228
- GREENWOOD, M. F. D. (2008) Fish mortality by impingement on the cooling-water intake screens of Britain's largest direct-cooled power station. *Mar. Pollut. Bull.*, 56(4): 723-739. S43621
- HAMEL, M. J., BROWN, M. L. & CHIPPS, S. R. (2008) Behavioral responses of rainbow smelt to in situ strobe lights. *N. Am. J. Fish. Manage.*, 28(2): 394-401. S43619
- HARTVICH, P., DVORAK, P., TLUSTY, P. & VRANA, P. (2008) Rotation screen prevents fish damage in hydroelectric power stations. *Hydrobiol.*, 609: 163-176. S43826
- JIANG, Z., ZENG, J., CHEN, Q., HUANG, Y., XU, X., LIAO, Y., SHOU, L. & LIU, J. (2008) Tolerance of copepods to short-term thermal stress caused by coastal power stations. *J. Therm. Biol.*, 33(7): 419-423. S43961
- KHAN, R. A. & HOOPER, R. G. (2008) Influence of a thermal discharge on parasites of

- a cold-water flatfish, *Pleuronectes americanus*, as a bioindicator of subtle environmental change. J. Parasitol., 93(5): 1227-1230. S44169
- KIM, T.-W., LEE, K., PARK, K.-T. & KIM, M. (2008) Sulfur hexafluoride as a complementary method for measuring the extent of point-source thermal effluents. Mar. Pollut. Bull., 56(7): 1294-1302. S43970
- KIM, Y. S. (2008) Seasonal variations of marine algal community in the vicinity of Uljin nuclear power plant, Korea. J. Environ. Biol., 29(4): 493-499. S44194
- LARINIER, M. (2008) Fish passage experience at small-scale hydro-electric power plants in France. Hydrobiol., 609: 97-108. S43824
- KHAN, L. A., WICKLEIN, E. A., RASHID, M., EBNER, L. L. & RICHARDS, N. A. (2007) Case study of an application of a computational fluid dynamics model to the forebay of the Dalles dam, Oregon. J. Hydraul. Eng., 134(5): 509-519. S44168
- MCCARTHY, T. K., FRANKIEWICZ, P., CULLEN, P., BLASZKOWSKI, M., O'CONNOR, W. & DOHERTY, D. (2008) Long-term effects of hydropower installations and associated river regulation on River Shannon eel populations: mitigation and management. Hydrobiol., 609: 109-124. S43825
- MCLEAN, R. I. & ABBE, G. R. (2008) Characteristics of *Crassostrea ariakensis* (Fujita 1913) and *Crassostrea virginica* (Gmelin 1791) in the discharge area of a nuclear power plant in central Chesapeake Bay. J. Shellfish Res., 27(3): 517-523. S43710
- PURCELL, J. E., UYE, S. & LO, W. T. (2007) Anthropogenic causes of jellyfish blooms and their direct consequences for humans: A review. Mar. Ecol. Prog. Ser., 350: 153-174. S43115
- RAJAMOHAN, R., VENNITHA, E., VENUGOPALAN, V. P. & NARASIMHAN, S. V. (2007) Chlorination by-products and their discharge from the cooling water system of a coastal electric plant. Curr. Sci., 93(11): 1608-1612. S44188
- RANTANEN, M. (2008) Reducing the drain on water resources. Mod. Power. Syst., 28(4): 42-44. S44172
- SARAVANAN, P., PRIYA, A. M., SUNDARAKRISHNAN, B., VENUGOPALAN, V. P., RAO, T. S. & JAYACHANDRAN, S. (2008) Effects of thermal discharge from a nuclear power plant on culturable bacteria at a tropical coastal location in India. J. Therm. Biol., 33(7): 385-394. S44081
- SATPATHY, K. K., JEBAKUMAR, K. E. & BHASKAR, S. (2008) A novel technique for the measurement of temperature in outflow water from a coastal power plant, with notes on chlorination and phytoplankton determinations. J. Therm. Biol., 33(4): 209-212. S43548
- SMITH, E. T. & ZHANG, H. X. (2008) The case for using reclaimed water. Power Eng., 112(11): 178-184. S44547
- STOECKER, R. R. & MCALLEER, J. E. (2008) Substratum intake system: Once-through cooling hybrid. Power Eng., 112(11): 90-96. S44548
- TANG, H. S., PAIK, J., SOTIROPOULOS, F. & KHANGAONKAR, T. (2008)

Three-dimensional numerical modeling of initial mixing of thermal discharges at real-life configurations. *J. Hydraul. Eng.*, 134(9): 1210-1224. S43910

WILHELMSSON, D. & MALM, T. (2008) Fouling assemblages on offshore wind power plants and adjacent substrata. *Estuarine Coast. Shelf Sci.*, 79(3): 459-466. S44035

環境アセスメント・モニタリング

新井崇臣 (2008) 湖沼・海域の化学物質組成と生態影響評価. *化学物質と環境*, (91): 4-6. S44076

荒田 直・斎数 協 (2008) メタンハイドレート資源開発を対象とした環境影響評価にかかる研究概要 (特集 メタンハイドレート--資源開発と環境影響評価). *海洋と生物*, 30(4): 437-443. S43989

栗島裕治・上田 聰 (2008) メタンハイドレート生産時の環境影響評価のためのモニタリングシステムの開発 (特集 メタンハイドレート--資源開発と環境影響評価). *海洋と生物*, 30(4): 489-497. S43993

土居健太郎 (2008) (特集 戦略的環境アセスメントの動向) 戰略的環境アセスメントに関する環境省の取り組み. *JEAS NEWS*(日本環境アセスメント協会), 120: 8-9. S43921

道上みゆき (2008) (特集 戰略的環境アセスメントの動向) 千葉県計画段階環境影響評価制度について. *JEAS NEWS*(日本環境アセスメント協会), 120: 10-11. S43922

原科幸彦 (2008) 特集 環境アセス法の 10 年 環境アセス法の 10 年を総括する. *環境情報科学*, 36(4): 60-65. S43252

細田龍介 (2008) 由良湾におけるアマモ復活の経緯とその検証－自然と人間の共生の例－. *海洋と生物*, 30(5): 685-694. S44226

石原靖文・矢部いつか (2008) メタンハイドレート分解生成水放出影響予測モデルの開発 (特集 メタンハイドレート--資源開発と環境影響評価). *海洋と生物*, 30(4): 467-473. S43992

井内正直 (2008) 電気事業における環境アセスメント. *環境情報科学*, 36(4): 26-30. S43250

山田味佳 (2008) 大型海藻類を用いた大阪湾の重金属環境評価. *瀬戸内海*, (53): 49-52. S43501

加藤信義・下田哲司・伏見和恭 (2009) 火力発電所海水電解装置設置工事におけるナイトロックス潜水の適用. *電力土木*, (339): 48-52. S44549

勝又賢人 (2008) (特集 戰略的環境アセスメントの動向) 「公共事業の構想段階における計画策定プロセスガイドライン」の策定について. *JEAS NEWS*(日本環境アセスメント協会), 120: 12-13. S43923

小林正明 (2008) 行政の視点から環境影響評価法の運用成果と課題を振り返って. *環境情報科学*, 36(4): 3-8. S43248

- 栗本洋二 (2008) 環境アセスメントの実務の現場から環境影響評価法に期待すること. 環境情報科学, 36(4): 37-42. S43251
- 益永茂樹 (2008) 生態リスク評価の枠組み. 化学物質と環境, (91): 1-3. S44075
- 松村清隆・佐藤加奈・野方靖行・坂口 勇 (2008) DNA 情報を利用した海洋生物幼生の種判定と定量的解析の試み. 日本生態学会誌, 58(2): 113-121. S43842
- 中尾 徹 (2007) 洋上風力国際会議を知見として—洋上風力発電の環境影響と評価. 風力エネルギー, 31(2): 86-96. S44005
- 中田喜三郎・ページタ ヤパ・ラリス ダサナヤカ・鋤崎俊二 (2008) 深海域から漏洩したメタンガスの挙動予測モデルの開発 (特集 メタンハイドレート--資源開発と環境影響評価). 海洋と生物, 30(4): 453-466. S43991
- 岡田 陽 (2008) メタンハイドレート開発における安全管理と環境管理 (特集 メタンハイドレート--資源開発と環境影響評価). 海洋と生物, 30(4): 525-530. S43994
- 屋井鉄雄 (2008) パブリックインボルブメントは機能しているか. 環境情報科学, 36(4): 20-25. S43475
- 坂井伸一・松山昌史・坪野孝樹・吉井 匠 (2009) 海洋レーダによる沿岸流況リアルタイムモニタリングとその応用. 電力土木, (339): 13-17. S44550
- 島津康男 (2008) 特集 環境アセス法の 10 年 環境アセスメント技術のこれまでとこれから. 環境情報科学, 36(4): 14-19. S43249
- 重田利拓 (2008)瀬戸内海の魚類に見られる異変と諸問題. 日本水産学会誌, 74(5): 868-872. S44113
- 鋤崎俊二・石原靖文・中田 喜三郎 (2008) 東部南海トラフの海域環境と環境影響評価手法 (特集 メタンハイドレート--資源開発と環境影響評価). 海洋と生物, 30(4): 444-452. S43990
- 高村幸宏 (2008) 風力発電立地検討評価支援システムの開発. 技術開発ニュース, (132): 13-14. S44084
- 渡邊一仁 (2008) 水産分野におけるライフサイクルアセスメントー生産から廃棄までの総括的な環境負荷の評価指標ー. アクアネット, 11(3): 24-29. S43327
- 山田真知子 (2008) 洞海湾における水質環境の変化と赤潮の発生状況. 瀬戸内海, (55): 4-7. S44227
- 山口一岩 (2008) 既往の実測資料を用いた大阪湾における植物プランクトン生物量の長期変遷傾向の解説. 瀬戸内海, (54): 21-25. S43852
- 柳 憲一郎 (2008) (特集 戦略的環境アセスメントの動向) 戦略的環境アセスメントの推進に向けて. JEAS NEWS(日本環境アセスメント協会), 120: 5-7. S43920
- 吉田健一・石丸 隆 (2008) 東京湾における植物プランクトン群集の変遷. 日本プランクトン学会報, 55(1): 45-47. S43356
- 吉田正人 (2008) 自然保護の立場から見た環境影響評価法. 環境情報科学, 36(4): 43-48. S43476
- **** (2008) 特集 戦略的環境アセスメントの動向. JEAS NEWS(日本環境アセスメント協会), 120: 2-4. S43919

- ANDERSON, M. A., WHITEAKER, L., WAKEFIELD, E. & AMRHEIN, C. (2008) Properties and distribution of sediment in the Salton Sea, California: An assessment of predictive models. *Hydrobiol.*, 604: 97-110. S43421
- BAKER, A. C., GLYNN, P. W. & RIEGL, B. (2008) Climate change and coral reef bleaching: An ecological assessment of long-term impacts, recovery trends and future outlook. *Estuarine Coast. Shelf Sci.*, 80(4): 435-471. S44295
- BELLAS, J. (2008) Prediction and assessment of mixture toxicity of compounds in antifouling paints using the sea-urchin embryo-larval bioassay. *Aquat. Toxicol.*, 88(4): 308-315. S43897
- BRANCH, G. M., ODENDAAL, F. & ROBINSON, T. B. (2008) Long-term monitoring of the arrival, expansion and effects of the alien mussel *Mytilus galloprovincialis* relative to wave action. *Mar. Ecol. Prog. Ser.*, 370: 171-183. S44120
- CALDWELL, D. J., MASTROCCO, F., HUTCHINSON, T. H., LANGE, R., HEIJERICK, D., JANSSEN, C., ANDERSON, P. D. & SUMPTER, J. P. (2008) Derivation of an aquatic predicted no-effect concentration for the synthetic hormone, 17 α -ethinyl estradiol. *Environ. Sci. Technol.*, 42(19): 7046-7054. S44105
- CASTELLO, J. P., POERSCH, L., VASCONCELLOS, M. C., CAVALLI, R. & WASIELESKY, W. (2008) Rearing shrimps in pens: A predictive model for impact assessment. *Estuaries and Coasts*, 31(1): 215-222. S43218
- CHAPMAN, P. M. (2008) Ecosystem services - assessment endpoints for scientific investigations. *Mar. Pollut. Bull.*, 56(7): 1237-1238. S43968
- CHUNG, E. G., SCHLADOW, S. G., PEREZ-LOSADA, J. & ROBERTSON, D. M. (2008) A linked hydrodynamic and water quality model for the Salton Sea. *Hydrobiol.*, 604: 57-75. S43420
- DIAZ, R. J., RHOADS, D. C., BLAKE, J. A., KROPP, R. K. & KEAY, K. E. (2008) Long-term trends of benthic habitats related to reduction in wastewater discharge to Boston Harbor. *Estuaries and Coasts*, 31(6): 1184-1197. S44318
- FORKEL, C. (2009) Transposition of the EU Water Framework Directive in Europe. -Implications for thermal power plants. *VGB Powertech*, 89(1-2): 64.67-69. S44545
- GLOECKNER, D. R. & LUCZKOVICH, J. J. (2008) Experimental assessment of trophic impacts from a network model of a seagrass ecosystem: Direct and indirect effects of gulf flounder, spot and pinfish on benthic polychaetes. *J. Exp. Mar. Biol. Ecol.*, 357(2): 109-120. S43410
- GORBI, S., LAMBERTI, C. V., NOTTI, A., BENEDETTI, M., FATTORINI, D., MOLTEDO, G. & REGOLI, F. (2008) An ecotoxicological protocol with caged mussels, *Mytilus galloprovincialis*, for monitoring the impact of an offshore platform in the Adriatic sea. *Mar. Environ. Res.*, 65(1): 34-49. S43241
- HAGGER, J. A., JONES, M. B., LOWE, D., LEONARD, D. R. P., OWEN, R. & GALLOWAY, T. S. (2008) Application of biomarkers for improving risk

- assessments of chemicals under the Water Framework Directive: A case study. Mar. Pollut. Bull., 56(6): 1111-1118. S44160
- HANSLIK, E., IVANOVOVA, D., JURANOVA, E., SIMONEK, P. & JEDINAKOVA-KRIZOVA, V. (2009) Monitoring and assessment of radionuclide discharges from Temelin Nuclear Power Plant into the Vltava River (Czech Republic). J. Environ. Radioact., 100(2): 131-138. S44546
- JUNG, K. & ZAUKE, G.-P. (2008) Bioaccumulation of trace metals in the brown shrimp *Crangon crangon* (Linnaeus, 1758) from the German Wadden Sea. Aquat. Toxicol., 88(4): 243-249. S43895
- KIM, G. B., KANG, M. R. & KIM, J. (2008) Specific accumulation of heavy metals in squid collected from offshore Korean waters: preliminary results for offshore biomonitoring and food safety assessment. Fish. Sci., 74(4): 882-888. S43944
- KOORNNEEF, J., FAAIJ, A. & TURKENBURG, W. (2008) The screening and scoping of environmental impact assessment and strategic environmental assessment of carbon capture and storage in the Netherlands. Environ. Impact Assess. Rev., 28(6): 392-414. S43543
- KURIHARA, H., MATSUI, M., FURUKAWA, H., HAYASHI, M. & ISHIMATSU, A. (2008) Long-term effects of predicted future seawater CO₂ conditions on the survival and growth of the marine shrimp *Palaemon pacificus*. J. Exp. Mar. Biol. Ecol., 367(1): 41-46. S44290
- LAW, C. S. (2008) Predicting and monitoring the effects of large-scale ocean iron fertilization on marine trace gas emissions. Mar. Ecol. Prog. Ser., 364: 283-288. S43951
- LEE, K.-W., HWANG, D.-S., RHEE, J.-S., KI, J.-S., PARK, H. G., RYU, J.-C., RAISUDDIN, S. & LEE, J.-S. (2008) Molecular cloning, phylogenetic analysis and developmental expression of a vitellogenin (Vg) gene from the intertidal copepod *Tigriopus japonicus*. Comp. Biochem. Physiol., B150(4): 395-402. S44144
- MARTINEZ-CREGO, B., VERGES, A., ALCOVERRO, T. & ROMERO, J. (2008) Selection of multiple seagrass indicators for environmental biomonitoring. Mar. Ecol. Prog. Ser., 361: 93-109. S43828
- ROBERTS, D. A., JOHNSTON, E. L. & POORE, A. G. B. (2008) Contamination of marine biogenic habitats and effects upon associated epifauna. Mar. Pollut. Bull., 56(6): 1057-1065. S44161
- SCHIPPER, C. A., DUBBELDAM, M., FEIST, S. W., RIETJENS, I. M. C. M. & MURK, A. T. (2008) Cultivation of the heart urchin *Echinocardium cordatum* and validation of its use in marine toxicity testing for environmental risk assessment. J. Exp. Mar. Biol. Ecol., 364(1): 11-18. S44094
- SCHULTZ, S. T. (2008) Seagrass monitoring by underwater videography: Disturbance regimes, sampling design, and statistical power. Aquat. Bot., 88(3): 228-238.

- SORANNO, P. A., CHERUVELIL, K. S., STEVENSON, R. J., ROLLINS, S. L., HOLDEN, S. W., HEATON, S. & TORNG, E. (2008) A framework for developing ecosystem-specific nutrient criteria: Integrating biological thresholds with predictive modeling. *Limnol. Oceanogr.*, 53(2): 773-787. S43787
- TERLIZZI, A., BEVILACQUA, S., SCUDERI, D., FIORENTINO, D., GUARNIERI, G., GIANGRANDE, A., LICCIANO, M., FELLINE, S. & FRASCHETTI, S. (2008) Effects of offshore platforms on soft-bottom macro-benthic assemblages: A case study in a Mediterranean gas field. *Mar. Pollut. Bull.*, 56(7): 1303-1309. S43972
- THEBAULT, H., BAENA, A. M. R. Y., ANDRAL, B., BARISIC, D., ALBALADEJO, J. B., BOLOGA, A. S., BOUDJENOUN, R., DELFANTI, R., EGOROV, V. N., KHOUKHI, T. E., FLOROU, H., KNIEWALD, G., NOUREDDINE, A., PATRASCU, V., PHAM, M. K., SCARPATO, A., STOKOZOV, N. A., TOPCUOGLU, S. & WARNAU, M. (2008) ^{137}Cs baseline levels in the Mediterranean and Black Sea: A cross-basin survey of the CIESM Mediterranean Mussel Watch programme. *Mar. Pollut. Bull.*, 57(6-12): 801-806. S43901
- WIDDICOMBE, S. & SPICER, J. I. (2008) Predicting the impact of ocean acidification on benthic biodiversity: What can animal physiology tell us? *J. Exp. Mar. Biol. Ecol.*, 366(1-2): 187-197. S44291
- YAMAMOTO, J., YONEZAWA, Y., NAKATA, K. & HORIGUCHI, F. (2009) Ecological risk assessment of TBT in Ise Bay. *J. Environ. Manage.*, 90(Suppl.1) S41-S50. S44235
- YOSHINAGA, T., TANAKA, C. & YASUDA, H. (2008) Monitoring of the physiological status as the heat stress tolerance in the rotifer: a novel test for health diagnosis and ecological monitoring. *Coastal Mar. Sci.*, 32(1): 30-32. S44028

付着生物生態・対策

- 包 衛洋・サトイト シリル グレン・北村 等 (2008) ムラサキイガイ幼生の着生機構. *Sessile Organisms*, 25(1): 11-15. S43280
- 城内智行・サトイト シリル グレン・北村 等 (2008) 海域で形成された微生物フィルムに対するタテジマフジツボ幼生の付着. *Sessile Organisms*, 25(1): 31-36. S43282
- 北野克和 (2008) “環境にやさしい”付着防汚剤の開発 海洋生物の化学的付着防御システムがヒント. *化学と生物*, 46(10): 666-668. S44182
- 三角和弘・津旨大輔・西岡 純・BRYAN, F. O. • LINDSAY, K. • DONEY, S. C. (2008) 動画解析によるフジツボ幼生観測システムの開発. 電中研報告, V08004: 18pp. S44272
- 難波信由・小河久朗・加戸隆介 (2008) ヒジキの多回収穫型養殖における汚損生物マコンブとムラサキイガイに対する温海水処理. *Sessile Organisms*, 25(2):

79-84. S44019

- 野方靖行・中島慶人 (2008) 動画解析によるフジツボ幼生観測システムの開発. 電研報告, V07009: 17pp. S43955
- 野口正男 (2008) 2,500m 管路対応水中点検ロボット「RTV-KAM」4号機の開発. 作業船, -291: 31-34. S44184
- 太田真紀・神谷亭子・熊谷直幸・山下桂司・柳川敏治・川端豊喜 (2008) 発電所取海水における付着生物幼生の出現状況と簡易付着モニタリング法の検討. Sess. Org., 25(2): 97-98. S44179
- 鈴木唯士・杉山陽一・澤 雅明 (2008) 取水槽内の付着貝類の堆積メカニズムに関する研究. 電力土木, (337): 37-41. S44185
- 富田雅美・近藤久雄 (2008) 環境 火力発電所取水口築場で発生する魚介類の生ゴミ急速処理システムによるリサイクル. 電力土木, (334): 54-57. S44181
- 友田啓二郎・二宮恒士・東健一・鈴木達雄・サトイトシリルグレン・北村等 (2008) 室内における石炭灰コンクリート基板に対するタテジマフジツボ幼生の付着実験. Sessile Organisms, 25(1): 25-29. S43281
- 鳥井正也 (2008) 水産系副産物(貝殻)の漁場造成事業への活用. 水産工学, 44(3): 205-209. S43360
- 柳川敏治 (2008) 発電所取水路へ流入する付着生物幼生の検出キットの開発. 火力原子力発電大会論文集(CD-ROM), 2008: ROMBUN NO. 246-251. S44551
- ANESTIS, A., PORTNER, H. O., LAZOU, A. & MICHAELIDIS, B. (2008) Metabolic and molecular stress responses of sublittoral bearded horse mussel *Modiolus barbatus* to warming sea water: implications for vertical zonation. J. Exp. Biol., 211(17): 2889-2898. S44092
- AURE, J., STRAND, O., ERGA, S. R. & STROHMEIER, T. (2008) Primary production enhancement by artificial upwelling in a western Norwegian fjord. Mar. Ecol. Prog. Ser., 352: 39-52. S43309
- BEAUMONT, A. R., HAWKINS, M. P., DOIG, F. L., DAVIES, I. M. & SNOW, M. (2008) Three species of *Mytilus* and their hybrids identified in a Scottish Loch: natives, relicts and invaders? J. Exp. Mar. Biol. Ecol., 367(2): 100-110. S44343
- BEIRAS, R., BELLAS, J. (2008) Inhibition of embryo development of the *Mytilus galloprovincialis* marine mussel by organic pollutants; assessment of risk for its extensive culture in the Galician Rias. Aquacult., 277(3-4): 208-212. S43665
- BELLAS, J. (2008) Prediction and assessment of mixture toxicity of compounds in antifouling paints using the sea-urchin embryo-larval bioassay. Aquat. Toxicol., 88(4): 308-315. S43897
- BENINGER, P. G., VALDIZAN, A., COGNIE, B., GUIHENEF, F. & DECOTTIGNIES, P. (2008) Wanted: alive and not dead: functioning diatom status is a quality cue for the suspension-feeder *Crassostrea gigas*. J. Plankton Res., 30(6): 689-697. S43801
- BOCCHETTI, R., FATTORINI, D., PISANELLI, B., MACCHIA, S., OLIVIERO, L.,

- PILATO, F., PELLEGRINI, D. & REGOLI, F. (2008) Contaminant accumulation and biomarker responses in caged mussels, *Mytilus galloprovincialis*, to evaluate bioavailability and toxicological effects of remobilized chemicals during dredging and disposal operations in harbour areas. *Aquat. Toxicol.*, 89(4): 257-266. S44130
- BOOTH, A. M., SCARLETT, A. G., LEWIS, C. A., BELT, S. T. & ROWLAND, S. J. (2008) Unresolved Complex Mixtures (UCMs) of aromatic hydrocarbons: Branched Alkyl Indanes and Branched Alkyl Tetralins are present in UCMs and accumulated by and toxic to, the mussel *Mytilus edulis*. *Environ. Sci. Technol.*, 42(21): 8122-8126. S44115
- BOUDREAUX, M., WALTERS, L. J. & RITTSCHOF, D. (2009) Interactions Between Native Barnacles, Non-native Barnacles, and the Eastern Oyster *Crassostrea Virginica*. *Bull. Mar. Sci.*, 84(1): 43-57. S44316
- BRANCH, G. M., ODENDAAL, F. & ROBINSON, T. B. (2008) Long-term monitoring of the arrival, expansion and effects of the alien mussel *Mytilus galloprovincialis* relative to wave action. *Mar. Ecol. Prog. Ser.*, 370: 171-183. S44120
- BRUN, N. T., BRICELJ, V. M., MACRAE, T. H. & ROSS, N. W. (2008) Heat shock protein responses in thermally stressed bay scallops, *Argopecten irradians*, and sea scallops, *Placopecten magellanicus*. *J. Exp. Mar. Biol. Ecol.*, 358(2): 151-162. S43529
- BUSSELL, J. A., GIDMAN, E. A., CAUSTON, D. R., GWYNN-JONES, D., MALHAM, S. K., JONES, M. L. M., REYNOLDS, B. & SEED, R (2008) Changes in the immune response and metabolic fingerprint of the mussel, *Mytilus edulis* (Linnaeus) in response to lowered salinity and physical stress. *J. Exp. Mar. Biol. Ecol.*, 358(1): 78-85. S43492
- CALISI, A., LIONETTO, M. G., CARICATO, R., GIORDANO, M. E. & SCHETTINO, T. (2008) Morphometric alterations in *Mytilus galloprovincialis* granulocytes: a new biomarker. *Environ. Toxicol. Chem.*, 27(6): 1435-1441. S43678
- CANNING-CLODE, J., KAUFMANN, M., MOLIS, M., WAHL, M. & LENZ, M. (2008) Influence of disturbance and nutrient enrichment on early successional fouling communities in an oligotrophic marine system. *Mar. Ecol. Evol. Perspect.*, 29(1): 115-124. S43399
- CASAS, S., GONZALEZ, J.-L., ANDRAL, B. & COSSA, D. (2008) Relationship between metal concentration in water and metal content of marine mussels (*Mytilus galloprovincialis*): Impact of physiology. *Environ. Toxicol. Chem.*, 27(7): 1543-1552. S43772
- CHAN, B. K. K., MURATA, A. & LEE, P.-F. (2008) Latitudinal gradient in the distribution of intertidal barnacles of the *Tetraclita* species complex in Asian waters. *Mar. Ecol. Prog. Ser.*, 362: 201-210. S43859
- D'AMOURS, O., ARCHAMBAULT, P., MCKINDSEY, C. W. & JOHNSON, L. E. (2008)

- Local enhancement of epibenthic macrofauna by aquaculture activities. Mar. Ecol. Prog. Ser., 371: 73-84. S44216
- DA GAMA, B. A. P., CARVALHO, A. G. V., WEIDNER, K., SOARES, A. R., COUTINHO, R., FLEURY, B. G., TEIXEIRA, V. L., PEREIRA, R. C. (2008) Antifouling activity of natural products from Brazilian seaweeds. Bot. Mar., 51(3): 191-201. S43879
- DOBRETSOV, S. & WAHL, M. (2008) Larval recruitment of the blue mussel *Mytilus edulis*: The effect of flow and algae. J. Exp. Mar. Biol. Ecol., 355(2): 137-144. S43298
- LEE, A.-C., LEE, M.-C., LEE, Y.-H. & LEE, Y.-C. (2008) Candidates for a hypoxia-stress indicator in the hard clam, *Meretrix lusoria*. Aquacult., 278(1-4): 150-155. S44200
- ESPINOSA, E. P., ALLAM, B. & FORD, S. E. (2008) Particle selection in the ribbed mussel *Geukensia demissa* and the Eastern oyster *Crassostrea virginica*: Effect of microalgae growth stage. Estuarine Coast. Shelf Sci., 79(1): 1-6. S43715
- GAO, Q. F., XU, W. Z., LIU, X. S., CHEUNG, S. G. & SHIN, P. K. S. (2008) Seasonal changes in C, N and P budgets of green-lipped mussels *Perna viridis* and removal of nutrients from fish farming in Hong Kong. Mar. Ecol. Prog. Ser., 353: 137-146. S43317
- GELLER, J., SOTKA, E. E., KADO, R., PALUMBI, S. R. & SCHWINDT, E. (2008) Sources of invasions of a northeastern Pacific acorn barnacle, *Balanus glandula*, in Japan and Argentina. Mar. Ecol. Prog. Ser., 358: 211-218. S43607
- GORBI, S., LAMBERTI, C. V., NOTTI, A., BENEDETTI, M., FATTORINI, D., MOLTEDO, G. & REGOLI, F. (2008) An ecotoxicological protocol with caged mussels, *Mytilus galloprovincialis*, for monitoring the impact of an offshore platform in the Adriatic sea. Mar. Environ. Res., 65(1): 34-49. S43241
- HAMER, B., JAKSIC, Z., PAVICIC-HAMERA, D., PERIC, L., MEDAKOVIC, D., IVANKOVIC, D., PAVICIC, J., ZILBERBERG, C., SCHRODER, H. C., MULLERWERNER, E.G., SMODLAKA, N. & BATEL, R. (2008) Effect of hypoosmotic stress by low salinity acclimation of Mediterranean mussels *Mytilus galloprovincialis* on biological parameters used for pollution assessment. Aquat. Toxicol., 89(3): 137-151. S44068
- HARGRAVE, B. T., DOUCETTE, L. I., CRANFORD, P. J., LAW, B. A. & MILLIGAN, T. G. (2008) Influence of mussel aquaculture on sediment organic enrichment in a nutrient-rich coastal embayment. Mar. Ecol. Prog. Ser., 365: 137-149. S44047
- HAYWARD, B. W., GRENFELL, H. R., SABAA, A. T. & MORLEY, M. S. (2008) Ecological impact of the introduction to New Zealand of Asian date mussels and cordgrass-The foraminiferal, ostracod and molluscan record. Estuaries and Coasts, 31(5): 941-959. S44187
- HUANG, X., KE, C. & WANG, W.-X. (2008) Bioaccumulation of silver, cadmium and

- mercury in the abalone *Haliotis diversicolor* from water and food sources. Aquacult., 283(1-4): 194-202. S44104
- JONES, O. A. H., DONDERO, F., VIARENKO, A. & GRIFFIN, J. (2008) Metabolic profiling of *Mytilus galloprovincialis* and its potential applications for pollution assessment. Mar. Ecol. Prog. Ser., 369: 169-179. S44162
- KIM, N. S., SHIM, W. J., YIM, U. H., HAA, S. Y. & PARK, P. S. (2008) Assessment of tributyltin contamination in a shipyard area using a mussel transplantation approach. Mar. Pollut. Bull., 57(6-12): 883-888. S43902
- KOCHMANN, J., BUSCHBAUM, C., VOLKENBORN, N. & REISE, K. (2008) Shift from native mussels to alien oysters: Differential effects of ecosystem engineers. J. Exp. Mar. Biol. Ecol., 364(1): 1-10. S44093
- MINCHINTON, T. E. & MCKENZIE, L. A. (2008) Nutrient enrichment affects recruitment of oysters and barnacles in a mangrove forest. Mar. Ecol. Prog. Ser., 354: 181-189. S43320
- MOCHIDA, K., ITO, K., HARINO, H., ONDUKA, T., KAKUNO, A. & FUJII, K. (2008) Early life-stage toxicity test for copper pyrithione and induction of skeletal anomaly in a teleost, the mummichog (*Fundulus heteroclitus*). Environ. Toxicol. Chem., 27(2): 367-374. S43227
- MUTTRAY, A. F., SCHULTE, P. M. & BALDWIN, S. A. (2008) Invertebrate p53-like mRNA isoforms are differentially expressed in mussel haemic neoplasia. Mar. Environ. Res., 66(4): 412-421. S44164
- NAVALON, S., ALVARO, M. & GARCIA, H. (2008) Reaction of chlorine dioxide with emergent water pollutants: Product study of the reaction of three β -lactam antibiotics with ClO₂. Water Res., 42(8-9): 1935-1942. S43682
- NESTO, N., ROMANO, S., MOSCHINO, V., MAURI, M. & DA ROS, L. (2007) Bioaccumulation and biomarker responses of trace metals and micro-organic pollutants in mussels and fish from the Lagoon of Venice, Italy. Mar. Pollut. Bull., 55(10-12): 469-484. S43401
- NG, T. Y.-T., RAINBOW, P. S., AMIARD-TRIQUET, C., AMIARD, J.-C. & WANG, W.-X. (2008) Decoupling of cadmium biokinetics and metallothionein turnover in a marine polychaete after metal exposure. Aquat. Toxicol., 89(1): 47-54. S43940
- NICASTRO, K. R., ZARDI, G. I., MCQUAID, C. D., TESKE, P. R. & BARKER, N. P. (2008) Coastal topography drives genetic structure in marine mussels. Mar. Ecol. Prog. Ser., 368: 189-195. S44136
- OLIVER, L. R., SEED, R. & REYNOLDS, B. (2008) The effect of high flow events on mussels (*Mytilus edulis*) in the Conwy estuary, North Wales, UK. Hydrobiol., 606: 117-127. S43559
- OZAKI, Y., YUSA, Y., YAMATO, S. & MAOKA, T. (2008) Reproductive ecology of the pedunculate barnacle *Scalpellum stearnsii* (Cirripedia : Lepadomorpha : Scalpellidae). J. Mar. Biol. Assoc. U. K., 88(1): 77-83. S43263

- PAZ, L. D., NETO, J. M., MARQUES, J. C. & LABORDA, A. J. (2008) Response of intertidal macrobenthic communities to long term human induced changes in the Eo estuary (Asturias, Spain): Implications for environmental management. Mar. Environ. Res., 66(2): 288-299. S44158
- PLOUGUERNE, E., HELLIO, C., DESLANDES, E., VERON, B., STIGER-POUVREAU, V. (2008) Anti-microfouling activities in extracts of two invasive algae: *Grateloupia turuturu* and *Sargassum muticum*. Bot. Mar., 51(3): 202-208. S43880
- POCCARO, P., CHANG, H. S., VAGLIASINDI, F. G. A. & KORSHIN, G. V. (2008) Differential absorbance study of effects of temperature on chlorine consumption and formation of disinfection by-products in chlorinated water. Water Res., 42(8-9): 1879-1888. S43683
- PYTHAROPOULOU, S., SAZAKLI, E., GRINTZALIS, K., GEORGIOU, C. D., LEOT SINIDIS, M. & KALPAXIS, D. L. (2008) Translational responses of *Mytilus galloprovincialis* to environmental pollution: Integrating the responses to oxidative stress and other biomarker responses into a general stress index. Aquat. Toxicol., 89(1): 18-27. S43939
- RAJAMOHAN, R., VENNITHA, E., VENUGOPALAN, V. P. & NARASIMHAN, S. V. (2007) Chlorination by-products and their discharge from the cooling water system of a coastal electric plant. Curr. Sci., 93(11): 1608-1612. S44188
- RICCIARDI, F., MATOZZO, V. & MARIN, M. G. (2008) Effects of 4-nonylphenol exposure in mussels (*Mytilus galloprovincialis*) and crabs (*Carcinus aestuarii*) with particular emphasis on vitellogenin induction. Mar. Pollut. Bull., 57(6-12): 365-372. S43914
- ROBERTS, D. A., JOHNSTON, E. L. & POORE, A. G. B. (2008) Contamination of marine biogenic habitats and effects upon associated epifauna. Mar. Pollut. Bull., 56(6): 1057-1065. S44161
- SARA, G., ROMANO, C., WIDDOWS, J. & STAFF, F. J. (2008) Effect of salinity and temperature on feeding physiology and scope for growth of an invasive species (*Brachidontes pharaonis* - MOLLUSCA: BIVALVIA) within the Mediterranean sea. J. Exp. Mar. Biol. Ecol., 363(1-2): 130-136. S44036
- SARAVANAN, P., PRABAGARAN, S. R., NANCHARAIAH, Y. V., KRISHNAVENI, M., VENUGOPALAN, V. P. & JAYACHANDRAN, S. (2008) Isolation and characterization of *Pseudoalteromonas rutherica* (SBT033), an EPS-producing biofilm bacterium from the seawater intake point of a tropical power station - EPS producing *Pseudoalteromonas rutherica*. World J. Microbiol. Biotechnol., 24(4): 509-515. S44173
- SATPATHY, K. K., JEBAKUMAR, K. E. & BHASKAR, S. (2008) A novel technique for the measurement of temperature in outflow water from a coastal power plant, with notes on chlorination and phytoplankton determinations. J. Therm. Biol., 33(4): 209-212. S43548

- SCHNEIDER, K. R. (2008) Heat stress in the intertidal: Comparing survival and growth of an invasive and native mussel under a variety of thermal conditions. *Biol. Bull.*, 215(3): 253-264. S44322
- SHIELDS, J. L., BARNES, P. & HEATH, D. D. (2008) Growth and survival differences among native, introduced and hybrid blue mussels (*Mytilus* spp.): genotype, environment and interaction effects. *Mar. Biol.*, 154(5): 919-928. S43781
- STEPHEN, B. B. & NICHOLAS, S. F. (2008) Modeling the effect of temperature on bioaccumulation of metals by a marine bioindicator organism, *Mytilus edulis*. *Environ. Sci. Technol.*, 42(9): 3277-3282. S43600
- TANG, C.-H. & WANG, W.-H. (2008) Butyltin accumulation in two marine bivalves along a pollution gradient. *Environ. Toxicol. Chem.*, 27(10): 2179-2185. S44083
- THEBAULT, H., BAENA, A. M. R. Y., ANDRAL, B., BARISIC, D., ALBALADEJO, J. B., BOLOGA, A. S., BOUDJENOUN, R., DELFANTI, R., EGOROV, V. N., KHOUKHI, T. E., FLOROU, H., KNIEWALD, G., NOUREDDINE, A., PATRASCU, V., PHAM, M. K., SCARPATO, A., STOKOZOV, N. A., TOPCUOGLU, S. & WARNAU, M. (2008) ^{137}Cs baseline levels in the Mediterranean and Black Sea: A cross-basin survey of the CIESM Mediterranean Mussel Watch programme. *Mar. Pollut. Bull.*, 57(6-12): 801-806. S43901
- Trottet, A., Roy, S., Tamigneaux, E., Lovejoy, C. & Tremblay, R. (2008) Influence of suspended mussel farming on planktonic communities in Grande-Entree Lagoon, Magdalen Islands (Quebec, Canada). *Aquacult.*, 276(1-4): 91-102. S43517
- TURNER, A., SINGH, N. & MILLARD, L. (2008) Bioaccessibility and bioavailability of Cu and Zn in sediment contaminated by antifouling paint residues. *Environ. Sci. Technol.*, 42(23): 8740-8746. S44294
- VASCHENKO, M. A. & KOTSYUBA, E. P. (2008) NADPH-diaphorase activity in the central nervous system of the Gray mussel *Crenomytilus grayanus* (Dunker) under stress conditions: A histochemical study. *Mar. Environ. Res.*, 66(2): 249-258. S44157
- VASELLI, S., BERTOCCI, I., MAGGI, E. & BENEDETTI-CECCHI, LISANDRO. (2008) Assessing the consequences of sea level rise: effects of changes in the slope of the substratum on sessile assemblages of rocky seashores. *Mar. Ecol. Prog. Ser.*, 368: 9-22. S44121
- WANG, X., CAI, J., ZHANG, J., WANG, C., YU, A., CHEN, Y. & ZUO, Z. (2008) Acute trimethyltin exposure induces oxidative stress response and neuronal apoptosis in *Sebastiscus marmoratus*. *Aquat. Toxicol.*, 90(1): 58-64. S44204
- WILHELMSSON, D. & MALM, T. (2008) Fouling assemblages on offshore wind power plants and adjacent substrata. *Estuarine Coast. Shelf Sci.*, 79(3): 459-466. S44035
- YAMADA, H. (2008) Behaviour, occurrence, and aquatic toxicity of new antifouling

- biocides and preliminary assessment of risk to aquatic ecosystems. Bulletin of Fisheries Research Agency, (21): 31-45. S43286
- ZARDI, G. I., NICASTRO, K. R., MCQUAID, C. D. & ERLANDSSON, J. (2008) Sand and wave induced mortality in invasive (*Mytilus galloprovincialis*) and indigenous (*Perna perna*) mussels. Mar. Biol., 153(5): 853-858. S43305
- ZILMAN, G., NOVAK, J. & BENAYAHU, Y. (2008) How do larvae attach to a solid in a laminar flow? Mar. Biol., 154(1): 1-26. S43493

クラゲ生態・対策

- 青木 薫・菊池知彦・山田 智・豊川雅哉 (2008) 伊勢・三河湾におけるミズクラゲ *Aurelia* sp. 1 の時空間分布. 日本海洋学会大会講演要旨集, 2008: p. 331. S44189
- 土井宏育・岡 達三・野々村禎昭 (2008) 放線菌が產生するプロテアーゼによるエチゼンクラゲの分解への適用. 日本水産学会誌, 74(5): 784-795. S44051
- 飯泉 仁 (2008) 大型クラゲ研究の現在. 日本水産学会誌, 74(1): 97-98. S43256
- 佐藤 洋 (2008) II 大型クラゲ緊急総合対策事業(平成18年度大型クラゲ出現調査及び情報提供委託事業) 1 大型クラゲ出現情報等の提供. 山形県水産試験場事業報告, 平成18年度: 75p S43771
- 杉本剛士・平瀬数恵 (2008) 9. 大型クラゲ対策技術開発事業(5) 底曳き網漁場における大型クラゲの状況. 福井県水産試験場報告, 平成18年度: 89-93. S43587
- 杉本剛士・家接直人 (2008) 9. 大型クラゲ対策技術開発事業(2) 大型クラゲ生物調査. 福井県水産試験場報告, 平成18年度: 77-78. S43584
- 杉本剛士・家接直人 (2008) 9. 大型クラゲ対策技術開発事業(3) 大型クラゲ分解試験. 福井県水産試験場報告, 平成18年度: 79-85. S43585
- 杉本剛士・家接直人 (2008) 9. 大型クラゲ対策技術開発事業(4) 定置網漁場における大型クラゲの状況. 福井県水産試験場報告, 平成18年度: 86-88. S43586
- 杉山陽一 (2008) 取水口へのクラゲ来襲の検知技術の開発. 検査技術, 13(2): 59-63. S44177
- 富田雅美・近藤久雄 (2008) 環境 火力発電所取水口築場で発生する魚介類の生ゴミ急速処理システムによるリサイクル. 電力土木, (334): 54-57. S44181
- 渡部俊広 (2008) 大型クラゲ *Nemopilema nomurai* による漁業被害を軽減させるための取り組み. 潮流, (45): 43-51. S43330
- 安田政一・杉本剛士・前田英章・松宮由太佳 (2008) 9. 大型クラゲ対策技術開発事業(1) 大型クラゲ出現予測. 福井県水産試験場報告, 平成18年度: 69-76. S43583
- 安田 徹・豊川雅哉 (2008) 新開発の測定器によるエチゼンクラゲ *Nemopilema nomurai* の傘径組成の測定. 日本水産学会誌, 74(2): 161-165. S43478
- 横田源弘・山元憲一・平 雄一郎・半田岳志 (2008) トラフグ, マダイおよびメジナの酸素消費量に及ぼす遊泳速度と水温の影響. J. Natl. Fish. Univ., 56(3): 261-265. S43816

- 吉崎 司 (2009) 発電所へ来襲するミズクラゲ群の発生源特定および対策に関する研究. エネルギア総研レビュー, (15): 6-9. S44538
- ARAI, M. N. (2009) The potential importance of podocysts to the formation of scyphozoan blooms: a review. *Hydrobiol.*, 616(1): 241-246. S44542
- ATTRILL, M. J. & EDWARDS, M. (2008) Reply to Haddock, S.H.D. Reconsidering evidence for potential climate-related increases in jellyfish. *Limnol. Oceanogr.*, 53(6): 2763-2766. S44329
- BAJCAR, T., MALACIC, V., MALEJ, A. & SIROK, B. (2009) Kinematic properties of the jellyfish *Aurelia* sp. *Hydrobiol.*, 616: 279-289. S44406
- BAYHA, K. M. & GRAHAM, W. M. (2009) A new Taqman PCR-based method for the detection and identification of scyphozoan jellyfish polyps. *Hydrobiol.*, 616: 217-228. S44384
- BOERO, F., BOUILLOU, J., GRAVILI, C., MIGLIETTA, M. P., PARSONS, T. & PIRAINO, S. (2008) Gelatinous plankton: Irregularities rule the world (sometimes). *Mar. Ecol. Prog. Ser.*, 356: 299-310. S43413
- BRODEUR, R. D., DECKER, M. B., CIANNELLI, L., PURCELL, J. E., BOND, N. A., STABENO, P. J., ACUNA, E. & HUNT JR., G. L. (2008) Rise and fall of jellyfish in the eastern Bering Sea in relation to climate regime shifts. *Prog. Oceanogr.*, 77(2-3): 103-111. S44543
- BRODEUR, R. D., SUCHMAN, C. L., REESE, D. C., MILLER, T. W. & DALY, E. A. (2008) Spatial overlap and trophic interactions between pelagic fish and large jellyfish in the northern California Current. *Mar. Biol.*, 154(4): 649-659. S43766
- CARR, E. F. & PITTS, K. A. (2008) Behavioural responses of zooplankton to the presence of predatory jellyfish. *J. Exp. Mar. Biol. Ecol.*, 354(1): 101-110. S43236
- COLOMBO, G. A., BENOVIC, A., MALEJ, A., LUCIC, D., MAKOVEC, T., ONOFRI, V., ACHA, M., MADROLAS, A. & MIANZAN, H. (2009) Acoustic survey of a jellyfish-dominated ecosystem (Mljet Island, Croatia). *Hydrobiol.*, 616: 99-111. S44398
- DAWSON, M. N. & HAMNER, W. M. (2009) A character-based analysis of the evolution of jellyfish blooms: adaptation and exaptation. *Hydrobiol.*, 616: 193-215. S44541
- DE VRIES, P. (2008) Development and application of a species sensitivity distribution for temperature-induced mortality in the aquatic environment. *Environ. Toxicol. Chem.*, 27(12): 2591-2598. S44537
- DONG, J., JIANG, L.-X., TAN, K.-F., LIU, H.-Y., PURCELL, J. E., LI, P.-J. & YE, C.-C. (2009) Stock enhancement of the edible jellyfish (*Rhopilema esculentum* Kishinouye) in Liaodong Bay, China: review. *Hydrobiol.*, 616: 113-118. S44540
- GIBBONS, M. J., RICHARDSON, A. J. (2009) Patterns of jellyfish abundance in the North Atlantic. *Hydrobiol.*, 616: 51-65. S44397
- GORDON, M. R. & SEYMOUR, J. E. (2009) Quantifying movement of the tropical Australian cubozoan *Chironex fleckeri* using acoustic telemetry. *Hydrobiol.*, 616:

- HADDOCK, S. H. D. (2008) Reconsidering evidence for potential climate-related increases in jellyfish. Limnol. Oceanogr., 53(6): 2759-2762. S44328
- HAMNER, W. M. & DAWSON, M. N. (2009) A review and synthesis on the systematics and evolution of jellyfish blooms: advantageous aggregations and adaptive assemblages. Hydrobiol., 616: 161-191. S44379
- HAYS, G. C., DOYLE, T. K., HOUGHTON, J. D. R., LILLEY, M. K. S., METCALFE, J. D. & RIGHTON, D. (2008) Diving behaviour of jellyfish equipped with electronic tags. J. Plankton Res., 30(3): 325-331. S43553
- HOOVER, R. A. & PURCELL, J. E. (2009) Substrate preferences of scyphozoan *Aurelia labiata* polyps among common dock-building materials. Hydrobiol., 616: 259-267. S44404
- ISHII, H., OHBA, T. & KOBAYASHI, T. (2008) Effects of low dissolved oxygen on planula settlement, polyp growth and asexual reproduction of *Aurelia aurita*. Plankton Benthos Res., 3(Suppl.) : 107-113. S43751
- JIANG, Z.-B., ZENG, J.-N., CHEN, Q.-Z., HUANG, Y.-J., LIAO, Y.-B., XU, X.-Q. & ZHENG, P. (2009) Potential impact of rising seawater temperature on copepods due to coastal power plants in subtropical areas. J. Exp. Mar. Biol. Ecol., 368(2): 196-201. S44428
- KI, J.-S., KIM, I.-C. & LEE, J.-S. (2009) Comparative analysis of nuclear ribosomal DNA from the moon jelly *Aurelia* sp.1 (Cnidaria: Scyphozoa) with characterizations of the 18S, 28S genes, and the intergenic spacer (IGS). Hydrobiol., 616: 229-239. S44402
- LIU, W.-C., LO, W.-T., PURCELL, J. E. & CHANG, H.-H. (2009) Effects of temperature and light intensity on asexual reproduction of the scyphozoan, *Aurelia aurita* (L.) in Taiwan. Hydrobiol., 616: 247-258S44403
- LO, W. T. & CHEN, I. L. (2008) Population succession and feeding of scyphomedusae, *Aurelia aurita*, in a eutrophic tropical lagoon in Taiwan. Estuarine Coast. Shelf Sci., 76(2): 227-238. S43230
- MARSHALONIS, D., PINCKNEY, J. L. (2008) Grazing and assimilation rate estimates of hydromedusae from a temperate tidal creek system. Hydrobiol., 606: 203-211. S43742
- MASUDA, R. (2009) Ontogenetic changes in the ecological function of the association behavior between jack mackerel *Trachurus japonicus* and jellyfish. Hydrobiol., 616: 269-277. S44405
- MASUDA, R., YAMASHITA, Y. & MATSUYAMA, M. (2008) Jack mackerel *Trachurus japonicus* juveniles use jellyfish for predator avoidance and as a prey collector. Fish. Sci., 74(2): 276-284. S43485
- MIGLIETTA, M. P., ROSSI, M. & COLLIN, R. (2008) Hydromedusa blooms and upwelling events in the Bay of Panama, Tropical East Pacific. J. Plankton Res.,

30(7): 783-793. S43908

- PALOMARES, M. L. D. & PAULY, D. (2009) The growth of jellyfishes. *Hydrobiol.*, 616: 11-21. S44396
- PAULY, D., GRAHAM, W., LIBRALATO, S., MORISSETTE, L. & PALOMARES, M. L. D. (2009) Jellyfish in ecosystems, online databases, and ecosystem models. *Hydrobiol.*, 616: 67-85. S44378
- PITT, K. A., CLEMENT, A. L., CONNOLLY, R. M. & THIBAULT-BOTH, D. (2008) Predation by jellyfish on large and emergent zooplankton: Implications for benthic-pelagic coupling. *Estuarine Coast. Shelf Sci.*, 76(4): 827-833. S43295
- PITT, K. A., CONNOLLY, R. M. & MEZIANE, T. (2009) Stable isotope and fatty acid tracers in energy and nutrient studies of jellyfish: a review. *Hydrobiol.*, 616: 119-132. S44399
- PITT, K. A., WELSH, D. T. & CONDON, R. H. (2009) Influence of jellyfish blooms on carbon, nitrogen and phosphorus cycling and plankton production. *Hydrobiol.*, 616: 133-149. S44400
- PURCELL, J. E. (2009) Extension of methods for jellyfish and ctenophore trophic ecology to large-scale research. *Hydrobiol.*, 616: 23-50. S44304
- PURCELL, J. E., UYE, S. & LO, W. T. (2007) Anthropogenic causes of jellyfish blooms and their direct consequences for humans: A review. *Mar. Ecol. Prog. Ser.*, 350: 153-174. S43115
- RICHARDSON, A. J. & GIBBONS, M. J. (2008) Are jellyfish increasing in response to ocean acidification? *Limnol. Oceanogr.*, 53(5): 2040-2045. S43927
- SHOJI, J. (2008) Non-size-selective predation on fish larvae by moon jellyfish *Aurelia aurita* under low oxygen concentrations. *Plankton Benthos Res.*, 3(Suppl.) : 114-117. S43752
- UYE, S. (2008) Blooms of the giant jellyfish *Nemopilema nomurai*: a threat to the fisheries sustainability of the East Asian Marginal Seas. *Plankton Benthos Res.*, 3(Suppl.) : 125-131. S43754
- WEST, E. J., WELSH, D. T. & PITT, K. A. (2009) Influence of decomposing jellyfish on the sediment oxygen demand and nutrient dynamics. *Hydrobiol.*, 616: 151-160. S44401
- WILLCOX, S., MOLTSCHANIWSKYJ, N. A. & CRAWFORD, C. M. (2008) Population dynamics of natural colonies of *Aurelia* sp. scyphistomae in Tasmania, Australia. *Mar. Biol.*, 154(4): 661-670. S44088
- YAMAMOTO, J., HIROSE, M., OHTANI, T., SUGIMOTO, K., HIRASE, K., SHIMAMOTO, N., SHIMURA, T., HONDA, N., FUJIMORI, Y. & MUKAI, T. (2008) Transportation of organic matter to the sea floor by carrion falls of the giant jellyfish *Nemopilema nomurai* in the Sea of Japan. *Mar. Biol.*, 153(3): 311-317. S43300
- YOON, W. D., YANG, J.-Y., SHIM, M. B. & KANG, H.-K. (2008) Physical processes

influencing the occurrence of the giant jellyfish *Nemopilema nomurai* (Scyphozoa: Rhizostomeae) around Jeju Island, Korea. J. Plankton Res., 30(3): 251-260. S43552

水温

- 青木路人・小池卓二・村上小百合・本間恭二 (2008) 養生温度がムラサキイガイ付着盤の接着強度におよぼす影響. *Sessile Organisms*, 25(2): 85-90. S44020
- 浜野龍夫・柳井芳水・早杉 啓・渡邊敏晃 (2008) 干潟に設置した逆さ竹林礁による昇温抑制効果. *J. Natl. Fish. Univ.*, 56(3): 261-265. S43819
- 平田豊彦・石井孝幸 (2008) ホシガレイのふ化に及ぼす水温の影響. 水産技術(水産総合研究センター), 1(1): 61-65. S44241
- 石井光廣・長谷川健一・柿野 純 (2008) 千葉県データセットから見た東京湾における水質の長期変動. 水産海洋研究, 72(3): 189-199. S44021
- 岩永俊介・鈴木正昭・森 洋治・塚原淳一郎・細川秀毅 (2008) 長崎県におけるアコヤガイ母貝養殖場の冬季水温による感染症軽減効果. 水産増殖, 56(3): 351-357. S44073
- 帰山雅秀 (2008) 気候変動とサケ属魚類バイオマス変動シナリオ. 日本国水産学会誌, 74(5): 876-879. S44055
- 神崎博幸・金丸彦一郎 (2007) 壱岐・対馬東水道における2月, 8月の水温の長期変動について. 佐賀玄海水産振興センター研報, (4): 1-6. S43367
- 川代雅和・高垣 守・仲野大地・根本 茂 (2008) 2 高水温時におけるマリンサワードSP30 がトラフグに与える影響と寄生虫(ハダムシ)の駆虫効果について. 福井県水産試験場報告, 平成18年度: 167-174. S43588
- 岸野 底・四宮昭彦・寿 浩義 (2008) リュウキュウアユ仔魚の水温・塩分耐性に関する生残実験. 魚類学雑誌, 55(1): 1-8. S43650
- 北川貴士 (2008) クロマグロ *Thunnus orientalis* の行動生態と水温適応機構に関する研究. 日本国水産学会誌, 74(4): 580-583. S43843
- 小松輝久 (2008) 第5回 地球温暖化による藻場・流れ藻への影響. 養殖, 45(9): 38-40. S44244
- 宮原一隆・光永 康・太田太郎 (2008) 日本海西部におけるソディカ成体の遊泳生態 一小型水温水深計を用いた標識放流調査結果一. 日本海ブロック資源研究会報告(日本海区水産研究所), 平成17・18年度(43): 13. S43383
- 向井人史 (2008) ココが知りたい温暖化(22) 海から二酸化炭素が放出された?. 地球環境研究センターニュース, 19(5): 10-12. S43982
- 長倉義智・大河内裕之・野田 勉・熊谷厚志 (2008) 飼育水温の違いが初期のニシン仔魚の生残に与える影響. 栽培漁業センター技法(水産総合研究センター), (8): 31-35. S43958
- 難波信由・小河久朗・加戸隆介 (2008) ヒジキの多回収穫型養殖における汚損生物マコンブとムラサキイガイに対する温海水処理. *Sessile Organisms*, 25(2):

- 阪本憲司・横江洋一・古澤 巖 (2008) 呼吸数測定によるハオコゼの高水温条件下における馴化評価. 水産育種, 37(1-2): 37-41. S43479
- 清水大輔・藤浪祐一郎 (2008) ホシガレイ種苗の ALC 標識試験 一水温と浸漬濃度および pH 調整の有効性の検討ー. 栽培漁業センター技報(水産総合研究センター), (7): 41-43. S43128
- 霜村胤日人・長谷川雅俊 (2008) 磯焼け域と群落域におけるカジメの生長と光・水温条件との関係. 藻類, 56(3): 169-178. S44221
- 田所和明・杉本隆成・岸 道郎 (2008) 海洋生態系に対する地球温暖化の影響. 海の研究, 17(6): 404-420. S44240
- 田中俊充・四ツ倉典滋・木村 創・能登谷正浩 (2008) 和歌山県沿岸に生育するカジメ・クロメ配偶体の生長と成熟および胞子体の初期生長に及ぼす水温の影響. 水産増殖, 56(3): 343-349. S44072
- 樋田史郎 (2008) 2006 年に観測された相模湾における記録的低水温について. 神水セ研報, (3): 73-78. S44017
- 友田 努・小磯雅彦・島 康洋 (2008) シオミズツボワムシ培養水温がヒラメ仔魚飼育に及ぼす影響. 日本水産学会誌, 74(4): 625-635. S43849
- 山元憲一・半田岳志・茅野昌大・白石亮之 (2008) マナマコの呼吸樹での換水と体腔内圧に及ぼす水温の影響. 水産増殖, 56(4): 493-496. S44281
- 横浜康継 (2008) 海藻という植物【8】海藻の水平・垂直分布と温度・光条件. 海洋と生物, 30(6): 797-807. S44285
- 横田源弘・山元憲一・平 雄一郎・半田岳志・森元映治 (2008) マアジの酸素消費量と遊泳能力について. J. Natl. Fish. Univ., 56(4): 267-271. S43817
- **** (2007) 原発と漁業の共存は可能か(379) 迫られる CO₂ 排出防止対策ー地球温暖化をめぐる現状ー. 水産界, (1475): 46-47. S43132
- **** (2008) ノリ養殖漁期における高水温化と水温予報ー有明海等環境情報・研究ネットワークー. 季報(日本水産資源保護協会), (516)(春): 24-25. S43668
- **** (2008) 水産海洋シンポジウム「地球温暖化とその沿岸・沖合海洋生態系への影響ー検知と予測ー」. 水産海洋研究, 72(4): 282-297. S44198
- **** (2008) 太平洋クロマグロ仔魚と水温の関係. 研究のうごき(中央水産研究所主要研究成果集), (6): 7pp. S44252
- ABE, M., KURASHIMA, A. & MAEGAWA, M. (2008) High water-temperature tolerance in photosynthetic activity of *Zostera marina* seedlings from Ise Bay, Mie Prefecture, central Japan. Fish. Sci., 74(5): 1017-1023. S44111
- AINSWORTH, T. D., HOEGH-GULDBERG, O., HERON, S. F., SKIRVING, W. J. & LEGGAT, W. (2008) Early cellular changes are indicators of pre-bleaching thermal stress in the coral host. J. Exp. Mar. Biol. Ecol., 364(2): 63-71. S44125
- ANESTIS, A., PORTNER, H. O., LAZOU, A. & MICHAELIDIS, B. (2008) Metabolic and molecular stress responses of sublittoral bearded horse mussel *Modiolus barbatus* to warming sea water: implications for vertical zonation. J. Exp. Biol.,

211(17): 2889-2898. S44092

- AOYAMA, M., GOTO, H., KAMIYA, H., KANEKO, I., KAWAE, S., KODAMA, H., KONISHI, Y., KUSUMOTO, K., MIURA, H., MORIYAMA, E., MURAKAMI, K., NAKANO, T., NOZAKI, F., SASANO, D., SHIMIZU, T., SUZUKI, H., TAKATSUKI, Y. & TORIYAMA, A. (2008) Marine biogeochemical response to a rapid warming in the main stream of the Kuroshio in the western North Pacific. *Fish. Oceanogr.*, 17(3): 206-218. S43732
- ARAI, T., HARINO, H. & OHJI, M. (2008) Organotin levels in coastal areas in Vietnam. *Coastal Mar. Sci.*, 32(1): 127-130. S44031
- ATTRILL, M. J. & EDWARDS, M. (2008) Reply to Haddock, S.H.D. Reconsidering evidence for potential climate-related increases in jellyfish. *Limnol. Oceanogr.*, 53(6): 2763-2766. S44329
- AUGUST, S. M. & HICKS, B. J. (2008) Water temperature and upstream migratio of glass eels in New Zealand: Implications of climate change. *Environ. Biol. Fish.*, 81(2): 195-205. S43348
- AZZELLINO, A., GASPARI, S. A., AIROLDI, S. & LANFREDI, C. (2008) Biological consequences of global warming: does sea surface temperature affect cetacean distribution in the western Ligurian Sea? *J. Mar. Biol. Assoc. U. K.*, 88(6): 1145-1152. S44151
- BAKER, A. C., GLYNN, P. W. & RIEGL, B. (2008) Climate change and coral reef bleaching: An ecological assessment of long-term impacts, recovery trends and future outlook. *Estuarine Coast. Shelf Sci.*, 80(4): 435-471. S44295
- BAO, J., TIAN, X.-L., DONG, S.-L. & JIANG, H.-B. (2008) Effect of temperature, salinity and light intensity on nitrogen and phosphorus uptake by *Sargassum thunbergii*. *J. Fish. Sci. China*, 15(2): 293-300. S43379
- BENCHOUCHA, S., BERRAHO, A., BAZAIRI, H., KATARA, I., BENCHRIFI, S. & VALAVANIS, V. D. (2008) Salinity and temperature as factors controlling the spawning and catch of *Parapenaeus longirostris* along the Moroccan Atlantic Ocean. *Hydrobiol.*, 612: 109-123. S43964
- BISSINGER, J. E., MONTAGNES, D. J. S., SHARPLES, J. & ATKINSON, D. (2008) Predicting marine phytoplankton maximum growth rates from temperature: Improving on the Eppley curve using quantile regression. *Limnol. Oceanogr.*, 53(2): 487-493. S43785
- BLOWERS, P., MOLINE, D. M., TETRAULT, K. F., WHEELER, R. R. & LEE TUCHAWENA, S. (2008) Global warming potentials of hydrofluoroethers. *Environ. Sci. Technol.*, 42(4): 1301-1307. S43268
- BOISNEAU, C., MOATAR, F., BODIN, M. & BOISNEAU, P. (2008) Does global warming impact on migration patterns and recruitment of Allis shad (*Alosa alosa* L.) young of the year in the Loire River, France? *Hydrobiol.*, 602: 179-186. S43265

- BOYCE, D. G., TITTENSOR, D. P. & WORM, B. (2008) Effects of temperature on global patterns of tuna and billfish richness. *Mar. Ecol. Prog. Ser.*, 355: 267-276. S43382
- BRODEUR, R. D., PETERSON, W. T., AUTH, T. D., SOULEN, E. L., PARNEL, M. M., EMERSON, A. A. (2008) Abundance and diversity of coastal fish larvae as indicators of recent changes in ocean and climate conditions in the Oregon upwelling zone. *Mar. Ecol. Prog. Ser.*, 366: 187-202. S44079
- BRUN, N. T., BRICELJ, V. M., MACRAE, T. H. & ROSS, N. W. (2008) Heat shock protein responses in thermally stressed bay scallops, *Argopecten irradians*, and sea scallops, *Placopecten magellanicus*. *J. Exp. Mar. Biol. Ecol.*, 358(2): 151-162. S43529
- BUITENHUIS, E. T., PANGERC, T., FRANKLIN, D. J., QUE'RE, C. L. & MALIN, G. (2008) Growth rates of six coccolithophorid strains as a function of temperature. *Limnol. Oceanogr.*, 53(3): 1181-1185. S43792
- BUSSELL, J. A., GIDMAN, E. A., CAUSTON, D. R., GWYNN-JONES, D., MALHAM, S. K., JONES, M. L. M., REYNOLDS, B. & SEED, R (2008) Changes in the immune response and metabolic fingerprint of the mussel, *Mytilus edulis* (Linnaeus) in response to lowered salinity and physical stress. *J. Exp. Mar. Biol. Ecol.*, 358(1): 78-85. S43492
- CARDOSO, P. G., RAFFAELLI, D. & PARDAL, M. A. (2008) The impact of extreme weather events on the seagrass *Zostera noltii* and related *Hydrobia ulvae* population. *Mar. Pollut. Bull.*, 56(3): 483-492. S43499
- CHALOUPKA, M., KAMEZAKI, N. & LIMPUS, C. (2008) Is climate change affecting the population dynamics of the endangered Pacific loggerhead sea turtle? *J. Exp. Mar. Biol. Ecol.*, 356(1-2): 136-143. S43277
- CHEN, X., LI, G., FENG, B. & TIAN, S. (2009) Habitat Suitability Index of Chub Mackerel (*Scomber japonicus*) from July to September in the East China Sea. *J. Oceanogr.*, 65(1): 93-102. S44307
- CHEUNG, W. W. L., CLOSE, C., LAM, V., WATSON, R. & PAULY, D. (2008) Application of macroecological theory to predict effects of climate change on global fisheries potential. *Mar. Ecol. Prog. Ser.*, 365: 187-197. S44048
- CHILDS, A. R., COWLEY, P. D., NAESJE, T. F., BOOTH, A. J., POTTS, W. M., THORSTAD, E. B. & OKLAND, F. (2008) Do environmental factors influence the movement of estuarine fish? A case study using acoustic telemetry. *Estuarine Coast. Shelf Sci.*, 78(1): 227-236. S43525
- COUTANT, C. (2008) Thermal workshop revives interest in water temperatures. *Fisheries*, 33(1): 29-30. S43276
- DAVIE, A., PORTER, M. J. R., BROMAGE, N. R. & MIGAUD, H. (2007) The role of seasonally altering photoperiod in regulating physiology in Atlantic cod (*Gadus morhua*). Part II. Somatic growth. *Can. J. Fish. Aquat. Sci.*, 64(1): 98-112.

- DEL TORO-SILVA, F. M., MILLER, J. M., TAYLOR, J. C. & ELLIS, T. A. (2008) Influence of oxygen and temperature on growth and metabolic performance of *Paralichthys lethostigma* (Pleuronectiformes: Paralichthyidae). *J. Exp. Mar. Biol. Ecol.*, 358(2): 113-123. S43528
- DELA-CRUZ, J., MIDDLETON, J. H. & SUTHERS, I. M. (2008) The influence of upwelling, coastal currents and water temperature on the distribution of the red tide dinoflagellate, *Noctiluca scintillans*, along the east coast of Australia. *Hydrobiol.*, 598: 59-75. S43393
- DENMAN, K. L. (2008) Climate change, ocean processes and ocean iron fertilization. *Mar. Ecol. Prog. Ser.*, 364: 219-225. S43947
- DISSANAYAKE, A., GALLOWAY, T. S. & JONES, M. B. (2008) Physiological responses of juvenile and adult shore crabs *Carcinus maenas* (Crustacea: Decapoda) to pyrene exposure. *Mar. Environ. Res.*, 66(4): 445-450. S44165
- DONG, S., KONG, J., MENG, X., ZHANG, Q., ZHANG, T. & WANG, R. (2008) Microsatellite DNA markers associated with resistance to WSSV in *Penaeus (Fenneropenaeus) chinensis*. *Aquacult.*, 282(1-4): 138-141. S44101
- DONG, Y. & DONG, S. (2008) Induced thermotolerance and expression of heat shock protein 70 in sea cucumber *Apostichopus japonicus*. *Fish. Sci.*, 74(3): 573-578. S43776
- DONG, Y., MILLER, L. P., SANDERS, J. G. & SOMERO, G. N. (2008) Heat-shock protein 70 (Hsp70) expression in four limpets of the genus *Lottia*: Interspecific variation in constitutive and inducible synthesis correlates with in situ exposure to heat stress. *Biol. Bull.*, 215(2): 173-181. S44262
- DONG, Y. W., DONG, S. L. & JI, T. T. (2008) Effect of different thermal regimes on growth and physiological performance of the sea cucumber *Apostichopus japonicus* Selenka. *Aquacult.*, 275(1-4): 329-334. S43406
- DONG, Y. W., DONG, S. L. & MENG, X. L. (2008) Effects of thermal and osmotic stress on growth, osmoregulation and Hsp70 in sea cucumber (*Apostichopus japonicus* Selenka). *Aquacult.*, 276(1-4): 179-186. S43519
- DOU, S. Z., YAMADA, Y., OKAMURA, A., SHINODA, A., TANAKA, S. & TSUKAMOTO, K. (2008) Temperature influence on the spawning performance of artificially-matured Japanese eel, *Anguilla japonica*, in captivity. *Environ. Biol. Fish.*, 82(2): 151-164. S43522
- DOVE, M. C. & O'CONNOR, W. A. (2007) Salinity and temperature tolerance of Sydney rock oysters *Saccostrea glomerata* during early ontogeny. *J. Shellfish Res.*, 26(4): 939-947. S43238
- DUTIL, J. D., SYLVESTRE, E. L., GAMACHE, L., LAROCQUE, R. & GUDELEY, H. (2007) Burst and coast use, swimming performance and metabolism of Atlantic cod *Gadus morhua* in sub-lethal hypoxic conditions. *J. Fish Biol.*, 71(2): 363-375.

- EDMUNDS, P. J. (2008) The effects of temperature on the growth of juvenile scleractinian corals. *Mar. Biol.*, 154(1): 153-162. S43498
- EDMUNDS, P. J. (2008) Differential effects of high temperature on the respiration of juvenile Caribbean corals. *Bull. Mar. Sci.*, 83(3): 453-464. S44314
- EHLERS, A., WORM, B. & REUSCH, T. B. H. (2008) Importance of genetic diversity in eelgrass *Zostera marina* for its resilience to global warming. *Mar. Ecol. Prog. Ser.*, 355: 1-7. S43380
- EME, J. & BENNETT, W. A. (2008) Low temperature as a limiting factor for introduction and distribution of Indo-Pacific damselfishes in the eastern United States. *J. Therm. Biol.*, 33(1): 62-66. S43137
- ENCINA, L., RODRIGUEZ-RUIZ, A. & GRANADO-LORENCIO, C. (2008) Distribution of common carp in a Spanish reservoir in relation to thermal loading from a nuclear power plant. *J. Therm. Biol.*, 33(8): 444-450. S44191
- FARRELL, A. P. (2008) Comparisons of swimming performance in rainbow trout using constant acceleration and critical swimming speed tests. *J. Fish Biol.*, 72(3): 693-710. S43123
- FENG, Y., WARNER, M. E., ZHANG, Y., SUN, J., FU, F.-X., ROSE, J. M. & HUTCHINS, D. A. (2008) Interactive effects of increased pCO₂, temperature and irradiance on the marine coccolithophore *Emiliania huxleyi* (Prymnesiophyceae). *Eur. J. Phycol.*, 43(1): 87-98. S43437
- FUJII, T. & RAFFAELLI, D. (2008) Sea-level rise, expected environmental changes, and responses of intertidal benthic macrofauna in the Humber estuary, UK. *Mar. Ecol. Prog. Ser.*, 371: 23-35. S44215
- FURUTA, T., IWATA, N. & KIKUCHI, K. (2008) Effects of Fish Size and Water Temperature on the Acute Toxicity of Copper for Japanese Flounder, *Paralichthys olivaceus*, and Red Sea Bream, *Pagrus major*. *J. World Aquacult. Soc.*, 39(6): 766-773. S44193
- GALUARDI, B., NIELSEN, A. & LUTCAVAGE, M. (2008) Optimizing smoothed sea surface temperature for improving archival tag geolocation. *Mar. Ecol. Prog. Ser.*, 365: 35-44. S44045
- GUAN, L., SNELGROVE, P. V. R. & GAMPERL, A. K. (2008) Ontogenetic changes in the critical swimming speed of *Gadus morhua* (Atlantic cod) and *Myoxocephalus scorpius* (shorthorn sculpin) larvae and role of temperature. *J. Exp. Mar. Biol. Ecol.*, 360(1): 31-38. S43750
- HAMER, B., JAKSIC, Z., PAVICIC-HAMERA, D., PERIC, L., MEDAKOVIC, D., IVANKOVIC, D., PAVICIC, J., ZILBERBERG, C., SCHRODER, H. C., MULLERWERNER, E.G., SMODLAKA, N. & BATEL, R. (2008) Effect of hypoosmotic stress by low salinity acclimation of Mediterranean mussels *Mytilus galloprovincialis* on biological parameters used for pollution assessment. *Aquat.*

- Toxicol., 89(3): 137-151. S44068
- HANDELAND, S. O., IMSLAND, A. K. & STEFANSSON, S. O. (2008) The effect of temperature and fish size on growth, feed intake, food conversion efficiency and stomach evacuation rate of Atlantic salmon post-smolts. Aquacult., 283(1-4): 36-42. S44102
- HANNA, S. K., HAUKENES, A. H., FOY, R. J. & BUCK, C. L. (2008) Temperature effects on metabolic rate, swimming performance and condition of Pacific cod *Gadus macrocephalus* Tilesius. J. Fish Biol., 72(4): 1068-1078. S43226
- HARE, C. E., LEBLANC, K., DITULLIO, G. R., KUDELA, R. M., ZHANG, Y., LEE, P. A., RISEMAN, S. & HUTCHINS, D. A. (2008) Consequences of increased temperature and CO₂ for phytoplankton community structure in the Bering Sea. Mar. Ecol. Prog. Ser., 352: 9-16. S43308
- HARINO, H., EGUCHI, S., YAMAMOTO, Y., KUROKAWA, Y., KAWAI, S., ARAI, T., OHJI, M., YAMATO, S., KOBAYASHI, N. & MIYAZAKI, N. (2008) Distribution of organotin compounds in representative coastal areas from Japan: A review. Coastal Mar. Sci., 32(1): 88-95. S44030
- HASSELL, K. L., COUTIN, P. C. & NUGEGODA, D. (2008) Hypoxia, low salinity and lowered temperature reduce embryo survival and hatch rates in black bream *Acanthopagrus butcheri* (Munro, 1949). J. Fish Biol., 72(7): 1623-1636. S43532
- HEILMAYER, O., DIGIALLEONARDO, J., QIAN, L. & ROESIJADI, G. (2008) Stress tolerance of a subtropical *Crassostrea virginica* population to the combined effects of temperature and salinity. Estuarine Coast. Shelf Sci., 79(1): 179-185. S43718
- HENRY, K. M. & NIXON, S. W. (2008) A half century assessment of hard clam, *Mercenaria mercenaria*, growth in Narragansett Bay, Rhode Island. Estuaries and Coasts, 31(4): 755-766. S43899
- HSIEH, C.-H., REISS, C. S., HEWITT, R. P. & SUGIHARA, G. (2008) Spatial analysis shows that fishing enhances the climatic sensitivity of marine fishes. Can. J. Fish. Aquat. Sci., 65(5): 947-961. S43757
- HUBER, V., ADRIAN, R. & GERTEN, D. (2008) Phytoplankton response to climate warning modified by trophic state. Limnol. Oceanogr., 53(1): 1-13. S43862
- HUESEMAN, M. H. (2008) Ocean fertilization and other climate change mitigation strategies: an overview. Mar. Ecol. Prog. Ser., 364: 243-250. S43948
- HUGHES, V., BENFEY, T. J. & MARTIN-ROBICHAUD, D. J. (2008) Effect of rearing temperature on sex ratio in juvenile Atlantic halibut, *Hippoglossus hippoglossus*. Environ. Biol. Fish., 81(4): 415-419. S43351
- INENO, T., ENDO, M. & WATABE, S. (2008) Differences in self-feeding activity between thermally selected and normal strains of rainbow trout *Oncorhynchus mykiss* at high temperatures. Fish. Sci., 74(2): 372-379. S43488
- IWATA, Y., ITO, K. & SAKURAI, Y. (2008) Effect of low temperature on mating

- behavior of squid *Loligo bleekeri*. Fish. Sci., 74(6): 1345-1347. S44212
- JANAS, U. & SPICER, J. I. (2008) Does the effect of low temperature on osmoregulation by the prawn *Palaemon elegans* Rathke, 1837 explain winter migration offshore? Mar. Biol., 153(5): 937-943. S43306
- JI, T., DONG, Y. & DONG, S. (2008) Growth and physiological responses in the sea cucumber, *Apostichopus japonicus* Selenka: Aestivation and temperature. Aquacult., 283(1-4): 180-187. S44103
- JIANG, Z., ZENG, J., CHEN, Q., HUANG, Y., XU, X., LIAO, Y., SHOU, L. & LIU, J. (2008) Tolerance of copepods to short-term thermal stress caused by coastal power stations. J. Therm. Biol., 33(7): 419-423. S43961
- JOHNSTON, D., MELVILLE-SMITH, R., HENDRIKS, B. & PHILLIPS, B. (2008) Growth rates and survival of western rock lobster (*Panulirus cygnus*) at two temperatures (ambient and 23 °C) and two feeding frequencies. Aquacult., 279(1-4): 77-84. S43793
- JONES, E. A., JONG, A. S. & ELLERBY, D. J. (2008) The effects of acute temperature change on swimming performance in bluegill sunfish *Lepomis macrochirus*. J. Exp. Biol., 211(9): 1386-1393. S43764
- KAWAMATA, S. (2008) Climbing performance of sea urchin *Strongylocentrotus nudus* for upright, thin objects in wave-induced oscillatory flow. Fish. Sci., 74(5): 1005-1016. S44108
- KEMP, J. O. G. & BRITZ, P. J. (2008) The effect of temperature on the growth, survival and food consumption of the east coast rock lobster *Panulirus homarus rubellus*. Aquacult., 280(1-4): 227-231. S43894
- KIDOKORO, H. & SAKURAI, Y. (2008) Effect of water temperature on gonadal development and emaciation of Japanese common squid *Todarodes pacificus* (Ommastrephidae). Fish. Sci., 74(3): 553-561. S43775
- KOBAYASHI, N., TAMATO, S., HARINO, H. & KITANO, M. (2008) A bioassay using sea urchin egg development to identify organotin pollution in sea water. Coastal Mar. Sci., 32(1): 77-81. S44029
- KORNER, O., KOHNO, S., SCHONENBERGER, R., SUTER, M. J.-F., KNAUER, K., GUILLETTE JR., L. J. & BURKHARDT-HOLM, P. (2008) Water temperature and concomitant waterborne ethinylestradiol exposure affects the vitellogenin expression in juvenile brown trout (*Salmo trutta*). Aquat. Toxicol., 90(3): 188-196. S44207
- KUBO, T., SAKAMOTO, W., MURATA, O. & KUMAI, H. (2008) Whole-body heat transfer coefficient and body temperature change of juvenile Pacific bluefin tuna *Thunnus orientalis* according to growth. Fish. Sci., 74(5): 995-1004. S44107
- KUROKAWA, T., OKAMOTO, T., GEN, K., UJI, S., MURASHITA, K., UNUMA, T., NOMURA, K., MATSUBARA, H., KIM, S., OHTA, H. & TANAKA, H. (2008) Influence of water temperature on morphological deformities in cultured larvae

- of Japanese eel, *Anguilla japonica*, at completion of yolk resorption. J. World Aquacult. Soc., 39(6): 726-735. S44192
- LANE, E. S., JANG, K., CULLEN, J. T. & MALDONADO, M. T. (2008) The interaction between inorganic iron and cadmium uptake in the marine diatom *Thalassiosira oceanica*. Limnol. Oceanogr., 53(5): 1784-1789. S44326
- LAUREL, B. J., HURST, T. P., COPEMAN, L. A. & DAVIS, M. W. (2008) The role of temperature on the growth and survival of early and late hatching Pacific cod larvae (*Gadus macrocephalus*). J. Plankton Res., 30(9): 1051-1060. S44110
- LEE, H.-W., LEE, K. & LEE, B.-Y. (2008) Prediction of surface ocean pCO₂ from observations of salinity, temperature and nitrate: the empirical model perspective. Ocean Sci. J., 43(4): 195-208. S44299
- LI, Y. B., WANG, X. L., HAN, X. R., LI, K. Q., ZHAO, X. X. & SHI, X. Y. (2008) An ecosystem model of the phytoplankton competition in the East China Sea, as based on field experiments. Hydrobiol., 600: 283-296. S43424
- LIMA, F. P., RIBEIRO, P. A., QUEIROZ, N., HAWKINS, S. J. & SANTOS, A. M. (2007) Do distributional shifts of northern and southern species of algae match the warming pattern? Global Change Biol., 13(12): 2592-2604. S43224
- MACLEOD, C. D., WEIR, C. R., SANTOS, M. B. & DUNN, T. E. (2008) Temperature-based summer habitat partitioning between white-beaked and common dolphins around the United Kingdom and Republic of Ireland. J. Mar. Biol. Assoc. U. K., 88(6): 1193-1198. S44152
- MANZANO-SARABIA, M., SALINAS-ZAVALA, C. A., KAHRU, M., LLUCH-COTA, S. E. & GONZALEZ-BECERRIL, A. (2008) The impact of the 1997-1999 warm-SST and low-productivity episode on fisheries in the southwestern Gulf of Mexico. Hydrobiol., 610: 257-267. S43881
- MARTINSON, E. C., HELLE, J. H., SCARNECCHIA, D. L. & STOKES, H. H. (2008) Density-dependent growth of Alaska sockeye salmon in relation to climate-oceanic regimes, population abundance, and body size, 1925 to 1998. Mar. Ecol. Prog. Ser., 370: 1-18. S44117
- MASUDA, R. (2008) Seasonal and interannual variation of subtidal fish assemblages in Wakasa Bay with reference to the warming trend in the Sea of Japan. Environ. Biol. Fish., 82(4): 387-399. S43998
- MATHER, M. E., PARRISH, D. L., CAMPBELL, C. A., MCMENEMY, J. R. & SMITH, J. M. (2008) Summer temperature variation and implications for juvenile Atlantic salmon. Hydrobiol., 603: 183-196. S43422
- MAYNARD, J. A., ANTHONY, K. R. N., MARSHALL, P. A. & MASIRI, I. (2008) Major bleaching events can lead to increased thermal tolerance in corals. Mar. Biol., 155(2): 173-182. S43946
- MAZARIS, A. D., KALLIMANIS, A. S., SGARDELIS, S. P. & PANTIS, J. D. (2008) Do long-term changes in sea surface temperature at the breeding areas affect the

- breeding dates and reproduction performance of Mediterranean loggerhead turtles? Implications for climate change. *J. Exp. Mar. Biol. Ecol.*, 367(2): 219-226. S44298
- MCKENZIE, D. J., STEFFENSEN, J. F., KORSMEYER, K., WHITELEY, N. M., BRONZI, P. & TAYLOR, E. W. (2007) Swimming alters responses to hypoxia in the Adriatic sturgeon *Acipenser naccarii*. *J. Fish Biol.*, 70(2): 651-658. S43396
- MCMAHON, T. E., ZALE, A. V., BARROWS, F. T., SELONG, J. H. & DANEHY, R. J. (2007) Temperature and competition between bull trout and brook trout: A test of the elevation refuge hypothesis. *Trans. Am. Fish. Soc.*, 136(5): 1313-1326. S43140
- MIDDLEBROOK, R., HOEGH-GULDBERG, O. & LEGGAT, W. (2008) The effect of thermal history on the susceptibility of reef-building corals to thermal stress. *J. Exp. Biol.*, 211(7): 1050-1056. S43527
- MILIONE, M. & ZENG, C. S. (2008) The effects of temperature and salinity on population growth and egg hatching success of the tropical calanoid copepod, *Acartia sinjiensis*. *Aquacult.*, 275(1-4): 116-123. S43404
- MURRY, B. A., FARRELL, J. M., SCHULZ, K. L. & TEECE, M. A. (2008) The effect of egg size and nutrient content on larval performance: Implications to protracted spawning in northern pike (*Esox lucius* Linnaeus). *Hydrobiol.*, 601: 71-82. S43153
- NAGAI, N., TADOKORO, K., KURODA, K. & SUGIMOTO, T. (2008) Chaetognath species-specific responses to climate regima shifts in the Tsushima Warm Current of the Japan Sea. *Plankton Benthos Res.*, 3(2) : 86-95. S43767
- NEAT, F. C., WRIGHT, P. J. & FRYER, R. J. (2008) Temperature effects on otolith pattern formation in Atlantic cod *Gadus morhua*. *J. Fish Biol.*, 73(10): 2527-2541. S44306
- NEJRA, F. J., KEANE, J. P., LYLE, J. M. & TRACEY, S. R. (2008) Development of eggs and larvae of *Emmelichthys nitidus* (Percoidei: Emmelichtyidae) in south-eastern Australia, including a temperature-dependent egg incubation model. *Estuarine Coast. Shelf Sci.*, 79(1): 35-44. S43716
- NEJRUP, L. B. & PEDERSEN, M. F. (2008) Effects of salinity and water temperature on the ecological performance of *Zostera marina*. *Aquat. Bot.*, 88(3): 239-246. S43427
- OJEA, J., PAZOS, A. J., MARTINEZ, D., NOVOA, S., GARCIA-MARTINEZ, P., SANCHEZ, J. L. & ABAD, M. (2008) Effects of temperature regime on broodstock conditioning of *Ruditapes decussatus*. *J. Shellfish Res.*, 27(5): 1093-1100. S44310
- OLIVER, L. R., SEED, R. & REYNOLDS, B. (2008) The effect of high flow events on mussels (*Mytilus edulis*) in the Conwy estuary, North Wales, UK. *Hydrobiol.*, 606: 117-127. S43559

- OVERTON, J. L., BAYLEY, M., PAULSEN, H. & WANG, T. (2008) Salinity tolerance of cultured Eurasian perch, *Perca fluviatilis* L.: Effects on growth and on survival as a function of temperature. *Aquacult.*, 277(3-4): 282-286. S43666
- PANKHURST, N. W., BOYDEN, C. R. & WILSON, J. B. (1980) The effect of a fluoride effluent on marine organisms. *Environ. Pollut. (Ser. A)*, 23(4): 299-312. S43674
- PEAKE, S. J. (2008) Behavior and passage performance of northern pike, walleyes, and white suckers in an experimental raceway. *N. Am. J. Fish. Manage.*, 28(1): 321-327. S43390
- PEREZ-CASANOVA, J. C., AFONSO, L. O. B., JOHNSON, S. C., CURRIE, S. & GAMPERL, A. K. (2008) The stress and metabolic responses of juvenile Atlantic cod *Gadus morhua* L. to an acute thermal challenge. *J. Fish Biol.*, 72(4): 899-916. S43352
- PERNET, F., TREMBLAY, R., REDJAH, I., SEVIGNY, J. -M. & GIONET, C. (2008) Physiological and biochemical traits correlate with differences in growth rate and temperature adaptation among groups of the eastern oyster *Crassostrea virginica*. *J. Exp. Biol.*, 221(6): 969-977. S43647
- PLAZA, F., FRAILE-NUEZ, E. & VARGAS-YANEZ, M. (2008) Rising temperature and salinity fields to the north of the Almeria-Oran Front during the past decade. *J. Geophys. Res.*, 113(C3): C03026-1-C03026-7. S43936
- POCCARO, P., CHANG, H. S., VAGLIASINDI, F. G. A. & KORSHIN, G. V. (2008) Differential absorbance study of effects of temperature on chlorine consumption and formation of disinfection by-products in chlorinated water. *Water Res.*, 42(8-9): 1879-1888. S43683
- PURCELL, J. E., UYE, S. & LO, W. T. (2007) Anthropogenic causes of jellyfish blooms and their direct consequences for humans: A review. *Mar. Ecol. Prog. Ser.*, 350: 153-174. S43115
- PUTNAM, H. M., EDMUNDS, P. J. & FAN, T.-Y. (2008) Effect of temperature on the settlement choice and photophysiology of larvae from the reef coral *Stylophora pistillata*. *Biol. Bull.*, 215(2): 135-142. S44261
- QUILEZ-BADIA, G., MCCOLLIN, T., JOSEFSEN, K. D., VOURLACHAS, A., GILL, M. E., MESBAHI, E. & FRID, C. L. J. (2008) On board short-time high temperature heat treatment of ballast water: A field trial under operational conditions. *Mar. Pollut. Bull.*, 56(1): 127-135. S43271
- RODOLFO-METALPA, R., HUOT, Y. & FERRIER-PAGES, C. (2008) Photosynthetic response of the Mediterranean zooxanthellate coral *Cladocora caespitosa* to the natural range of light and temperature. *J. Exp. Biol.*, 211(10): 1579-1586. S43779
- RODOLFO-METALPA, R., HUOT, Y. & FERRIER-PAGES, C. (2008) Thermal tolerance in bottlenose dolphins (*Tursiops truncatus*). *J. Exp. Biol.*, 211(20): 3249-3257. S44289
- ROSE, K. A., MEGREY, B. A., HAY, D., WERNER, F. & SCHWEIGERT, J. (2008)

- Climate regime effects on Pacific herring growth using coupled nutrient-phytoplankton-zooplankton and bioenergetics models. *Trans. Am. Fish. Soc.*, 137(1): 278-297. S43388
- ROUGEOT, C., PRIGNON, C., KENGNE, C. V. N. & MELARD, C. (2008) Effect of high temperature during embryogenesis on the sex differentiation process in the Nile tilapia, *Oreochromis niloticus*. *Aquacult.*, 276(1-4): 205-208. S43520
- SAMEOTO, J. A. & METAXAS, A. (2008) Can salinity-induced mortality explain larval vertical distribution with respect to a halocline? *Biol. Bull.*, 214(3): 329-338. S43860
- SARA, G., ROMANO, C., WIDDOWS, J. & STAFF, F. J. (2008) Effect of salinity and temperature on feeding physiology and scope for growth of an invasive species (*Brachidontes pharaonis* - MOLLUSCA: BIVALVIA) within the Mediterranean sea. *J. Exp. Mar. Biol. Ecol.*, 363(1-2): 130-136. S44036
- SARAVANAN, P., PRIYA, A. M., SUNDARAKRISHNAN, B., VENUGOPALAN, V. P., RAO, T. S. & JAYACHANDRAN, S. (2008) Effects of thermal discharge from a nuclear power plant on culturable bacteria at a tropical coastal location in India. *J. Therm. Biol.*, 33(7): 385-394. S44081
- SATPATHY, K. K., JEBAKUMAR, K. E. & BHASKAR, S. (2008) A novel technique for the measurement of temperature in outflow water from a coastal power plant, with notes on chlorination and phytoplankton determinations. *J. Therm. Biol.*, 33(4): 209-212. S43548
- SCHINDLER, D. E., AUGEROT, X., FLEISHMAN, E., MANTUA, N. J., RIDDELL, B., RUCKELSHAUS, M., SEEB, J. & WEBSTER, M. (2008) Climate change, ecosystem impacts, and management for Pacific salmon. *Fisheries*, 33(10): 502-506. S44330
- SCHNEIDER, K. R. (2008) Heat Stress in the Intertidal: Comparing survival and growth of an invasive and native mussel under a variety of thermal conditions. *Biol. Bull.*, 215(3): 253-264. S44322
- SEO, K. S., LEE, C. K., PARK, Y. T. & LEE, Y. (2008) Effect of yellow clay on respiration and phytoplankton uptake of bivalves. *Fish. Sci.*, 74(1): 120-127. S43377
- SHAFER, D. J., WYLLIE-ECHEVERRIA, S. & SHERMAN, T. D. (2008) The potential role of climate in the distribution and zonation of the introduced seagrass *Zostera japonica* in North America. *Aquat. Bot.*, 89(3): 297-302. S43909
- SHEN, Q., XU, S.-L., WANG, D.-L. & YAN, X.-J. (2008) Effects of water temperature on metabolizability of starved *Lateolabrax japonicus*. *J. Fish. Sci. China.*, 15(3): 500-505. S43601
- SIIKAVUOPIOA, S. I., MORTENSENA, A. & CHRISTIANSEN, J. S. (2008) Effects of body weight and temperature on feed intake, gonad growth and oxygen consumption in green sea urchin, *Strongylocentrotus droebachiensis*. *Aquacult.*,

281(1-4): 77-82. S44013

- SJOTUN, K., EGGEREIDE, S. F. & HOISEATER, T. (2007) Grazer-controlled recruitment of the introduced *Sargassum muticum* (Phaeophyceae, Fucales) in northern Europe. Mar. Ecol. Prog. Ser., 342: 127-138. S43567
- SKJAERAASEN, J. E., NILSEN, T., MEAGER, J. J., HERBERT, N. A., MOBERG, O., TRONCI, V., JOHANSEN, T. & SALVANES, A. G. V. (2008) Hypoxic avoidance behaviour in cod (*Gadus morhua* L.): The effect of temperature and haemoglobin genotype. J. Exp. Mar. Biol. Ecol., 358(1): 70-77. S43491
- SMILEY, J. E. & DRAWBRIDGE, M. A. (2008) A simple apparatus for maintaining gas-supersaturated seawater in the laboratory for experimental purposes. N. Am. J. Aquacult., 70(1): 61-67. S43141
- SMITH, T. B. (2008) Temperature effects on herbivory for an Indo-Pacific parrotfish in Panama: Implications for coral-algal competition. Coral Reefs, 27(2): 397-405. S43473
- SOPANEN, S. (2008) The effect of temperature on the development and hatching of resting eggs of non-indigenous predatory cladoceran *Cercopagis pengoi* in the Gulf of Finland, Baltic Sea. Mar. Biol., 154(1): 99-108. S43496
- STELLER, D. L., HERNANDEZ-AYON, J. M., RIOSMENA-RODRIGUEZ, R. & CABELLO-PASINI, A. (2007) Effect of temperature on photosynthesis, growth and calcification rates of the free-living coralline alga *Lithophyllum margaritae*. Cienc. Mar., 33(4): 441-456. S43431
- STEPHEN, B. B. & NICHOLAS, S. F. (2008) Modeling the effect of temperature on bioaccumulation of metals by a marine bioindicator organism, *Mytilus edulis*. Environ. Sci. Technol., 42(9): 3277-3282. S43600
- STEVENS, B. G., SWINEY, K. M. & BUCK, L. (2008) Thermal effects on embryonic development and hatching for blue king crab *Paralithodes platypus* (Brandt, 1850) held in the laboratory, and a method for predicting dates of hatching. J. Shellfish Res., 27(5): 1255-1263. S44311
- STRASSER, C. A., MULLINEAUX, L. S. & THORROLD, S. R. (2008) Temperature and salinity effects on elemental uptake in the shells of larval and juvenile softshell clams *Mya arenaria*. Mar. Ecol. Prog. Ser., 370: 155-169. S44119
- TAKAMI, H., SAIDO, T., ENDO, T., NORO, T., MUSASHI, T. & KAWAMURA, T. (2008) Overwinter mortality of young-of-the-year Ezo abalone in relation to seawater temperature on the North Pacific coast of Japan. Mar. Ecol. Prog. Ser., 367: 203-212. S43918
- TAKASUKA, A., OOZEKI, Y. & KUBOTA, H. (2008) Multi-species regime shifts reflected in spawning temperature optima of small pelagic fish in the western North Pacific. Mar. Ecol. Prog. Ser., 360: 211-217. S43783
- TARIFENO, E., CARMONA, M., LLANOS-RIVERA, A. & CASTRO, L. R. (2008) Temperature effects on the anchoveta *Engraulis ringens* egg development: Do

- latitudinal differences occur? Environ. Biol. Fish., 81(4): 387-395. S43349
- TEAL, L. R., DE LEEUW, J. J., VAN DER, BEER, H. W. & RIFNSDORP, A. D. (2008) Effects of climate change on growth of o-group sole and plaice. Mar. Ecol. Prog. Ser., 358: 219-230. S43608
- TLUSTY, M., METZLER, A., MALKIN, E., GOLDSTEIN, J. & KONEVAL, M. (2008) Microecological impacts of global warming on crustaceans-temperature induced shifts in the release of larvae from American lobster, *Homarus americanus*, females. J. Shellfish Res., 27(2): 443-448. S43534
- TORRENTS, O., TAMBUTTE, E., CAMINITI, N. & GARRABOU, J. (2008) Upper thermal thresholds of shallow vs. deep populations of the precious Mediterranean red coral *Corallium rubrum* (L.): Assessing the potential effects of warming in the NW Mediterranean. J. Exp. Mar. Biol. Ecol., 357(1): 7-19. S43409
- TYRRELL, T. (2008) Calcium carbonate cycling in future oceans and its influence on future climates. J. Plankton Res., 30(2): 141-156. S43418
- URTIZBEREA, A., FIKSEN, O., FOLKVORD, A. & IRIGOIEN, X. (2008) Modelling growth of larval anchovies including diel feeding patterns, temperature and body size. J. Plankton Res., 30(12): 1369-1383. S44270
- VALENZUELA, A. E., SILVA, V. M. & KLEMPAU, A. E. (2008) Effects of different artificial photoperiods and temperatures on haematological parameters of rainbow trout (*Oncorhynchus mykiss*). Fish Physiol. Biochem., 34(2): 159-167. S43526
- VIKINGSTAD, E., ANDERSSON, E., NORBERG, B., MAYER, I., KLENKE, U., ZOHAR, Y., STEFANSSON, S. O. & TARANGER, G. L. (2008) The combined effects of temperature and GnRHa treatment on the final stages of sexual maturation in Atlantic salmon (*Salmo salar* L.) females. Fish Physiol. Biochem., 34(3): 289-298. S43999
- VONSHAK, A. & NOVOPLANSKY, N. (2008) Acclimation to low temperature of two *Arthospira platensis* (CYANOBACTERIA) strains involves down-regulation of psii and improved resistance to photoinhibition. J. Phycol., 44(4): 1071-1089. S43929
- WANG, M.-J. & WANG, W.-X. (2008) Temperature-dependent sensitivity of a marine diatom to cadmium stress explained by subcellular distribution and thiol synthesis. Environ. Sci. Technol., 42(22): 8603-8608. S44288
- WIEDENMANN, J., CRESSWELL, K. & MANGEL, M. (2008) Temperature-dependent growth of Antarctic krill: predictions for a changing climate from a cohort model. Mar. Ecol. Prog. Ser., 358: 191-202. S43606
- WINGATE, R. L. & SECOR, D. H. (2008) Effects of winter temperature and flow on a summer-fall nursery fish assemblage in the Chesapeake Bay, Maryland. Trans. Am. Fish. Soc., 137(4): 1147-1156. S43967
- YOSHINAGA, T., TANAKA, C. & YASUDA, H. (2008) Monitoring of the physiological

- status as the heat stress tolerance in the rotifer: a novel test for health diagnosis and ecological monitoring. *Coastal Mar. Sci.*, 32(1): 30-32. S44028
- YU, J. & YANG, Y.-F. (2008) Physiological and biochemical response of seaweed *Gracilaria lemaneiformis* to concentration changes of N and P. *J. Exp. Mar. Biol. Ecol.*, 367(2): 142-148. S44297
- ZARNOCH, C. B. & SCHREIBMAN, M. P. (2008) Influence of temperature and food availability on the biochemical composition and mortality of juvenile *Mercenaria mercenaria* (L.) during the over-winter period. *Aquacult.*, 274(2-4): 281-291. S43291
- ZIEGEWEID, J. R., JENNINGS, C. A., PETERSON, D. L. & BLACK, M. C. (2008) Effects of salinity, temperature, and weight on the survival of young-of-year shortnose sturgeon. *Trans. Am. Fish. Soc.*, 137(5): 1490-1499. S44267
- ZIEGEWEID, J. R., JENNINGS, C. A. & PETERSON, D. L. (2008) Thermal maxima for juvenile shortnose sturgeon acclimated to different temperatures. *Environ. Biol. Fish.*, 82(3): 299-307. S43997

海洋酸性化・CO₂

- 向井人史 (2008) ココが知りたい温暖化(22) 海から二酸化炭素が放出された?. 地球環境研究センターニュース, 19(5): 10-12. S43982
- 岡崎恵視 (2008) 藻類の炭酸カルシウム形成ーその機構と大気 CO₂ 循環への貢献ー. 藻類, 56(3): 185-205. S44223
- 澤田好史・樋口和宏・芳賀 穂・浦 和寛・石橋泰典・倉田道雄・宮武弘史・片山茂和・瀬岡 学 (2008) シマアジ胚発生に及ぼす低酸素と高二酸化炭素の影響. 日本水産学会誌, 74(2): 144-151. S43385
- 渡邊正裕 (2009) CO₂ の回収貯留技術の概要. 技術開発ニュース, (133): 21-22. S44271
- **** (2007) 原発と漁業の共存は可能か(379) 迫られる CO₂ 排出防止対策ー地球温暖化をめぐる現状ー. 水産界, (1475): 46-47. S43132
- ACKERMAN, K. V. & SUNDQUIST, E. T. (2008) Comparison of two U.S. power-plant carbon dioxide emissions data sets. *Environ. Sci. Technol.*, 42(15): 5688-5693. S43942
- BOERO, F., BOUILLO, J., GRAVILI, C., MIGLIETTA, M. P., PARSONS, T. & PIRAINO, S. (2008) Gelatinous plankton: Irregularities rule the world (sometimes). *Mar. Ecol. Prog. Ser.*, 356: 299-310. S43413
- DASHFIELD, S. L., SOMERFIELD, P. J., WIDDICOMBE, S., AUSTEN, M. C., NIMMO, M. (2008) Impacts of ocean acidification and burrowing urchins on within-sediment pH profiles and subtidal nematode communities. *J. Exp. Mar. Biol. Ecol.*, 365(1): 46-52. S44127
- FABRY, V. J. (2008) Marine calcifiers in a high-CO₂ ocean. *Science*, 320(5879):

1020-1022. S43432

- FEELY, R. A., SABINE, C. L., HERNANDEZ-AYON, J. M., JANSON, D. & HALES, B. (2008) Evidence for upwelling of corrosive "Acidified" water onto the continental shelf. *Science*, 320(5882): 1490-1492. S43569
- FENG, Y., WARNER, M. E., ZHANG, Y., SUN, J., FU, F.-X., ROSE, J. M. & HUTCHINS, D. A. (2008) Interactive effects of increased pCO₂, temperature and irradiance on the marine coccolithophore *Emiliania huxleyi* (Prymnesiophyceae). *Eur. J. Phycol.*, 43(1): 87-98. S43437
- HARE, C. E., LEBLANC, K., DITULLIO, G. R., KUDELA, R. M., ZHANG, Y., LEE, P. A., RISEMAN, S. & HUTCHINS, D. A. (2008) Consequences of increased temperature and CO₂ for phytoplankton community structure in the Bering Sea. *Mar. Ecol. Prog. Ser.*, 352: 9-16. S43308
- HARVEY, L. D. D. (2008) Mitigating the atmospheric CO₂ increase and ocean acidification by adding limestone powder to upwelling regions. *J. Geophys. Res.*, 113(C4): C04028. 1-21. S43869
- KIM, S. Y. & KANG, H. (2008) Effects of elevated CO₂ on below-ground processes in temperate marsh microcosms. *Hydrobiol.*, 605: 123-130. S43743
- KUFFNER, I. B., ANDERSSON, A. J., JOKIEL, P. L., RODGERS, K. S. & MACKENZIE, F. T. (2008) Decreased abundance of crustose coralline algae due to ocean acidification. *Nature Geoscience*, 1(2): 114-117. S43560
- KURIHARA, H. & ISHIMATSU, A. (2008) Effects of high CO₂ seawater on the copepod (*Acartia tsuensis*) through all life stages and subsequent generations. *Mar. Pollut. Bull.*, 56(6): 1086-1090. S43820
- KURIHARA, H., MATSUI, M., FURUKAWA, H., HAYASHI, M. & ISHIMATSU, A. (2008) Long-term effects of predicted future seawater CO₂ conditions on the survival and growth of the marine shrimp *Palaemon pacificus*. *J. Exp. Mar. Biol. Ecol.*, 367(1): 41-46. S44290
- LEE, H.-W., LEE, K. & LEE, B.-Y. (2008) Prediction of surface ocean pCO₂ from observations of salinity, temperature and nitrate: the empirical model perspective. *Ocean Sci. J.*, 43(4): 195-208. S44299
- LEVINE, N. M., DONEY, S. C., WANNINKHOF, R., LINDSAY, K. & FUNG, I. Y. (2008) Impact of ocean carbon system variability on the detection of temporal increases in anthropogenic CO₂. *J. Geophys. Res.*, 113(C3): C03019-1-C03019-16. S43935
- PAZ, M. D. L., GOMEZ-PARRA, A. & FORJA, J. (2008) Variability of the partial pressure of CO₂ on a daily-to-seasonal time scale in a shallow coastal system affected by intensive aquaculture activities (Bay of Cadiz, SW Iberian Peninsula). *Mar. Chem.*, 110(3-4): 195-204. S43873
- PURCELL, J. E., UYE, S. & LO, W. T. (2007) Anthropogenic causes of jellyfish blooms and their direct consequences for humans: A review. *Mar. Ecol. Prog. Ser.*, 350:

- RICHARDSON, A. J. & GIBBONS, M. J. (2008) Are jellyfish increasing in response to ocean acidification? *Limnol. Oceanogr.*, 53(5): 2040-2045. S43927
- SAKAMOTO, A., WATANABE, Y. W., OSAWA, M., KIDO, K. & NORIKI, S. (2008) Time series of carbonate system variables off Otaru coast in Hokkaido, Japan. *Estuarine Coast. Shelf Sci.*, 79(3): 377-386. S44033
- SIAPATIS, A., GIANNOULAKI, M., VALAVANIS, V., PALIALEXIS, A., SCHISMENOU, E., MACHIAS, A., & SOMARAKIS, S. (2008) Modelling potential habitat of the invasive ctenophore *Mnemiopsis leidyi* in Aegean Sea. *Hydrobiol.*, 612: 281-295. S43888
- SOBRINO, C., WARD, M. L. & NEALE, P. J. (2008) Acclimation to elevated carbon dioxide and ultraviolet radiation in the diatom *Thalassiosira pseudonana*: Effects on growth, photosynthesis, and spectral sensitivity of photoinhibition. *Limnol. Oceanogr.*, 53(2): 494-505. S43636
- STELLER, D. L., HERNANDEZ-AYON, J. M., RIOSMENA-RODRIGUEZ, R. & CABELLO-PASINI, A. (2007) Effect of temperature on photosynthesis, growth and calcification rates of the free-living coralline alga *Lithophyllum margaritae*. *Cienc. Mar.*, 33(4): 441-456. S43431
- SWANSON, A. K. & FOX, C. H. (2007) Altered kelp (Laminariales) phlorotannins and growth under elevated carbon dioxide and ultraviolet-B treatments can influence associated intertidal food webs. *Global Change Biol.*, 13(8): 1696-1709. S43223
- TRIVEDI, J. & BABADAGLI, T. (2008) Efficiency analysis of greenhouse gas sequestration during miscible CO₂ injection in fractured oil reservoirs. *Environ. Sci. Technol.*, 42(15): 5473-5479. S43941
- TYRRELL, T. (2008) Calcium carbonate cycling in future oceans and its influence on future climates. *J. Plankton Res.*, 30(2): 141-156. S43418
- Widdicombe, S. & Spicer, J. I. (2008) Predicting the impact of ocean acidification on benthic biodiversity: What can animal physiology tell us? *J. Exp. Mar. Biol. Ecol.*, 366(1-2): 187-197. S44291
- WILLIAMS, S. L. & GROSHOLZ, E. D. (2008) The invasive species challenge in estuarine and coastal environments: Marrying management and science. *Estuaries and Coasts*, 31(1): 3-20. S43220
- ZOU, D. H., GAO, K. S. & RUAN, Z. X. (2007) Daily timing of emersion and elevated atmospheric CO₂ concentration affect photosynthetic performance of the intertidal macroalga *Ulva lactuca* (Chlorophyta) in sunlight. *Bot. Mar.*, 50(5-6): 275-279. S43347
- **** (2008) Acute CO₂ tolerance limits of juveniles of three marine invertebrates, *Sepia lycidas*, *Sepioteuthis lessoniana*, and *Marsupenaeus japonicus*. *Plankton Benthos Res.*, 3(3): 184-187. S44038

海洋環境・環境保全

- 浅岡 聰・山本民次・山本杏子 (2008) 造粒石粉を用いた沿岸底質環境改善材開発のための基礎的研究－栄養塩溶出試験および *Skeletonema costatum* の増殖試験－. 水環境学会誌, 31(2): 93-99. S43131
- 浅岡 聰・山本民次・山本杏子 (2008) 石炭灰造粒物を用いた沿岸底質環境改善材開発のための基礎的研究－栄養塩溶出試験および *Skeletonema costatum* の増殖試験－. 水環境学会誌, 31(8): 455-462. S43885
- 渥美貴史・増田 健・山形陽一 (2008) 真珠養殖とその環境への影響. 海洋と生物, 30(3): 335-340. S43809
- 張 強勲・磯辺篤彦・松野 健・清水 学 (2008) 東シナ海における漂流ブイの追跡モデルとその応用. 沿岸海洋研究, 45(2): 125-135. S43333
- 藤井智史・多田邦尚 (2008) シンポジウム「サンゴ礁とその周辺海域の環境」のまとめ. 沿岸海洋研究, 46(1): 1-2. S43983
- 濱田健一郎・上田直子・山田真知子・多田邦尚・門谷 茂 (2008) 夏季の過栄養内湾(洞海湾)における生化学的キャラクターから見た粒子状物質の起源と低次生産過程. 海の研究, 17(3): 179-191. S43541
- 長谷川一幸・清野通康・横田瑞郎・秋本泰・丸茂恵右・市川哲也・長谷川晃一 (2008) 数値シミュレーションモデルを用いた大阪湾湾奥部における物理環境特性の把握. 海洋調査技術, 20(2): 23-37. S44150
- 早川康博 (2008) 吹上浜の水質環境と砂浜地下水からの栄養塩供給. 日本水産学会誌, 74(5): 922-923. S44064
- 檜垣直行・磯田 豊・磯貝安洋・矢幅 寛 (2008) 北海道西岸沖における水系分布と流れパターンの季節変化. 海の研究, 17(4): 223-240. S43729
- 蛭間豊春 (2008) わが国の閉鎖性海域の水環境特性分析. 水環境学会誌, 31(6): 319-324. S43747
- 蛭間豊春 (2008) 流域荒廃の影響を受ける閉鎖性海域の水環境. 水環境学会誌, 31(6): 325-330. S43748
- 掘 豊・望月松寿・島本信夫 (2008) 播磨灘北部海域におけるノリ色落ちと漁場環境の変遷. 水産海洋研究, 72(2): 107-112. S43657
- 細田龍介 (2008) 由良湾におけるアマモ復活の経緯とその検証－自然と人間の共生の例－. 海洋と生物, 30(5): 685-694. S44226
- 深澤茂之 (2008) 松島湾における藻場を利用した環境改善技術. 水環境学会誌, 31(5): 232. S43591
- 今尾和正 (2008) 水域環境の保全と修復. 技術士(日本技術士会), (500): 54-55. S44248
- 石井光廣・長谷川健一・松山幸彦 (2008) 東京湾のノリ生産に影響を及ぼす環境要因：栄養塩の長期変動および最近の珪藻赤潮発生. 水産海洋研究, 72(1): 22-29. S43274
- 伊藤 博 (2008) 気仙沼湾における貧酸素水の発生状況と底質の経年変化. 宮城県水

産研究報告, (8): 41-48. S44259

岩井拓郎 (2008) 仙台湾中南部沿岸域における貧酸素水塊発生要因の検討. 宮城県水産研究報告, (8): 5-13. S44260

梶田 淳・新井章吾・相田 聰・谷本照巳・森口朗彦・新村陽子・寺脇利信 (2008) 瀬戸内海の局所的で小規模な多年的に維持されるアマモ群落における堆積物組成の観察. 水産工学, 45(1): 49-53. S43727

菅野 敬・阿部祐子・奥田一雄・高橋正征 (2008) 高知県室戸沖の深度 320m から取水した海洋深層水の懸濁物質による清浄性評価. 海洋深層水研究(海洋深層水利用学会), 9(1): 3-13. S44041

神田穰太・チョムタイソン パチャラー・堀本奈穂・山口征矢・石丸 隆 (2008) 東京湾 2 定点における栄養塩類濃度の経年変動. 水環境学会誌, 31(9): 559-564. S44018

神田泰宏 (2008) 中国における閉鎖性海域の環境保全に関する国際交流. 水環境学会誌, 31(5): 244-245. S43596

岸田 達・木所英昭 (2008) 日本海の海洋環境と漁業資源の近況. 日本水産学会誌, 74(5): 873-875. S44054

岸本充史・安田秀一・鬼塚 剛・高島創太郎・湯浅豊年 (2008) 周防灘豊前海における溶存酸素変動と海洋構造について—2005 年夏季の 15 日間定点係留観測から-. J. Natl. Fish. Univ., 56(1): 47-60. S43813

清本容子・山田一来・中田英昭・石坂丞二・田中勝久・岡村和麿・熊谷 香・梅田智樹・木野世紀 (2008) 有明海における透明度の長期的上昇傾向及び赤潮発生との関連. 海の研究, 17(5): 337-356. S44022

鯉渕幸生 (2008) 内湾への下水流入の影響と水質生態系の応答. 水環境学会誌, 31(5): 246-250. S43597

国分秀樹・奥村宏征・松田 治 (2008) 英虞湾における干潟の歴史的変遷とその底質, 底生生物への影響. 水環境学会誌, 31(6): 305-311. S43746

国分秀樹・高山百合子 (2008) 干潟の特徴と再生実験. 海洋と生物, 30(3): 303-315. S43798

工藤貴史 (2008) 漁業の多面的機能とその支援施策の課題. 水産工学, 45(1): 75-78. S43728

前川行幸・倉島 彰・森田晃央・上野成三・高山百合子・大松秀史・清水浩視・濱田稔・中西嘉人・橋爪不二夫・山本有子 (2008) アマモ場の特徴と再生技術. 海洋と生物, 30(3): 316-327. S43802

丸山治朗・武村 武・中井正則・有田正光 (2008) 長良川河口堰上流水域における植物プランクトンの高濃度化に関するデータ解析. 水環境学会誌, 31(8): 463-470. S43886

松田 治 (2008) 第 19 回「閉鎖性海域の水環境管理技術」の海外移転—JICA・国際エメックスセンターによる外国人向け研修コース-. アクアネット, 11(3): 56-59. S43329

松田 治 (2008) 環境改善資材としての浚渫土—その利活用をめぐる社会的環境の変

- 化－. アクアネット, 11(7): 56-61. S43834
- 百島則幸・上田祐介・杉原真司・山形陽一・国分秀樹 (2008) ^{210}Pb 堆積年代測定法による英虞湾の堆積環境の解析. 地球化学, 42(3): 99-111. S44014
- 向井人史 (2008) ココが知りたい温暖化(22) 海から二酸化炭素が放出された?. 地球環境研究センターニュース, 19(5): 10-12. S43982
- 長井 敏・小谷祐一・板倉 茂 (2008) 热帶性の有毒プランクトンの新たな出現と貝類の毒化問題. 日本水産学会誌, 74(5): 880-883. S44056
- 中村 聖 (2008) ムラサキイガイを使った洞海湾の環境修復活動.瀬戸内海, (55): 12-15. S44229
- 中村 充 (2008) -漁場環境を考える-水産と海の環境Ⅱ. 月報(日本水産資源保護協会), (514): 3-8. S43124
- 中根幸則 (2008) 吹上浜の魚類-魚類群集の構造は砂浜タイプによって異なるのか-. 日本水産学会誌, 74(5): 924-925. S44065
- 中西嘉人 (2008) アマモ場造成技術の開発. 技術開発ニュース, (132): 21-22. S44085
- 西 隆一郎 (2008) 吹上浜の物理環境と砂浜の形成要因. 日本水産学会誌, 74(5): 928-929. S44067
- 野島 哲・岡本峰雄 (2008) 造礁サンゴの北上と白化. 日本水産学会誌, 74(5): 884-888. S44057
- 尾田成幸 (2008) 豊前海の漁場環境-変動の歴史-. 瀬戸内海, (55): 38-41. S44231
- 大島慶一郎・小野 純・清水大輔 (2008) オホーツク海における漂流物の粒子追跡モデル実験. 沿岸海洋研究, 45(2): 115-124. S43332
- 大富 潤 (2008) 半閉鎖的内湾の砂質干潟における生物と環境:比較研究として. 日本水産学会誌, 74(5): 926-927. S44066
- 岡田光正 (2008) 閉鎖性海域の水環境保全・再生について. 水環境学会誌, 31(5): 225. S43589
- 西條八束・寺井久慈・永野真理子・鮎川和泰・八木明彦・梅村麻希・加藤義久・川瀬基弘・佐々木克之・松川康夫 (2008) 中部国際空港島建設による水質, 底質, 底生生物群集の劣化. 海の研究, 17(4): 281-295. S43731
- 坂井伸一・松山昌史・坪野孝樹・吉井 匠 (2009) 海洋レーダによる沿岸流況リアルタイムモニタリングとその応用. 電力土木, (339): 13-17. S44550
- 佐々木康成・大和信大・櫻庭英二・高橋和孝・山名清二・三間敏夫 (2008) 最新の上・下水オゾン処理技術 火力発電所冷却塔向け下水処理水のオゾン処理. 環境浄化技術, 7(2): 24-28. S44175
- 勢田明大 (2008) 東京湾再生推進会議の今後の展開. 水環境学会誌, 31(5): 234. S43592
- 寒川 浩・下出 信次・橋本 隆司・菊池知彦 (2008) 相模湾真鶴港内におけるメイオベントスおよび自由生活性線虫類を用いた底質環境の評価法の有効性. 日本ベントス学会誌, (63): 11-22. S43931
- 須田有輔 (2008) 吹上浜の研究の背景と概要. 日本水産学会誌, 74(5): 920-921.

- 須田有輔・大富 潤・早川康博 (2008) 開放的な砂浜海岸における水産生物と環境－吹上浜をモデルとした生態研究－. 日本水産学会誌, 74(5): 919. S44062
- 鷲見栄一 (2008) 懸濁態粒子の粒径分布の現地測定(5) 河口汽水域での懸濁態粒子の集積. 海洋と生物, 30(4): 555-565. S43995
- 鷲見栄一 (2008) 懸濁態粒子の粒径分布の現地測定(7) (最終回) 沿岸海域での植物プランクトンの鉛直分布. 海洋と生物, 30(6): 817-826. S44286
- 田井 明・矢野真一郎 (2008) 外海を基準とした有明海のM2潮増幅率の変動特性と諫早湾潮受け堤防建設による影響. 海の研究, 17(3): 205-211. S43542
- 高瀬智洋・田中優平・黒川 信・野原精一 (2008) 伊豆諸島八丈島におけるテングサの磯焼け. 日本水産学会誌, 74(5): 889-891. S44058
- 武田真典・佐々木 淳・三上信雄・佐々木洋之・足立有平・熊田康邦 (2008) 7. 渔港泊地を対象とした底層貧酸素水改善のためのマイクロバブル現地実験. 水産土木建設技術センター技術報告, 2008: 34-39. S44255
- 田中 孝 (2008) 炭素繊維人工藻場を用いた湖水浄化法に関する研究. 環境情報科学・別冊/環境情報科学論文集, (22): 499-5040. S44242
- 寺脇利信・新井章吾 (2008) 神奈川県横須賀市秋谷地先の砂泥底に設置された石積みマウンド. 藻類, 56(2): 116-118. S43841
- 寺脇利信・新井章吾 (2008) 藻場の景観模式図: 26. 新潟県柏崎市のマリーナ防波堤. 藻類, 56(1): 22-24. S43273
- 千葉 憲・KASIH, G. A. A. ・山形陽一・前川行幸・松田 治 (2008) 英虞湾の物質循環と底質悪化原因の検討. 海洋と生物, 30(3): 348-359. S43810
- 富野正弘 (2008) 博多湾御島海域の環境修復. 瀬戸内海, (55): 16-19. S44230
- 辻原 浩 (2008) 閉鎖性海域の環境保全の現状と課題 第6次の水質総量規制. 水環境学会誌, 31(5): 226-231. S43590
- 辻本 良・南條暢聰・小善圭一・渡辺孝夫 (2008) 黒部川河口周辺海域における底質とマクロベントス生息密度の経年変化—ダム排砂との関連性について－. 沿岸海洋研究, 46(1): 47-58. S43988
- 辻野 瞳 (2008) 燐灘および備後灘におけるベントスによる底質環境評価. 日本水産学会誌, 74(6): 1043-1051. S44238
- 辻野 瞳・有馬郷司・神山孝史・内田卓志 (2008) 広島湾におけるマクロベントス・メイオベントス現存量・生産量の推定. 日本ベントス学会誌, (63): 35-41. S43932
- 上田直子 (2008) 洞海湾再生の取り組み. 水環境学会誌, 31(5): 242-243. S43595
- 上出貴士 (2008) 和歌山県田辺湾内ノ浦の海底, 干潟及びコアマモ群落における海底堆積物の化学的特性. 水産増殖, 56(3): 295-302. S44236
- 鷲見栄一 (2008) 特集 水族館における鯨類の繁殖 懸濁態粒子の粒径分布の現地測定(2) 粒径分布と分画. 海洋と生物, 30(1): 76-86. S43125
- 鷲見栄一 (2008) 懸濁態粒子の径分布の現地測定 (3) 粒径スペクトルの特性. 海洋と生物, 30(2): 206-216. S43539

- 鷺見栄一 (2008) 懸濁態粒子の粒径分布の現地測定 (4) 海底境界層と再懸濁現象. 海洋と生物, 30(3): 394-405. S43812
- 鷺見栄一 (2008) 懸濁態粒子の粒径分布の現地測定 (6) 粒径分布の変化からみた凝集現象. 海洋と生物, 30(5): 626-634. S44225
- 山形陽一・国分秀樹 (2008) 閉鎖性海域における環境創成プロジェクトの成果と今後の展開. 水環境学会誌, 31(5): 236-238. S43593
- 柳哲雄・石井大輔 (2008) 博多湾奥における水質の季節・経年変動. 海の研究, 17(4): 255-264. S43730
- 横山佳裕・中嶋雅孝・藤井暁彦・内田唯史・中西 弘 (2008) 有明海における河川由来懸濁粒子の堆積挙動の推定方法. 水環境学会誌, 31(3): 163-167. S43354
- 吉田健一・石丸 隆 (2008) 東京湾における植物プランクトン群集の変遷. 日本プランクトン学会報, 55(1): 45-47. S43356
- 坂本達也・田中勝久・那須博史・松岡敷充 (2008) 有明海の浮泥がタイラギに及ぼす影響. 水産増殖, 56(3): 335-342. S44071
- **** (2007) [火力・原子力発電所における水・化学管理(19年改訂版)] VII. 排水・廃液・廃油・廃棄物管理(原子力). 火力原子力発電, 58(12): 49-69. S43149
- **** (2008) 大阪湾再生の取り組みについて—豊かな「魚庭(なにわ)の海」の回復に向けて—. 水環境学会誌, 31(5): 239-241. S43594
- BENINGER, P., VALDIZAN, A., DECOTTIGNIES, P. & COGNIE, B. (2008) Impact of seston characteristics on qualitative particle selection sites and efficiencies in the pseudolamellibranch bivalve *Crassostrea gigas*. J. Exp. Mar. Biol. Ecol., 360(1): 9-14. S43765
- BRZEZINSKI, M. A., DUMOUSSEAUD, C., KRAUSE, W., MEASURES, C. I. & NELSON, D. M. (2008) Iron and silicic acid concentrations together regulate Si uptake in the equatorial Pacific Ocean. Limnol. Oceanogr., 53(3): 875-889. S43845
- CASTRUITA, M., SHAKED, Y., ELMEGREEN, L. A., EDWARD, I. S. & MOREL, F. M. M. (2008) Availability of iron from iron-storage proteins to marine phytoplankton. Limnol. Oceanogr., 53(3): 890-899. S43846
- CHANSON, H. (2008) Field observations in a small subtropical estuary during and after a rainstorm event. Estuarine Coast. Shelf Sci., 80(1): 114-120. S44132
- DAME, E. A. (2008) Assessing the effect of artificial habitat structure on translocation of the long-spined sea urchin, *Diadema antillarum*, in Curacao (Netherlands Antilles). Bull. Mar. Sci., 82(2): 247-254. S43556
- DAVIE, A., PORTER, M. J. R., BROMAGE, N. R. & MIGAUD, H. (2007) The role of seasonally altering photoperiod in regulating physiology in Atlantic cod (*Gadus morhua*). Part I. Sexual maturation. Can. J. Fish. Aquat. Sci., 64(1): 84-97. S43856
- DEVLIN, M. J., BARRY, J., MILLS, D. K., GOWEN, R. J., FODEN, J., SIVYER, D. & TETT, P. (2008) Relationships between suspended particulate material, light

- attenuation and Secchi depth in UK marine waters. *Estuarine Coast. Shelf Sci.*, 79(3): 429-439. S44034
- FEAR, J. M., PAERL, H. W. & BRADDY, J. S. (2007) Importance of submarine groundwater discharge as a source of nutrients for the Neuse River Estuary, North Carolina. *Estuaries and Coasts*, 30(6): 1027-1033. S43120
- FLYE-SAINTE-MARIE, J., JEAN, F., FORD, S. E. & PAILLARD, C. (2008) Effect of sediment grain-size on development of brown ring disease in the Manila clam *Ruditapes philippinarum*. *Aquacult.*, 278(1-4): 184-187. S44202
- FUJIKI, T., HOSAKA, T., KIMOTO, H., ISHIMARU, T. & SAINO, T. (2008) In situ observation of phytoplankton productivity by an underwater profiling buoy system: Use of fast repetition rate fluorometry. *Mar. Ecol. Prog. Ser.*, 353: 81-88. S43315
- FURUKAWA, H. & SAKURAI, Y. (2008) Effect of low salinity on the survival and development of Japanese common squid *Todarodes pacificus* hatchling. *Fish. Sci.*, 74(2): 458-460. S43490
- GNANADESIKAN, A. & MARINOV, I. (2008) Export is not enough: nutrient cycling and carbon sequestration. *Mar. Ecol. Prog. Ser.*, 364: 289-294. S43952
- HENSE, B. A., GAIS, P., JUTTING, U., SCHERB, H. & RODENACKER, K. (2008) Use of fluorescence information for automated phytoplankton investigation by image analysis. *J. Plankton Res.*, 30(5): 587-606. S43799
- HIROSE, M., KATANO, T., HAYAMI, Y., KANEDA, A., KOHAMA, T., TAKEOKA, H. & NAKANO, S. (2008) Changes in the abundance and composition of picophytoplankton in relation to the occurrence of a Kyucho and a bottom intrusion in the Bungo Channel, Japan. *Estuarine Coast. Shelf Sci.*, 76(2): 293-303. S43231
- HUNT, H. L., MALTAIS, M. J., FUGATE, D. C. & CHANT, R. J. (2008) Spatial and temporal variability in juvenile bivalve dispersal: Effects of sediment transport and flow regime. *Mar. Ecol. Prog. Ser.*, 352: 145-159. S43310
- HWANG, D.-W., KIM, G. & YANG, H. S. (2008) Active exchange of water and nutrients between seawater and shallow pore water in intertidal sandflats. *Ocean Sci. J.*, 43(4): 223-232. S44300
- IRIGOEN, X., FERNANDES, J. A., GROSJEAN, P., DENIS, K., ALBAINA, A. & SANTOS, M. (2009) Spring zooplankton distribution in the Bay of Biscay from 1998 to 2006 in relation with anchovy recruitment. *J. Plankton Res.*, 31(1): 1-17. S44309
- KARL, D. M. & LETELIER, R. M. (2008) Nitrogen fixation-enhanced carbon sequestration in low nitrate, low chlorophyll seascapes. *Mar. Ecol. Prog. Ser.*, 364: 257-268. S43949
- KASTELEIN, R. A., VERBOOMB, W. C., JENNINGS, N., HAAN, D. D. & HEUL, S. V. D. (2008) The influence of 70 and 120 kHz tonal signals on the behavior of harbor

- porpoises (*Phocoena phocoena*) in a floating pen . Mar. Environ. Res., 66(3): 319-326. S43981
- KOBAYASHI, S. & FUJIWARA, T. (2008) Long-term variability of shelf water intrusion and its influence on hydrographic and biogeochemical properties of the Seto Inland Sea, Japan. J. Oceanogr., 64(4): 595-603. S43725
- KOHN, S. F. & KOHLER-RINK, S. (2008) pH effect on the susceptibility to parasitoid infection in the marine diatom *Coscinodiscus* spp. (Bacillariophyceae). Mar. Biol., 154(1): 109-116. S43497
- KROEGER, K. D. & CHARETTE, M. A. (2008) Nitrogen biogeochemistry of submarine groundwater discharge. Limnol. Oceanogr., 53(3): 1025-1039. S43790
- KUTTI, T., ERVIK, A. & HOISATER, T. (2008) Effects of organic effluents from a salmon farm on a fjord system. III. Linking deposition rates of organic matter and benthic productivity. Aquacult., 282(1-4): 47-53. S44098
- LEE, M., BAE, W., CHUNG, J., JUNG, H.-S. & SHIM, H. (2008) Seasonal and spatial characteristics of seawater and sediment at Youngil bay, Southeast Coast of Korea. Mar. Pollut. Bull., 57(6-12): 325-334. S44170
- MCCOY, C. A. & CORBETT, D. R. (2009) Review of submarine groundwater discharge (SGD) in coastal zones of the Southeast and Gulf Coast regions of the United States with management implications. J. Environ. Manage., 90(1): 644-651. S44305
- NAKANE, T., NAKAKA, K., BOUMAN, H. & PLATT, T. (2008) Environmental control of short-term variation in the plankton community of inner Tokyo Bay, Japan. Estuarine Coast. Shelf Sci., 78(4): 796-810. S43797
- OH, S. J., KIM, D. I., SAJIMA, T., SHIMASAKI, Y., MATSUYAMA, Y., OSHIMA, Y., HONJO, T. & YANG, H. S. (2008) Effects of irradiance of various wavelengths from light-emitting diodes on the growth of the harmful dinoflagellate *Heterocapsa circularisquama* and the diatom *Skeletonema costatum*. Fish. Sci., 74(1): 137-145. S43378
- ONITSUKAA, T., KAWAMURAB, T., OHASHIC, S., IWANAGAC, S., HORIIA, T. & WATANABE, Y. (2008) Effects of sediments on larval settlement of abalone *Haliotis diversicolor*. J. Exp. Mar. Biol. Ecol., 364(2): 53-58. S44128
- PANNARD, A., BORMANS, M. & LAGADEUC, Y. (2008) Phytoplankton species turnover controlled by physical forcing at different time scales. Can. J. Fish. Aquat. Sci., 65(1): 47-60. S43521
- RABAUT, M., GUILINI, K., VAN HOEY, G., MAGDA, V. & DEGRAER, S. (2007) A bio-engineered soft-bottom environment: The impact of *Lanice conchilega* on the benthic species-specific densities and community structure. Estuarine Coast. Shelf Sci., 75(4): 525-536. S43144
- ROLAND, L. A., MCCARTHY, M. D. & GUILDERSON, T. (2008) Sources of molecularly uncharacterized organic carbon in sinking particles from three ocean

- basins: A coupled $\Delta^{14}\text{C}$ and $\delta^{13}\text{C}$ approach. Mar. Chem., 111(3-4): 199-213. S44266
- ROY, E.G., WELLS, M. L. & KING, D. W. (2008) Persistence of iron(II) in surface waters of the western subarctic Pacific. Limnol. Oceanogr., 53(1): 89-98. S43863
- RUELLET, T. & DAUVIN, J. C. (2007) Benthic indicators: Analysis of the threshold values of ecological quality classifications for transitional waters. Mar. Pollut. Bull., 54(11): 1707-1714. S43146
- SASAKI, H., TANAKA, A., IWATAKI, M., TOUKE, Y., SISWANTO, E., TAN, C. K. & ISHIZAKA, J. (2008) Optical properties of the red tide in Isahaya Bay, south-western Japan: Influence of chlorophyll a concentration. J. Oceanogr., 64(4): 511-523. S43723
- SATO, R., ISHIBASHI, Y., TANAKA, Y., ISHIMARU, T. & DAGG, M. J. (2008) Productivity and grazing impact of *Oikopleura dioica* (Tunicata, Appendicularia) in Tokyo Bay. J. Plankton Res., 30(3): 299-309. S43554
- SCHLACHER, T. A., THOMPSON, L. M. C. & WALKER, S. J. (2008) Mortalities caused by off-road vehicles (ORVs) to a key member of sandy beach assemblages, the surf clam *Donax deltoides*. Hydrobiol., 610: 345-350. S43861
- SHARPLES, J. (2008) Potential impacts of the spring-neap tidal cycle on shelf sea primary production. J. Plankton Res., 30(2): 183-197. S43417
- STERNER, R. W., ANDERSEN, T., ELSER, J. J., HESSEN, D. O., HOOD, J. M., MCCUALEY, E. & URABE, J. (2008) Scale-dependent carbon : nitrogen : phosphorus seston stoichiometry in marine and freshwaters. Limnol. Oceanogr., 53(3): 1169-1180. S43791
- SUTHERLAND, A. B., MAKI, J. & VAUGHAN, V. (2008) Effects of suspended sediment on whole-body cortisol stress response of two southern Appalachian minnows, *Erimonax monachus* and *Cyprinella galactura*. Copeia, 2008(1): 234-244. S43275
- SZAVA-KOVATS, R. C. (2008) Grain-size normalization as a tool to assess contamination in marine sediments: Is the $<63\text{ }\mu\text{m}$ fraction fine enough? Mar. Pollut. Bull., 56(4): 629-632. S43620
- SZYMCZAK-ZYLA, M., KOWALEWSKA, G. & LOUDA, J. W. (2008) The influence of microorganisms on chlorophyll a degradation in the marine environment. Limnol. Oceanogr., 53(2): 851-862. S43844
- TAKIKAWA, T., MORIMOTO, A., ONITSUKA, G., WATANABE, A. & MOKU, M. (2008) Characteristics of water mass under the surface mixed layer in Tsushima Straits and Southwestern Japan Sea in Autumn. J. Oceanogr., 64(4): 585-594. S43724
- TANAKA, G. (2008) Recent benthonic ostracod assemblages as indicators of the Tsushima warm current in the southwestern sea of Japan. Hydrobiol., 598: 271-284. S43392

- TOBA, M., KOSEMURA, T., YAMAKAWA, H., SUGIURA, Y. & KOBAYASHI, Y. (2008) Field and laboratory observations on the hypoxic impact on survival and distribution of short-necked clam *Ruditapes philippinarum* larvae on Tokyo Bay, central Japan. *Plankton Benthos Res.*, 3(3): 165-173. S44037
- TOMIYAMA, T., KOMIZUNAI, N., SHIRASE, T., ITO, K., OMORI, M. (2008) Spatial intertidal distribution of bivalves and polychaetes in relation to environmental conditions in the Natori River estuary, Japan. *Estuarine Coast. Shelf Sci.*, 80(2): 243-250. S44116
- TOURLOUSSE, D. M., AHMAD, F., STEDTFELD, R. D., SEYRIG, G., DURAN, M., ALM, E. W. & HASHSHAM, S. A. (2008) Detection and occurrence of indicator organisms and pathogens. *Water Environ. Res.*, 80(10): 898-928. S44319
- TSE, K. C. & JIAO, J. J. (2008) Estimation of submarine groundwater discharge in Plover Cove, Tolo Harbour, Hong Kong by ²²²Rn. *Mar. Chem.*, 111(3-4): 160-170. S44264
- VERMAAT, J. E., MCQUATTERS-GOLLOP, A., ELEVLD, M. A. & GILBERT, A. J. (2008) Past, present and future nutrient loads of the North Sea: Causes and consequences. *Estuarine Coast. Shelf Sci.*, 80(1): 53-59. S44131
- WATSON, A. J., BOYD, P. W., TURNER, S. M., JICKELLS, T. D. & LISS, P. S. (2008) Designing the next generation of ocean iron fertilization experiments. *Mar. Ecol. Prog. Ser.*, 364: 303-309. S43953
- YAN, N. D., SOMERS, K. M., GIRARD, R. E., PATERSON, A. M., KELLER, W. (B.), RAMCHARAN, C. W., RUSAK, J. A., INGRAM, R., MORGAN, G. E. & GUNN, J. M. (2008) Long-term trends in zooplankton of Dorset, Ontario, lakes: the probable interactive effects of changes in pH, total phosphorus, dissolved organic carbon, and predators. *Can. J. Fish. Aquat. Sci.*, 65(5): 862-877. S43755
- YARA, Y., YANAGI, T., MONTANI, S. & TADA, K. (2007) Role of tidal flat on material cycling in the coastal sea. *La mer(うみ)*, 45(3): 117-134. S43649
- ZUGGER, M. E., MESSMER, A., KANE, T. J., PRENTICE, J., CONCANNON, B., LAUX, A. & MULLEN, L. (2008) Optical scattering properties of phytoplankton: Measurements and comparison of various species at scattering angles between 1 degrees and 170 degrees. *Limnol. Oceanogr.*, 53(1): 381-386. S43864

海洋汚染

- 渥美貴史・増田 健・山形陽一 (2008) 真珠養殖とその環境への影響. *海洋と生物*, 30(3): 335-340. S43809
- 千葉 憲・KASIH, G. A. A. ・山形陽一・前川行幸・松田 治 (2008) 英虞湾の物質循環と底質悪化原因の検討. *海洋と生物*, 30(3): 348-359. S43810
- 小山次朗 (2009) 有害化学物質による海洋汚染の水産物への影響. *化学物質と環境*, (93): 7-9. S44342

- 山田味佳 (2008) 大型海藻類を用いた大阪湾の重金属環境評価. 濱戸内海, (53): 49-52. S43501
- 横山 寿 (2009) 海面養殖による汚染とその管理. 化学物質と環境, (93): 10-12. S44279
- ARAI, T., HARINO, H. & OHJI, M. (2008) Organotin levels in coastal areas in Vietnam. Coastal Mar. Sci., 32(1): 127-130. S44031
- ARTIOLI, Y., FRIEDRICH, J., GILBERT, A. J., MCQUATTERS-GOLLOP, A., MEE, L. D., VERMAAT, J. E., WULFF, F., HUMBORG, C., PALMERI, L. & POLLEHNE, F. (2008) Nutrient budgets for European seas: A measure of the effectiveness of nutrient reduction policies. Mar. Pollut. Bull., 56(9): 1609-1617. S44133
- BARBER, M. C. (2008) Dietary uptake models used for modeling the bioaccumulation of organic contaminants in fish. Environ. Toxicol. Chem., 27(4): 755-777. S43370
- BOYLE, D., BRIX, K. V., AMLUND, H., LUNDEBYE, A.-K., HOGSTRAND, C. & BURY, N. R. (2008) Natural arsenic contaminated diets perturb reproduction in fish. Environ. Sci. Technol., 42(14): 5354-5360. S43714
- BURGESS, R. M., PERRON, M. M., FRIEDMAN, C. L., SUUBERG, E. M., PENNELL, K. G., CANTWELL, M. G., PELLETIER, M. C., HO, K. T., SERBST, J. R. & RYBA, S. A. (2009) Evaluation of the effects of coal fly ash amendments on the toxicity of a contaminated marine sediment. Environ. Toxicol. Chem., 28(1): 26-35. S44302
- CABACO, S., MACHAS, R., VIEIRA, V. & SANTOS, R. (2008) Impacts of urban wastewater discharge on seagrass meadows (*Zostera noltii*). Estuarine Coast. Shelf Sci., 78(1): 1-13. S43660
- D'AMOURS, O., ARCHAMBAULT, P., MCKINDSEY, C. W. & JOHNSON, L. E. (2008) Local enhancement of epibenthic macrofauna by aquaculture activities. Mar. Ecol. Prog. Ser., 371: 73-84. S44216
- EAMES, I., LANDERYOU, M., GREIG, A. & SNELLINGS, J. (2008) Continuous flushing of contaminants from ballast water tanks. Mar. Pollut. Bull., 56(2): 250-260. S43321
- ENDO, T., HISAMICHI, Y., HARAGUCHI, K., KATO, Y., OHTA, C. & KOGA, N. (2008) Hg, Zn and Cu levels in the muscle and liver of tiger sharks (*Galeocerdo cuvier*) from the coast of Ishigaki Island, Japan: Relationship between metal concentrations and body length. Mar. Pollut. Bull., 56(10): 1774-1780. S44208
- GRANBERG, M. E., GUNNARSSON, J. S., HEDMAN, J. E., ROSENBERG, R. & JONSSON, P. (2008) Bioturbation-driven release of organic contaminants from baltic sea sediments mediated by the invading polychaete *Marenzelleria neglecta*. Environ. Sci. Technol., 42(4): 1058-1065. S43267
- GREENSTEIN, D., BAY, S., ANDERSON, B., CHANDLER, G. T., FARRAR, J. D., KEPPLER, C., PHILLIPS, B., RINGWOOD, A. & YOUNG, D. (2008)

- Comparison of methods for evaluating acute and chronic toxicity in marine sediments. Environ. Toxicol. Chem., 27(4): 933-944. S43372
- HARINO, H., EGUCHI, S., YAMAMOTO, Y., KUROKAWA, Y., KAWAI, S., ARAI, T., OHJI, M., YAMATO, S., KOBAYASHI, N. & MIYAZAKI, N. (2008) Distribution of organotin compounds in representative coastal areas from Japan: A review. Coastal Mar. Sci., 32(1): 88-95. S44030
- HE, P., XU, S., ZHANG, H., WEN, S., DAI, Y., LIN, S. & YARISH, C. (2008) Bioremediation efficiency in the removal of dissolved inorganic nutrients by the red seaweed, *Porphyra yezoensis*, cultivated in the open sea. Water Res., 42(4-5): 1281-1289. S43403
- JOSEFSON, A. B., HANSEN, J. L. S., ASMUND, G. & JOHANSEN, P. (2008) Threshold response of benthic macrofauna integrity to metal contamination in West Greenland. Mar. Pollut. Bull., 56(7): 1265-1274. S43969
- KINOSHITA, K., TAMAKI, S., YOSHIOKA, M., SRITHONGUTHAI, S., KUNIHIRO, T., HAMA, D., OHWADA, K. & TSUTSUMI, H. (2008) Bioremediation of organically enriched sediment deposited below fish farms with artificially mass-cultured colonies of a deposit-feeding polychaete *Capitella* sp I. Fish. Sci., 74(1): 77-87. S43375
- KOBAYASHI, N., TAMATO, S., HARINO, H. & KITANO, M. (2008) A bioassay using sea urchin egg development to identify organotin pollution in sea water. Coastal Mar. Sci., 32(1): 77-81. S44029
- KWOK, K. W. H., LEUNG, K. M. Y., BAO, V. W. W. & LEE, J.-S. (2008) Copper toxicity in the marine copepod *Tigropus japonicus*: Low variability and high reproducibility of repeated acute and life-cycle tests. Mar. Pollut. Bull., 57(6-12): 632-636. S43917
- LIU, W., CHEN, J., HU, J., LING, X. & TAO, S (2008) Multi-residues of organic pollutants in surface sediments from littoral areas of the Yellow Sea, China. Mar. Pollut. Bull., 56(6): 1091-1103. S43808
- MATIJEVIC, S., KUSPILIC, G., KLJAKOVIC-GASPIC, Z. & BOGNER, D. (2008) Impact of fish farming on the distribution of phosphorus in sediments in the middle Adriatic area. Mar. Pollut. Bull., 56(3): 535-548. S43500
- MEARNS, A. J., REISH, D. J., OSHIDA, P. S., BUCHMAN, M., GINN, T. & DONNELLY, R. (2007) Effects of pollution on marine organisms. Water Environ. Res., 2007 Literature Review, 79(10): 2102-2160. S43266
- MEARNS, A. J., REISH, D. J., OSHIDA, P. S., BUCHMAN, M., GINN, T. & DONNELLY, R. (2008) Effects of pollution on marine organisms. Water Environ. Res., 2008 Literature Review, 80(10): 1918-1979. S44321
- PADMINI, E., RANI, M. U. & GEETHA, B. V. (2008) Differential HSP90a expression in fish hepatocytes from polluted estuary during summer. Fish. Sci., 74(5): 1118-1126. S44126

- PEREZ, M., GARCIA, T., INVERS, O. & RUIZ, J. M. (2008) Physiological responses of the seagrass *Posidonia oceanica* as indicators of fish farm impact. Mar. Pollut. Bull., 56(5): 869-879. S43807
- SONG, J.-Y., NAKAYAMA, K., MURAKAMI, Y., JUNG, S.-J., OH, M.-J., MATSUOKA, S., KAWAKAMI, H. & KITAMURA, S. (2008) Does heavy oil pollution induce bacterial diseases in Japanese flounder *Paralichthys olivaceus*? Mar. Pollut. Bull., 57(6-12): 889-894. S43903
- SZLINDER-RICHERT, J., BARSKA, I., MAZERSKI, J. & USYDUS, Z. (2008) Organochlorine pesticides in fish from the southern Baltic Sea: Levels, bioaccumulation features and temporal trends during the 1995-2006 period. Mar. Pollut. Bull., 56(5): 927-940. S43805
- YAMAZAKI, H., YAMAMOTO, S. & KAWABATA, K. (2008) Historical trend of the anthropogenic heavy metal pollution in the estuary sediment of Osaka Bay, Japan. Science and Technology (近畿大学理工学総合研究所), (20): 35-40. S43357

鉄

- ANNETT, A. L., LAPI, S., RUTH, T. J. & MALDONADO, M. T. (2008) The effects of Cu and Fe availability on the growth and Cu: C ratios of marine diatoms. Limnol. Oceanogr., 53(6): 2451-2461. S44327
- CASTRUITA, M., SHAKED, Y., ELMEGREEN, L. A., EDWARD, I. S. & MOREL, F. M. M. (2008) Availability of iron from iron-storage proteins to marine phytoplankton. Limnol. Oceanogr., 53(3): 890-899. S43846
- DE BAAR, H. J. W., GERRINGA, L. J. A., LAAN, PATRICK. & TIMMERMANS, K. R. (2008) Efficiency of carbon removal per added iron in ocean iron fertilization. Mar. Ecol. Prog. Ser., 364: 269-282. S43950
- DENMAN, K. L. (2008) Climate change, ocean processes and ocean iron fertilization. Mar. Ecol. Prog. Ser., 364: 219-225. S43947
- FUJII, M., ITO, H., ROSE, A. L., WAITE, T. D. & OMURA, T. (2008) Transformation dynamics and reactivity of dissolved and colloidal iron in coastal waters. Mar. Chem., 110(3-4): 165-175. S43872
- GAFFNEY, J. W., WHITE, K. N. & BOULT, S. (2008) Oxidation state and size of Fe controlled by organic matter in natural waters. Environ. Sci. Technol., 42(10): 3575-3581. S43675
- JORDAN, T. E., CORNWELL, J. C., BOYNTON, W. R. & ANDERSON, J. T. (2008) Changes in phosphorus biogeochemistry along an estuarine salinity gradient: The iron conveyer belt. Limnol. Oceanogr., 53(1): 172-184. S43784
- LAI, X., NORISUYE, K., MIKATA, M., MINAMI, T., BOWIE, A. R. & SOHRIN, Y. (2008) Spatial and temporal distribution of Fe, Ni, Cu and Pb along 140°E in the Southern Ocean during austral summer 2001/02. Mar. Chem., 111(3-4): 171-183.

S44265

- LANE, E. S., JANG, K., CULLEN, J. T. & MALDONADO, M. T. (2008) The interaction between inorganic iron and cadmium uptake in the marine diatom *Thalassiosira oceanica*. Limnol. Oceanogr., 53(5): 1784-1789. S44326
- LAW, C. S. (2008) Predicting and monitoring the effects of large-scale ocean iron fertilization on marine trace gas emissions. Mar. Ecol. Prog. Ser., 364: 283-288. S43951
- MOREL, F. M. M., KUSTKA, A. B. & SHAKED, Y. (2008) The role of unchelated Fe in the iron nutrition of phytoplankton. Limnol. Oceanogr., 53(1): 400-404. S43865
- NAITO, K., IMAI, I. & NAKAHARA, H. (2008) Complexation of iron by microbial siderophores and effects of iron chelates on the growth of marine microalgae causing red tides. Phycol. Res., 56(1): 58-67. S43324
- NOWOSTAWSKA, U., KIM, J. P. & HUNTER, K. A. (2008) Aggregation of riverine colloidal iron in estuaries: A new kinetic study using stopped-flow mixing. Mar. Chem., 110(3-4): 205-210. S43874
- OBATA, H., SHITASHIMA, K., ISSHIK, K. & NAKAYAMA, E. (2008) Iron, manganese and aluminum in upper waters of the western South Pacific ocean and its adjacent seas. J. Oceanogr., 64(2): 233-245. S43299
- ROY, E.G., WELLS, M. L. & KING, D. W. (2008) Persistence of iron(II) in surface waters of the western subarctic Pacific. Limnol. Oceanogr., 53(1): 89-98. S43863
- USHIZAKA, S., SUGIE, K., YAMADA, M., KASAHARA, M. & KUMA, K. (2008) Significance of Mn and Fe for growth of coastal marine diatom *Thalassiosira weissflogii*. Fish. Sci., 74(5): 1137-1145. S44123
- WATSON, A. J., BOYD, P. W., TURNER, S. M., JICKELLS, T. D. & LISS, P. S. (2008) Designing the next generation of ocean iron fertilization experiments. Mar. Ecol. Prog. Ser., 364: 303-309. S43953

貧酸素

- 濱田孝治・速水祐一・山本浩一・大串浩一郎・吉野健児・平川隆一・山田裕樹 (2008) 2006年夏季の有明海奥部における大規模貧酸素化. 海の研究, 17(5): 371-377. S44023
- 伊藤 博 (2008) 気仙沼湾における貧酸素水の発生状況と底質の経年変化. 宮城県水産研究報告, (8): 41-48. S44259
- 岩井拓郎 (2008) 仙台湾中南部沿岸域における貧酸素水塊発生要因の検討. 宮城県水産研究報告, (8): 5-13. S44260
- 川那公士・半田岳志・馬場義彦・岩田仲弘・植松一眞・難波憲二 (2008) 懸濁物質が魚類の生理・生態に及ぼす影響—ヒラメの呼吸に及ぼすスマクタイトの影響. 日本国水産学会誌, 74(3): 375-379. S43672
- 岸本充史・安田秀一・鬼塚 剛・高島創太郎・湯浅豊年 (2008) 周防灘豊前海における

- る溶存酸素変動と海洋構造について—2005年夏季の15日間定点係留観測から
—. J. Natl. Fish. Univ., 56(1): 47-60. S43813
- 澤田好史・樋口和宏・芳賀 穂・浦 和寛・石橋泰典・倉田道雄・宮武弘史・片山茂
和・瀬岡 学 (2008) シマアジ胚発生に及ぼす低酸素と高二酸化炭素の影響.
日本水産学会誌, 74(2): 144-151. S43385
- 武田真典・佐々木 淳・三上信雄・佐々木洋之・足立有平・熊田康邦 (2008) 7. 渔
港泊地を対象とした底層貧酸素水改善のためのマイクロバブル現地実験. 水産
土木建設技術センター技術報告, 2008 : 34-39. S44255
- 山元憲一・半田岳志・茅野直登 (2008) タイラギの低酸素に伴う酸素摂取の変化. 水
産増殖, 56(1): 45-49. S43287
- 山元憲一・半田岳志・茅野直登 (2008) タイラギの低酸素に伴う換水運動の変化. 水
産増殖, 56(4): 487-591. S44280
- 山元憲一・半田岳志・嶋田 誠 (2008) サザエの鰓での酸素摂取に及ぼす低酸素の影
響. J. Natl. Fish. Univ., 56(4): 56(4)S43818
- ALLEN, S. M. & BURNETT, L. E. (2008) The effects of intertidal air exposure on the
respiratory physiology and the killing activity of hemocytes in the pacific oyster,
Crassostrea gigas (Thunberg). J. Exp. Mar. Biol. Ecol., 357(2): 165-171. S43411
- CALABRETT, C. J. & OVIATT, C. A. (2008) The response of benthic macrofauna to
anthropogenic stress in Narragansett Bay, Rhode Island: A review of human
stressors and assessment of community conditions. Mar. Pollut. Bull., 56(10):
1680-1695. S44209
- CHAN, H. Y., XU, W. Z., SHIN, P. K. S., CHEUNG, S. G. (2008) Prolonged exposure to
low dissolved oxygen affects early development and swimming behaviour in the
gastropod *Nassarius festivus* (Nassariidae). Mar. Biol., 153(4): 735-743. S43303
- COSTANTINI, M., LUDESIN, S. A., MASON, D. M., ZHANG, X., BOICOURT, W. C. &
BRANDT, S. B. (2008) Effect of hypoxia on habitat quality of striped bass
(*Morone saxatilis*) in Chesapeake Bay. Can. J. Fish. Aquat. Sci., 65(5): 989-1002.
S43758
- DEL TORO-SILVA, F. M., MILLER, J. M., TAYLOR, J. C. & ELLIS, T. A. (2008)
Influence of oxygen and temperature on growth and metabolic performance of
Paralichthys lethostigma (Pleuronectiformes: Paralichthyidae). J. Exp. Mar. Biol.
Ecol., 358(2): 113-123. S43528
- DUTIL, J. D., SYLVESTRE, E. L., GAMACHE, L., LAROCQUE, R. & GUDERLEY, H.
(2007) Burst and coast use, swimming performance and metabolism of Atlantic
cod *Gadus morhua* in sub-lethal hypoxic conditions. J. Fish Biol., 71(2): 363-375.
S43397
- LEE, A.-C., LEE, M.-C., LEE, Y.-H. & LEE, Y.-C. (2008) Candidates for a
hypoxia-stress indicator in the hard clam, *Meretrix lusoria*. Aquacult., 278(1-4):
150-155. S44200
- GLIBERT, P. M., AZANZA, R., BURFORD, M., FURUYA, K., ABAL, E., AL-AZRI, A.,

- AL-YAMANI, F., ANDERSEN, P., ANDERSON, D. M., BEARDALL, J., BERG, G. M., BRAND, L., BRONK, D., BROOKES, J., BURKHOLDER, J. M., CEMBELLA, A., COCHLAN, W. P., COLLIER, J. L., COLLOS, Y., DIAZ, R., DOBLIN, M., DRENNEN, T., DYHRMAN, S., FUKUYO, Y., FURNAS, M., GALLOWAY, J., GRANELI, E., HA, D. V., HALLEGRAEFF, G., HARRISON, J., HARRISON, P. J., HEIL, C. A., HEIMANN, K., HOWARTH, R., JAUZEIN, C., KANA, A. A., KANA, T. M., KIM, H., KUDELA, R., LEGRAND, C., MALLIN, M., MULHOLLAND, M., MURRAY, S., O'NEIL, J., PITCHER, G., QI, Y., RABALAIS, N., RAINES, R., SEITZINGER, S., SALOMON, P. S., SOLOMON, C., STOECKER, D. K., USUP, G., WILSON, J., YIN, K., ZHOU, M. & ZHU, M. (2008) Ocean urea fertilization for carbon credits poses high ecological risks. Mar. Pollut. Bull., 56(6): 1049-1056. S43867
- HARGRAVE, B. T., DOUCETTE, L. I., CRANFORD, P. J., LAW, B. A. & MILLIGAN, T. G. (2008) Influence of mussel aquaculture on sediment organic enrichment in a nutrient-rich coastal embayment. Mar. Ecol. Prog. Ser., 365: 137-149. S44047
- HASSELL, K. L., COUTIN, P. C. & NUGEGODA, D. (2008) Hypoxia, low salinity and lowered temperature reduce embryo survival and hatch rates in black bream *Acanthopagrus butcheri* (Munro, 1949). J. Fish Biol., 72(7): 1623-1636. S43532
- ISHII, H., OHBA, T. & KOBAYASHI, T. (2008) Effects of low dissolved oxygen on planula settlement, polyp growth and asexual reproduction of *Aurelia aurita*. Plankton Benthos Res., 3(Suppl.): 107-113. S43751
- LARSON, F. & SUNDBACK, K. (2008) Role of microphytobenthos in recovery of functions in a shallow-water sediment system after hypoxic events. Mar. Ecol. Prog. Ser., 357: 1-16. S43535
- LEE, Y. J. & LWIZA, K. M. M. (2008) Characteristics of bottom dissolved oxygen in Long Island Sound, New York. Estuarine Coast. Shelf Sci., 76(2): 187-200. S43229
- LIN, H. J., SHAO, K. T., JAN, R. Q., HSIEH, H. L., CHEN, C. P., HSIEH, L. Y. & HSIAO, Y. T. (2007) A trophic model for the Danshuei River Estuary, a hypoxic estuary in northern Taiwan. Mar. Pollut. Bull., 54(11): 1789-1800. S43147
- LONG, W. C. & SEITZ, R. D. (2008) Trophic interactions under stress: hypoxia enhances foraging in an estuarine food web. Mar. Ecol. Prog. Ser., 362: 59-68. S43858
- MCKENZIE, D. J., STEFFENSEN, J. F., KORSMEYER, K., WHITELEY, N. M., BRONZI, P. & TAYLOR, E. W. (2007) Swimming alters responses to hypoxia in the Adriatic sturgeon *Acipenser naccarii*. J. Fish Biol., 70(2): 651-658. S43396
- MUGNIER, C., ZIPPER, E., GOARANT, C. & LEMONNIER, H. (2008) Combined effect of exposure to ammonia and hypoxia on the blue shrimp *Litopenaeus stylirostris* survival and physiological response in relation to molt stage. Aquacult., 274(2-4): 398-407. S43293

- REMEN, M., IMSLAND, A. K., STEFANSSON, S. O., JONASSEN, T. M. & FOSS, A. (2008) Interactive effects of ammonia and oxygen on growth and physiological status of juvenile Atlantic cod (*Gadus morhua*). Aquacult., 274(2-4): 292-299. S43292
- SHEN, J., WANG, T., HERMAN, J., MASON, P. & ARNOLD, G. L. (2008) Hypoxia in a coastal embayment of the Chesapeake Bay: A model diagnostic study of oxygen dynamics. Estuaries and Coasts, 31(4): 652-663. S43898
- SHOJI, J. (2008) Non-size-selective predation on fish larvae by moon jellyfish *Aurelia aurita* under low oxygen concentrations. Plankton Benthos Res., 3(Suppl.) : 114-117. S43752
- SKJAERAASEN, J. E., NILSEN, T., MEAGER, J. J., HERBERT, N. A., MOBERG, O., TRONCI, V., JOHANSEN, T. & SALVANES, A. G. V. (2008) Hypoxic avoidance behaviour in cod (*Gadus morhua* L.): The effect of temperature and haemoglobin genotype. J. Exp. Mar. Biol. Ecol., 358(1): 70-77. S43491
- TAKAHASHI, T., NAKATA, H., HIRANO, K., MATSUOKA, K., IWATAKI, M., YAMAGUCHI, H. & KASUYA, T. (2009) Upwelling of oxygen-depleted water (Sumishio) in Omura Bay, Japan. J. Oceanogr., 65(1): 113-120. S44308
- TEROVA, G., RIMOLDI, S., CORA, S., BERNARDINI, G., GORNATI, R. & SAROGLIA, M. (2008) Acute and chronic hypoxia affects HIF-1 α mRNA levels in sea bass (*Dicentrarchus labrax*). Aquacult., 279(1-4): 150-159. S43794
- THRONSON, A. & QUIGG, A. (2008) Fifty-five years of fish kills in coastal Texas. Estuaries and Coasts, 31(4): 802-813. S43871
- TOBA, M., KOSEMURA, T., YAMAKAWA, H., SUGIURA, Y. & KOBAYASHI, Y. (2008) Field and laboratory observations on the hypoxic impact on survival and distribution of short-necked clam *Ruditapes philippinarum* larvae on Tokyo Bay, central Japan. Plankton Benthos Res., 3(3): 165-173. S44037
- TURNER, R. E., RABALAIS, N. N. & JUSTIC, D. (2008) Gulf of Mexico hypoxia: Alternate states and a legacy. Environ. Sci. Technol., 42(7): 2323-2327. S43481
- VAGNER, M., LEFRANCOIS, C., FERRARI, R. S., SATTA, A. & DOMENICI, P. (2008) The effect of acute hypoxia on swimming stamina at optimal swimming speed in flathead grey mullet *Mugil cephalus*. Mar. Biol., 155(2): 183-190. S44091
- VASCHENKO, M. A. & KOTSYUBA, E. P. (2008) NADPH-diaphorase activity in the central nervous system of the Gray mussel *Crenomytilus grayanus* (Dunker) under stress conditions: A histochemical study. Mar. Environ. Res., 66(2): 249-258. S44157
- ZIEGEWEID, J. R., JENNINGS, C. A. & PETERSON, D. L. (2008) Thermal maxima for juvenile shortnose sturgeon acclimated to different temperatures. Environ. Biol. Fish., 82(3): 299-307. S43997

海洋環境放射能

- 青野辰雄 (2008) (9) 「海の更なる安心安全を求めて」. 放射線科学, 51(6): 54-57.
S43832
- 日下部正志 (2008) 4. 沿岸一外洋域における放射性核種の動態の総合的調査研究.
放射能医学総合研究所年報, 平成 19 年度: 68pp. S44246
- 日下部正志・中原元和・石井紀明・渡部輝久・山田正俊・青野辰雄・鄭 建・中西貴宏・桜井智史・帰山秀樹・大久保綾子 (2008) (7) 「海の放射性核種: 溶存, 粒子, プランクトン」. 放射線科学, 51(6): 45-51. S43831
- 中原元和 (2008) (4) 「食の安全を求めて」. 放射線科学, 51(6): 24-27. S43654
- 大桃洋一郎 (2008) (2) 「茨城県沿岸における海産物消費実態調査」. 放射線科学,
51(6): 10-12. S43829
- 佐伯誠道 (2008) (1) 「海洋生物の放射能に関する研究」. 放射線科学, 51(6): 4-9.
S43653
- 渡部輝久 (2008) (5) 「海産生物と放射能」. 放射線科学, 51(6): 28-35. S43655
- 山田正俊 (2008) (6) 「世界の海を巡る放射性核種」. 放射線科学, 51(6): 36-44.
S43830
- BROECKER, W., CLARK, E. & BARKER, S. (2008) Near constancy of the Pacific
Ocean surface to mid-depth radiocarbon-age difference over the last 20 kyr. Earth
Planet. Sci. Lett., 274(3-4): 322-326. S44008
- BURNETT, W. C., PETERSON, R., MOORE, W. S. & DE OLIVEIRA, J. (2008) Radon
and radium isotopes as tracers of submarine groundwater discharge - Results from
the Ubatuba Brazil SGD assessment intercomparison. Estuarine Coast. Shelf Sci.,
76(3): 501-511. S43233
- HANSLIK, E., IVANOVOVA, D., JURANOVA, E., SIMONEK, P. &
JEDINAKOVA-KRIZOVA, V. (2009) Monitoring and assessment of radionuclide
discharges from Temelin Nuclear Power Plant into the Vltava River (Czech
Republic). J. Environ. Radioact., 100(2): 131-138. S44546
- HUA, B., YANG, J. & DENG, B. (2007) Radioactive wastes. Water Environ. Res.,
79(10): 1903-1928. S43221
- RICHARDS, Z. T., BEGER, M., PINCA, S. & WALLACE, C. C. (2008) Bikini Atoll
coral biodiversity resilience five decades after nuclear testing. Mar. Pollut. Bull.,
56(3): 503-515. S43536
- THEBAULT, H., BAENA, A. M. R. Y., ANDRAL, B., BARISIC, D., ALBALADEJO, J.
B., BOLOGA, A. S., BOUDJENOUN, R., DELFANTI, R., EGOROV, V. N.,
KHOUKHI, T. E., FLOROU, H., KNIEWALD, G., NOUREDDINE, A.,
PATRASCU, V., PHAM, M. K., SCARPATO, A., STOKOZOV, N. A.,
TOPCUOGLU, S. & WARNAU, M. (2008) ^{137}Cs baseline levels in the
Mediterranean and Black Sea: A cross-basin survey of the CIESM Mediterranean
Mussel Watch programme. Mar. Pollut. Bull., 57(6-12): 801-806. S43901

化学物質

- 新井崇臣 (2008) 湖沼・海域の化学物質組成と生態影響評価. 化学物質と環境, (91): 4-6. S44076
- 荒木 廣 (2008) 欧米諸国で排水管理に用いられる生物影響試験・評価方法. 化学物質と環境, (91): 7-9. S44077
- 堀田公明・渡辺剛幸・岸田智穂・中村幸雄・井尻成保・足立伸次・山内皓平 (2008) シロギス雄の血中ビテロゲニン量に及ぼす雌魚の影響. 日本水産学会誌, 74(1): 20-25. S43253
- 小山次朗 (2009) 有害化学物質による海洋汚染の水産物への影響. 化学物質と環境, (93): 7-9. S44342
- 益永茂樹 (2008) 生態リスク評価の枠組み. 化学物質と環境, (91): 1-3. S44075
- 太田健吾・有瀧真人・渡辺研一 (2008) オキシダント海水およびポビドンヨード剤がヒラメ *Paralichthys olivaceus* 卵のふ化率に及ぼす影響. 日本水産学会誌, 74(4): 653-659. S43851
- 大塚雅広 (2008) 魚類飼育水槽用防藻剤の開発—低濃度の亜塩素酸ナトリウムによる藻類増殖抑制—. アクアネット, 11(11): 54-57. S44218
- 任 勇翔・中野和典・大堀雅人・千葉信男・野村宗弘・西村 修 (2008) 養豚場排水処理施設におけるエストロゲンの季節変動と低減化処理の実態. 水環境学会誌, 31(3): 155-161. S43353
- 佐々木康成・大和信大・櫻庭英二・高橋和孝・山名清二・三間敏夫 (2008) 最新の上・下水オゾン処理技術 火力発電所冷却塔向け下水処理水のオゾン処理. 環境浄化技術, 7(2): 24-28. S44175
- 竹内宏行・升間主計・渡辺 稔・中川 亭・町田雅春 (2008) オキシダント海水がアカアマダイ卵に及ぼす影響. 栽培漁業センター技法(水産総合研究センター), (8): 5-8. S43956
- 椿崎仙市 (2007) 現場に密着した保守技術 [60] 水処理の大切さ—火力発電プラントの水質管理技術(その1)—. 火力原子力発電, 58(11): 25-31. S43148
- 浦野紘平 (2008) 排水管理のための生物影響試験・診断方法. 化学物質と環境, (91): 10-12. S44078
- 山田味佳 (2008) 大型海藻類を用いた大阪湾の重金属環境評価.瀬戸内海, (53): 49-52. S43501
- **** (2007) [火力・原子力発電所における水・化学管理(19年改訂版)] VII. 排水・廃液・廃油・廃棄物管理(原子力). 火力原子力発電, 58(12): 49-69. S43149
- **** (2008) ダイオキシン類のTDIと水銀のPTWI—“生涯摂取し続けても健康影響のない量”の目安—. アクアネット, 11(3): 34-36. S43328
- AGATSUMA, Y., ENDO, H. & TANIGUCHI, K. (2008) Inhibitory effect of 2,4-dibromophenol and 2,4,6 tribromophenol on larval survival and metamorphosis of the sea urchin *Strongylocentrotus nudus*. Fish. Sci., 74(4): 837-841. S43943

- ANNETT, A. L., LAPI, S., RUTH, T. J. & MALDONADO, M. T. (2008) The effects of Cu and Fe availability on the growth and Cu:C ratios of marine diatoms. Limnol. Oceanogr., 53(6): 2451-2461. S44327
- AONO, A. & TAKEUCHI, I. (2008) Effects of tributyltin at concentrations below ambient levels in seawater on *Caprella danilevskii* (Crustacea: Amphipoda: Caprellidae). Mar. Pollut. Bull., 57(6-12): 515-523. S43915
- ARAI, T., HARINO, H. & OHJI, M. (2008) Organotin levels in coastal areas in Vietnam. Coastal Mar. Sci., 32(1): 127-130. S44031
- BALCOM, P. H., HAMMERSCHMIDT, C. R., FITZGERALD, W. F., LAMBORG, C. H. & O'CONNOR, J. S. (2008) Seasonal distributions and cycling of mercury and methylmercury in the waters of New York/New Jersey Harbor Estuary. Mar. Chem., 109(1-2): 1-17. S43551
- BARATA, C., DAMASIO, J., LOPEZ, M. A., KUSTER, M., DE ALDA, M. L., BARCELO, D., RIVA, M. C. & RALDUA, D. (2007) Combined use of biomarkers and in situ bioassays in *Daphnia magna* to monitor environmental hazards of pesticides in the field. Environ. Toxicol. Chem., 26(2): 370-379. S43400
- BENEDETTI, M., MARTUCCIO, G., FATTORINI, D., CANAPA, A., BARUCCA, M., NIGRO, M. & REGOLI, F. (2007) Oxidative and modulatory effects of trace metals on metabolism of polycyclic aromatic hydrocarbons in the Antarctic fish *Trematomus bernacchii*. Aquat. Toxicol., 85(3): 167-175. S43143
- BHAVSAR, S. P., HAYTON, A. & JACKSON, D. A. (2008) Uncertainty analysis of dioxin-like polychlorinated biphenyls-related toxic equivalents in fish. Environ. Toxicol. Chem., 27(4): 997-1005. S43373
- CAILLEAUD, K., FORGET-LERAY, J., SOUSSI, S., LARDY, S., AUGAGNEUR, S. & BUDZINSKI, H. (2008) Seasonal variation of hydrophobic organic contaminant concentrations in the water-column of the Seine Estuary and their transfer to a planktonic species *Eurytemora affinis* (Calanoid, copepod). Part 2: Alkylphenol-polyethoxylates. Chemosphere, 70(2): 281-287. S43934
- CALDWELL, D. J., MASTROCCO, F., HUTCHINSON, T. H., LANGE, R., HEIJERICK, D., JANSSEN, C., ANDERSON, P. D. & SUMPTER, J. P. (2008) Derivation of an aquatic predicted no-effect concentration for the synthetic hormone, 17 α -Ethinyl estradiol. Environ. Sci. Technol., 42(19): 7046-7054. S44105
- CARDOSO, P. G., LILLEBO, A. I., LOPES, C. B., PEREIRA, E., DUARTE, A. C. & PARDAL, M. A. (2008) Influence of bioturbation by *Hediste diversicolor* on mercury fluxes from estuarine sediments: A mesocosms laboratory experiment. Mar. Pollut. Bull., 56(2): 325-334. S43323
- CARLS, M. G., HOLLAND, L., LARSEN, M., COLLIER, T. K., SCHOLZ, N. L. & INCARDONA, J. P. (2008) Fish embryos are damaged by dissolved PAHs, not oil particles. Aquat. Toxicol., 88(2): 121-127. S43795
- CHUMCHAL, M. M., DRENNER, R. W., FRY, B., HAMBRIGHT, K., NEWLAND, L. W.

- (2008) Habitat-specific differences in mercury concentration in a top predator from a shallow lake. *Trans. Am. Fish. Soc.*, 137(1): 195-208. S43387
- COELHO, J. P., NUNES, M., DOLBETH, M., PEREIRA, M. E., DUARTE, A. C., PARDAL, M. A. (2008) The role of two sediment-dwelling invertebrates on the mercury transfer from sediments to the estuarine trophic web. *Estuarine Coast. Shelf Sci.*, 78(3): 505-512. S43762
- CORREA, L. M., KOCHHANN, D., BECKER, A. G., PAVANATO, M. A., LLESUY, S. F., LORO, V. L., RAABE, A., MESKO, M. F., FLORES, E. M. M., DRESSLER, V. L. & BALDISSEROTTO, B. (2008) Biochemistry, cytogenetics and bioaccumulation in silver catfish (*Rhamdia quelen*) exposed to different thorium concentrations. *Aquat. Toxicol.*, 88(4): 250-256. S43896
- DAHL, U. & BREITHOLTZ, M. (2008) Integrating individual ecdysteroid content and growth-related stressor endpoints to assess toxicity in a benthic harpacticoid copepod. *Aquat. Toxicol.*, 88(3): 191-199. S43906
- DE BAAR, H. J. W., GERRINGA, L. J. A., LAAN, PATRICK. & TIMMERMANS, K. R. (2008) Efficiency of carbon removal per added iron in ocean iron fertilization. *Mar. Ecol. Prog. Ser.*, 364: 269-282. S43950
- DISSANAYAKE, A., GALLOWAY, T. S. & JONES, M. B. (2008) Physiological responses of juvenile and adult shore crabs *Carcinus maenas* (Crustacea: Decapoda) to pyrene exposure. *Mar. Environ. Res.*, 66(4): 445-450. S44165
- ENDO, T., HISAMICHI, Y., HARAGUCHI, K., KATO, Y., OHTA, C. & KOGA, N. (2008) Hg, Zn and Cu levels in the muscle and liver of tiger sharks (*Galeocerdo cuvier*) from the coast of Ishigaki Island, Japan: Relationship between metal concentrations and body length. *Mar. Pollut. Bull.*, 56(10): 1774-1780. S44208
- ERK, M., MUYSSEN, B. T. A., GHEKIERE, A. & JANSSEN, C. R. (2008) Metallothionein and cellular energy allocation in the estuarine mysid shrimp *Neomysis integer* exposed to cadmium at different salinities. *J. Exp. Mar. Biol. Ecol.*, 357(2): 172-180. S43408
- FORTIN, M. G., COUILLARD, C. M., PELLERIN, J. & LEBEUF, M. (2008) Effects of salinity on sublethal toxicity of atrazine to mummichog (*Fundulus heteroclitus*) larvae. *Mar. Environ. Res.*, 65(2): 158-170. S43270
- FUJII, M., ITO, H., ROSE, A. L., WAITE, T. D. & OMURA, T. (2008) Transformation dynamics and reactivity of dissolved and colloidal iron in coastal waters. *Mar. Chem.*, 110(3-4): 165-175. S43872
- GAFFNEY, J. W., WHITE, K. N. & BOULT, S. (2008) Oxidation state and size of Fe controlled by organic matter in natural waters. *Environ. Sci. Technol.*, 42(10): 3575-3581. S43675
- GEISZ, H. N., DICKHUT, R. M., COCHRAN, M. A., FRASER, W. R. & DUCKLOW, H. W. (2008) Melting glaciers: A probable source of DDT to the Antarctic marine ecosystem. *Environ. Sci. Technol.*, 42(11): 3958-3962. S43759

- HAGGER, J. A., JONES, M. B., LOWE, D., LEONARD, D. R. P., OWEN, R. & GALLOWAY, T. S. (2008) Application of biomarkers for improving risk assessments of chemicals under the Water Framework Directive: A case study. *Mar. Pollut. Bull.*, 56(6): 1111-1118. S44160
- HAMMERSCHMIDT, C. R. & FITZGERALD, W. F. (2008) Sediment-water exchange of methylmercury determined from shipboard benthic flux chambers. *Mar. Chem.*, 109(1-2): 86-97. S43550
- HAMMERSCHMIDT, C. R., FITZGERALD, W. F., BALCOM, P. H. & VISSCHER, P. T. (2008) Organic matter and sulfide inhibit methylmercury production in sediments of New York/New Jersey Harbor. *Mar. Chem.*, 109(1-2): 165-182. S43684
- HARINO, H., EGUCHI, S., YAMAMOTO, Y., KUROKAWA, Y., KAWAI, S., ARAI, T., OHJI, M., YAMATO, S., KOBAYASHI, N. & MIYAZAKI, N. (2008) Distribution of organotin compounds in representative coastal areas from Japan: A review. *Coastal Mar. Sci.*, 32(1): 88-95. S44030
- HENNY, C. J., ANDERSON, T. W. & CRAYON, J. J. (2008) Organochlorine pesticides, polychlorinated biphenyls, metals, and trace elements in waterbird eggs, Salton Sea, California, 2004. *Hydrobiol.*, 604: 137-149. S43423
- HOGUET, J. & KEY, P. B. (2007) Activities of biomarkers in multiple life stages of the model crustacean, *Palaemonetes pugio*. *J. Exp. Mar. Biol. Ecol.*, 353(2): 235-244. S43113
- HONG, L. N. P., FUJII, S., TANAKA, S., NOZOE, M., WROJANAGUD, W., ANTON, A. & HAI, H. T. (2008) Occurrences of Perfluorooctane Sulfonate (PFOS) and Perfluorooctane Acid (PFOA) in Surface Waters of Southeast Asian Countries. *Adv. Asian Environ. Eng.*, 7(1): 33-40. S44011
- HUANG, X., KE, C. & WANG, W.-X. (2008) Bioaccumulation of silver, cadmium and mercury in the abalone *Haliotis diversicolor* from water and food sources. *Aquacult.*, 283(1-4): 194-202. S44104
- JAMISON, J. L. & LASKER, H. R. (2008) Identification of octocoral recruits using microsatellite primers: Relationships between recruitment and adult distribution of *Pseudopterogorgia* spp. *Limnol. Oceanogr.*, 53(5): 1963-1972. S44331
- JORDAN, T. E., CORNWELL, J. C., BOYNTON, W. R. & ANDERSON, J. T. (2008) Changes in phosphorus biogeochemistry along an estuarine salinity gradient: The iron conveyer belt. *Limnol. Oceanogr.*, 53(1): 172-184. S43784
- JOSEFSON, A. B., HANSEN, J. L. S., ASMUND, G. & JOHANSEN, P. (2008) Threshold response of benthic macrofauna integrity to metal contamination in West Greenland. *Mar. Pollut. Bull.*, 56(7): 1265-1274. S43969
- JUNG, K. & ZAUKE, G.-P. (2008) Bioaccumulation of trace metals in the brown shrimp *Crangon crangon* (Linnaeus, 1758) from the German Wadden Sea. *Aquat. Toxicol.*, 88(4): 243-249. S43895
- KARADJOVA, I. B., SLAVEYKOVA, V. I. & TSALEV, D. L. (2008) The biouptake and

- toxicity of arsenic species on the green microalga *Chlorella salina* in seawater. *Aquat. Toxicol.*, 87(4): 264-271. S43667
- KELLY, B. C., IKONOMOU, M. G., HIGGS, D. A., OAKES, J. & DUBETZ, C. (2008) Mercury and other trace elements in farmed and wild salmon from British Columbia, Canada. *Environ. Toxicol. Chem.*, 27(6): 1361-1370. S43677
- KIM, T.-W., LEE, K., PARK, K.-T. & KIM, M. (2008) Sulfur hexafluoride as a complementary method for measuring the extent of point-source thermal effluents. *Mar. Pollut. Bull.*, 56(7): 1294-1302. S43970
- KOBAYASHI, N., TAMATO, S., HARINO, H. & KITANO, M. (2008) A bioassay using sea urchin egg development to identify organotin pollution in sea water. *Coastal Mar. Sci.*, 32(1): 77-81. S44029
- KWOK, K. W. H., LEUNG, K. M. Y., BAO, V. W. W. & LEE, J.-S. (2008) Copper toxicity in the marine copepod *Tigropus japonicus*: Low variability and high reproducibility of repeated acute and life-cycle tests. *Mar. Pollut. Bull.*, 57(6-12): 632-636. S43917
- LAI, X., NORISUYE, K., MIKATA, M., MINAMI, T., BOWIE, A. R. & SOHRIN, Y. (2008) Spatial and temporal distribution of Fe, Ni, Cu and Pb along 140°E in the Southern Ocean during austral summer 2001/02. *Mar. Chem.*, 111(3-4): 171-183. S44265
- LEE, K.-W., RAISUDDIN, S., RHEE, J.-S., HWANG, D.-S., YU, I. T., LEE, Y.-M., PARK, H. G. & LEE, J.-S. (2008) Expression of glutathione S-transferase (GST) genes in the marine copepod *Tigriopus japonicus* exposed to trace metals. *Aquat. Toxicol.*, 89(3): 158-166. S44069
- LEE, K.W., RAISUDDIN, S., HWANG, D. S., PARK, H. G. & LEE, J. S. (2007) Acute Toxicities of trace metals and common Xenobiotics to the marine copepod *Tigriopus japonicus*: Evaluation of its use as a benchmark species for routine ecotoxicity tests in Western Pacific coastal regions. *Environ. Toxicol.*, 22(5): 532-538. S43938
- LEWIS, C., POOK, C. & GALLOWAY, T. (2008) Reproductive toxicity of the water accommodated fraction (WAF) of crude oil in the polychaetes *Arenicola marina* (L.) and *Nereis virens* (Sars). *Aquat. Toxicol.*, 90(1): 73-81. S44205
- LI, E., XIONG, Z., CHEN, L., ZENG, C. & LI, K. (2008) Acute toxicity of boron to juvenile white shrimp, *Litopenaeus vannamei*, at two salinities. *Aquacult.*, 278(1-4): 175-178. S44201
- LIEN, N. P. H., FUJII, S., TANAKA, S., NOZOE, M. & TANAKA, H. (2008) Contamination of perfluorooctane sulfonate (PFOS) and perfluorooctanoate (PFOA) in surface water of the Yodo River basin (Japan). *Desalination*, 226(1-3): 338-347. S44009
- MARIN, M. G., RIGATO, S., RICCIARDI, F. & MATOZZO, V. (2008) Lethal and estrogenic effects of 4-nonylphenol in the cockle *Cerastoderma glaucum*. *Mar.*

Pollut. Bull., 57(6-12): 552-558. S43916

- MATHEWS, T. & FISHER, N. S. (2008) Trophic transfer of seven trace metals in a four-step marine food chain. Mar. Ecol. Prog. Ser., 367: 23-33. S44095
- MCMAHON, K. D., GU, A. Z., NERENBERG, R. & STURM, B. M. (2008) Molecular methods in biological systems. Water Environ. Res., 80(10): 929-961. S44320
- MERRITT, K. A. & AMIRBAHMAN, A. (2008) Methylmercury cycling in estuarine sediment pore waters (Penobscot River estuary, Maine, USA). Limnol. Oceanogr., 53(3): 1064-1075. S43847
- METIAN, M., WARNAU, B. M., COSSON, R. P., OBERHANSLI, F. & BUSTAMANTE, P. (2008) Bioaccumulation and detoxification processes of Hg in the king scallop *Pecten maximus*: Field and laboratory investigations. Aquat. Toxicol., 90(3): 204-213. S44341
- MORALES-CASELLES, C., MARTIN-DIAZ, M. L., RIBA, I., SARASQUETE, C. & DELVALLS, T. A. (2008) The role of biomarkers to assess oil-contaminated sediment quality using toxicity tests with clams and crabs. Environ. Toxicol. Chem., 27(6): 1309-1316. S43676
- MOREIRA-SANTOS, M., DONATO, C., LOPES, I. & RIBEIRO, R. (2008) Avoidance tests with small fish: Determination of the median avoidance concentration and of the lowest-observed-effect gradient. Environ. Toxicol. Chem., 27(7): 1576-1582. S43773
- MOREL, F. M. M., KUSTKA, A. B. & SHAKED, Y. (2008) The role of unchelated Fe in the iron nutrition of phytoplankton. Limnol. Oceanogr., 53(1): 400-404. S43865
- MURANO, H., MATSUZAKI, K., SHIRAISHI, H. & WAKABAYASHI, M. (2007) Effects of heavy metals in river waters in Japan on immobility and mortality of *Daphnia magna* and *Oryzias latipes* larvae. Fish. Sci., 73(5): 1078-1086. S43114
- MURPHY, C. A., ROSE, K. A., ALVAREZ, M. D. & FUIMAN, L. A. (2008) Modeling larval fish behavior: Scaling the sublethal effects of methylmercury to population-relevant endpoints. Aquat. Toxicol., 86(4): 470-484. S43480
- NAITO, K., IMAI, I. & NAKAHARA, H. (2008) Complexation of iron by microbial siderophores and effects of iron chelates on the growth of marine microalgae causing red tides. Phycol. Res., 56(1): 58-67. S43324
- NOWOSTAWSKA, U., KIM, J. P. & HUNTER, K. A. (2008) Aggregation of riverine colloidal iron in estuaries: A new kinetic study using stopped-flow mixing. Mar. Chem., 110(3-4): 205-210. S43874
- OBATA, H., SHITASHIMA, K., ISSHIK, K. & NAKAYAMA, E. (2008) Iron, manganese and aluminum in upper waters of the western South Pacific ocean and its adjacent seas. J. Oceanogr., 64(2): 233-245. S43299
- PANE, L., GIACCO, E., CORRA, C., GRECO, G., MARIOTTINI, G. L., VARISCO, F. & FAIMALI, M. (2008) Ecotoxicological evaluation of harbour sediments using marine organisms from different trophic levels. J. Soil. Sediment., 8(2): 74-79.

- PATO, P., LOPES, C., VALEGA, M., LILLEBO, A. I., DIAS, J. M., PEREIRA, E. & DUARTE, A. C. (2008) Mercury fluxes between an impacted coastal lagoon and the Atlantic Ocean. *Estuarine Coast. Shelf Sci.*, 76(4): 787-796. S43294
- RATO, M., GASPAR, M. B., TAKAHASHI, S., YANO, S., TANABE, S. & BARROSO, C. (2008) Inshore/offshore gradients of imposex and organotin contamination in *Nassarius reticulatus* (L.) along the Portuguese coast. *Mar. Pollut. Bull.*, 56(7): 1323-1331. S43971
- RHODES, J. R., GRIST, E. P. M., KWOK, K. W. H. & LEUNG, K. M. Y. (2008) A Bayesian mixture model for estimating intergeneration chronic toxicity. *Environ. Sci. Technol.*, 42(21): 8108-8114. S44114
- RICCIARDI, F., MATOZZO, V. & MARIN, M. G. (2008) Effects of 4-nonylphenol exposure in mussels (*Mytilus galloprovincialis*) and crabs (*Carcinus aestuarii*) with particular emphasis on vitellogenin induction. *Mar. Pollut. Bull.*, 57(6-12): 365-372. S43914
- ROBINSON, B. J., HUI, J. P. M., SOO, E. C. & HELLOU, J. (2009) Estrogenic compounds in seawater and sediment from Halifax harbour, Nova Scotia, Canada. *Environ. Toxicol. Chem.*, 28(1): 18-25. S44301
- ROY, E.G., WELLS, M. L. & KING, D. W. (2008) Persistence of iron(II) in surface waters of the western subarctic Pacific. *Limnol. Oceanogr.*, 53(1): 89-98. S43863
- SCHIPPER, C. A., DUBBELDAM, M., FEIST, S. W., RIETJENS, I. M. C. M. & MURK, A. T. (2008) Cultivation of the heart urchin *Echinocardium cordatum* and validation of its use in marine toxicity testing for environmental risk assessment. *J. Exp. Mar. Biol. Ecol.*, 364(1): 11-18. S44094
- SCHLENK, D. (2008) Are steroids really the cause for fish feminization? A mini-review of in vitro and in vivo guided TIEs. *Mar. Pollut. Bull.*, 57(6-12): 250-254. S43900
- SCHWINDT, A. R., FOURNIE, J. W., LANDERS, D. H., SCHRECK, C. B. & KENT, M. L. (2008) Mercury concentrations in salmonids from Western U.S. national parks and relationships with age and macrophage aggregates. *Environ. Sci. Technol.*, 42(4): 1365-1370. S43269
- SOBRINO, C., WARD, M. L. & NEALE, P. J. (2008) Acclimation to elevated carbon dioxide and ultraviolet radiation in the diatom *Thalassiosira pseudonana*: Effects on growth, photosynthesis, and spectral sensitivity of photoinhibition. *Limnol. Oceanogr.*, 53(2): 494-505. S43636
- SORMUNEN, A. J., LEPPANEN, M. T. & KUKKONEN, J. V. K. (2008) Influence of sediment ingestion and exposure concentration on the bioavailable fraction of sediment-associated tetrachlorobiphenyl in oligochaetes. *Environ. Toxicol. Chem.*, 27(4): 854-863. S43371
- THORPE, K. L., BENSTEAD, R., ECCLES, P., MAACK, G., WILLIAMS, T. & TYLER, C. R. (2008) A practicable laboratory flow-through exposure system for assessing

- the health effects of effluents in fish. *Aquat. Toxicol.*, 88(3): 164-172. S43713
- TICHY, M., RUCKI, M. N., KOVA, I. H. & ROTH, Z. K. (2008) Acute toxicity estimation by calculation-tubifex assay and quantitative structure-activity relationships. *Environ. Toxicol. Chem.*, 27(11): 2281?2286. S44134
- TRUESDALE, V. W. (2008) The biogeochemical effect of seaweeds upon close-to natural concentrations of dissolved iodate and iodide in seawater - Preliminary study with *Laminaria digitata* and *Fucus serratus*. *Estuarine Coast. Shelf Sci.*, 78(1): 155-165. S43524
- TSUKUDA, M., YAMAGUCHI, H., TAKAHASHI, T. & TSUTSUMI, H. (2008) Impact of high concentrations of manganese on the survival of short neck clam *Ruditapes philippinarum* juveniles in sandy tidal flat sediment in Ariake Bay, Kyushu, Japan. *Plankton Benthos Res.*, 3(1): 1-9. S43325
- USHIZAKA, S., SUGIE, K., YAMADA, M., KASAHARA, M. & KUMA, K. (2008) Significance of Mn and Fe for growth of coastal marine diatom *Thalassiosira weissflogii*. *Fish. Sci.*, 74(5): 1137-1145. S44123
- WANG, X., CAI, J., ZHANG, J., WANG, C., YU, A., CHEN, Y. & ZUO, Z. (2008) Acute trimethyltin exposure induces oxidative stress response and neuronal apoptosis in *Sebastiscus marmoratus*. *Aquat. Toxicol.*, 90(1): 58-64. S44204
- WONG, G. T. F. & CHENG, X.-H. (2008) Dissolved inorganic and organic iodine in the Chesapeake Bay and adjacent Atlantic waters: Speciation changes through an estuarine system. *Mar. Chem.*, 111(3-4): 221-232. S44129
- WONG, G. T. F. & ZHANG, L.-S. (2008) The kinetics of the reactions between iodide and hydrogen peroxide in seawater. *Mar. Chem.*, 111(1-2): 22-29. S44027
- XIU-ZHU, L. (2008) Total mercury in the marine culture products and relative environmental samples from Sandu Bay of Fujian Province and its health risk assessment. *J. Fish. Sci. China.*, 15(6): 961-969. S44292
- YAMAMOTO, J., YONEZAWA, Y., NAKATA, K. & HORIGUCHI, F. (2009) Ecological risk assessment of TBT in Ise Bay. *J. Environ. Manage.*, 90(Suppl.1): S41-S50. S44235
- YAMAZAKI, H., YAMAMOTO, S. & KAWABATA, K. (2008) Historical trend of the anthropogenic heavy metal pollution in the estuary sediment of Osaka Bay, Japan. *Science and Technology (近畿大学理工学総合研究所)*, (20): 35-40. S43357
- ZHANG, Q., PAN, B., PAN, B., ZHANG, W., JIA, K. & ZHANG, Q. (2008) Selective sorption of lead, cadmium and zinc ions by a polymeric cation exchanger containing nano-Zr(HPO₃S)₂. *Environ. Sci. Technol.*, 42(11): 4140-4145. S43761
- ZHANG, X., HECKER, M., PARK, J.-W., TOMPSETT, A. R., NEWSTED, J., NAKAYAMA, K., JONES, P. D., AU, D., KONG, R., WU, R. S. S. & GIESY, J. P. (2008) Real-time PCR array to study effects of chemicals on the Hypothalamic-Pituitary-Gonadal axis of the Japanese medaka. *Aquat. Toxicol.*, 88(3): 173-182. S43905

- ZHOU, J., WANG, W. N., MA, G. Z., WANG, A. L., HE, W. Y., WANG, P., LIU, Y., LIU, J. H. & SUN, R. Y. (2008) Gene expression of ferritin in tissue of the Pacific white shrimp, *Litopenaeus vannamei* after exposure to pH stress. Aquacult., 275(1-4): 356-360. S43407
- ZIC, V., TRUESDALE, V. W. & CUKROV, N. (2008) The distribution of iodide and iodate in anchialine cave waters ? Evidence for sustained localised oxidation of iodide to iodate in marine water. Mar. Chem., 112(3-4): 168-178. S44203

生物実験

- 荒木 廣 (2008) 欧米諸国で排水管理に用いられる生物影響試験・評価方法. 化学物質と環境, (91): 7-9. S44077
- 浅岡 聰・山本民次・山本杏子 (2008) 造粒石粉を用いた沿岸底質環境改善材開発のための基礎的研究－栄養塩溶出試験および *Skeletonema costatum* の増殖試験－. 水環境学会誌, 31(2): 93-99. S43131
- 浅岡 聰・山本民次・山本杏子 (2008) 石炭灰造粒物を用いた沿岸底質環境改善材開発のための基礎的研究－栄養塩溶出試験および *Skeletonema costatum* の増殖試験－. 水環境学会誌, 31(8): 455-462. S43885
- 平田豊彦・石井孝幸 (2008) ホシガレイのふ化に及ぼす水温の影響. 水産技術 (水産総合研究センター), 1(1): 61-65. S44241
- 本多正樹 (2008) マコンブ胞子体に対する砂堆積影響の関数化. 電研報告, V07014: 15pp. S43836
- 金丸彦一郎・荒巻 裕・古川泰久 (2007) 陸上水槽における植食性ベントス5種の海藻摂餌量の比較とその標準化による天然海域における摂食推定の試み. 佐賀玄海水産振興センター研報, (4): 15-20. S43369
- 岸野 底・四宮昭彦・寿 浩義 (2008) リュウキュウアユ仔魚の水温・塩分耐性に関する生残実験. 魚類学雑誌, 55(1): 1-8. S43650
- 丸山耕一 (2008) 生きたまま脳の未分化な神経細胞が見えるメダカの開発. 放医研NEWS, (142): 1-2. S44049
- 松田正彦・品川 明・日向野純也・藤井明彦・平野慶二・石松 慎 (2008) 低塩分がアサリの生残、血リンパ浸透圧および軟体部水分含量に与える影響. 水産増殖, 56(1): 127-136. S43289
- 田邊 徹 (2008) エゾイシカゲガイの高温耐性試験. 宮城県水産研究報告, (8): 1-3. S44258
- 照屋和久・與世田兼三・藤井あや・黒川優子・川合真一郎・岡 雅一・西岡豊弘・中野昌次・森 広一郎・菅谷琢磨・浜崎活幸 (2008) 光周期がクエ仔魚の生残、成長および摂餌に及ぼす影響. 日本水産学会誌, 74(6): 1009-1016. S44237
- 浦野紘平 (2008) 排水管理のための生物影響試験・診断方法. 化学物質と環境, (91): 10-12. S44078
- **** (2008) 現場飼育実験手法を用いてアサリの成長生残に影響する環境要因を調べ

- る. 研究のうごき(中央水産研究所主要研究成果集), (6): 15pp. S44253
- AGATSUMA, Y., ENDO, H. & TANIGUCHI, K. (2008) Inhibitory effect of 2,4-dibromophenol and 2,4,6 tribromophenol on larval survival and metamorphosis of the sea urchin *Strongylocentrotus nudus*. Fish. Sci., 74(4): 837-841. S43943
- AUDEMARD, C., CARNEGIE, R. B., STOKES, N. A., BISHOP, M. J., PETERSON, C. H. & BURRESON, E. M. (2008) Effects of salinity on *Bonamia* sp. survival in the Asian oyster *Crassostrea ariakensis*. J. Shellfish Res., 27(3): 535-540. S43711
- BARBER, M. C. (2008) Dietary uptake models used for modeling the bioaccumulation of organic contaminants in fish. Environ. Toxicol. Chem., 27(4): 755-777. S43370
- BENINGER, P., VALDIZAN, A., DECOTTIGNIES, P. & COGNIE, B. (2008) Impact of seston characteristics on qualitative particle selection sites and efficiencies in the pseudolamellibranch bivalve *Crassostrea gigas*. J. Exp. Mar. Biol. Ecol., 360(1): 9-14. S43765
- BRADLEY, D. E., RONNIE, N. G. & NICOLE, P. (2008) Mass coral spawning: A natural large-scale nutrient addition experiment. Limnol. Oceanogr., 53(3): 997-1013. S43788
- CAMUS, T. & ZENG, C. (2008) Effects of photoperiod on egg production and hatching success, naupliar and copepodite development, adult sex ratio and life expectancy of the tropical calanoid copepod *Acartia sinjiensis*. Aquacult., 280(1-4): 220-226. S43893
- CHAPARRO, O. R., MONTIEL, Y. A., SEGURA, C. J., CUBILLOS, V. M., THOMPSON, R. J. & NAVARRO, J. M. (2008) The effect of salinity on clearance rate in the suspension-feeding estuarine gastropod *Crepidatella dilatata* under natural and controlled conditions. Estuarine Coast. Shelf Sci., 76(4): 861-868. S43296
- COMAN, F. E., SELLARS, M. J., NORRIS, B. J., COMAN, G. J. & PRESTON, N. P. (2008) The effects of triploidy on *Penaeus (Marsupenaeus) japonicus* (Bate) survival, growth and gender when compared to diploid siblings. Aquacult., 276(1-4): 50-59. S43516
- FIGUEIREDO, M. A. D., DE MENEZES, K. S., COSTA-PAIVA, E. M., PAIVA, P. C. & VENTURA, C. R. R. (2007) Experimental evaluation of rhodoliths as living substrata for infauna at the Abrolhos Bank, Brazil. Cienc. Mar., 33(4): 427-440. S43430
- GARCIA-ROBLEDO, E., CORZO, A., DE LOMAS, J. G. & VAN BERGEIJK, S. A. (2008) Biogeochemical effects of macroalgal decomposition on intertidal microbenthos: A microcosm experiment. Mar. Ecol. Prog. Ser., 356: 139-151. S43412
- HOGUET, J. & KEY, P. B. (2007) Activities of biomarkers in multiple life stages of the model crustacean, *Palaemonetes pugio*. J. Exp. Mar. Biol. Ecol., 353(2): 235-244.

S43113

- JENSEN, N. R., ZUCCARELLI, M. D., PATTON, S. J., WILLIAMS, S. R., IRELAND, S. C. & CAIN, K. D. (2008) Cryopreservation and methanol effects on burbot sperm motility and egg fertilization. *N. Am. J. Aquacult.*, 70(1): 38-42. S43142
- LEE, K.-W., RAISUDDIN, S., HWANG, D.-S., PARK, H. G., DAHMS, H.-U., AHN, I.-Y. & LEE, J.-S. (2008) Two-generation toxicity study on the copepod model species *Tigriopus japonicus*. *Chemosphere*, 72(9): 1359-1365. S43933
- LINDMARK, E. & GUSTAVSSON, L. H. (2008) Field study of an attraction channel as entrance to fishways. *River Res. Appl.*, 24(5): 564-570. S44171
- MOSLEY, D. L. & JENNINGS, C. A. (2007) Flow preferences for juvenile robust redhorses in an experimental mesocosm: Implications for developing sampling protocols. *N. Am. J. Fish. Manage.*, 27(4): 1383-1392. S43339
- NESTO, N., ROMANO, S., MOSCHINO, V., MAURI, M. & DA ROS, L. (2007) Bioaccumulation and biomarker responses of trace metals and micro-organic pollutants in mussels and fish from the Lagoon of Venice, Italy. *Mar. Pollut. Bull.*, 55(10-12): 469-484. S43401
- NOMURA, H., TOYODA, K., YAMADA, M., OKAMOTO, K., WADA, M., NISHIMURA, M., YOSHIDA, A., SHIBATA, A., TAKADA, H. & OHWADA, K. (2007) Mesocosm studies on phytoplankton community succession after inputs of the water-soluble fraction of Bunker A oil. *La mer(うみ)*, 45(3): 105-116. S43648
- RAGNI, M., AIRS, R. L., LEONARDOS, N. & GEIDER, R. J. (2008) Photoinhibition of PSII in *Emiliania huxleyi* (Haptophyta) under high light stress: The roles of photoacclimation, photoprotection, and photorepair. *J. Phycol.*, 44(3): 670-683. S43800
- SUTHERLAND, A. B., MAKI, J. & VAUGHAN, V. (2008) Effects of suspended sediment on whole-body cortisol stress response of two southern Appalachian minnows, *Erimonax monachus* and *Cyprinella galactura*. *Copeia*, 2008(1): 234-244. S43275
- THORPE, K. L., BENSTEAD, R., ECCLES, P., MAACK, G., WILLIAMS, T. & TYLER, C. R. (2008) A practicable laboratory flow-through exposure system for assessing the health effects of effluents in fish. *Aquat. Toxicol.*, 88(3): 164-172. S43713

生態系

- 阿部真比古・倉島 彰・前川行幸 (2008) 現存量法を利用したアマモ群落の生産力推定. *水産増殖*, 56(4): 567-572. S44282
- 藤井智史・多田邦尚 (2008) シンポジウム「サンゴ礁とその周辺海域の環境」のまとめ. *沿岸海洋研究*, 46(1): 1-2. S43983
- 古川恵太 (2008) サンゴ礁に守られている沿岸域の環境. *沿岸海洋研究*, 46(1): 41-46. S43987

- 濱口昌巳 (2007) ガラモ場の機能評価からみた水産生物の生息場ネットワーク. 水产学関係研究開発推進特別部会 水産基盤分科会 報告書, 平成 19 年度: 1-2. S43643
- 早川康博 (2008) 吹上浜の水質環境と砂浜地下水からの栄養塩供給. 日本水産学会誌, 74(5): 922-923. S44064
- 入江政安 (2008) 内湾流域圏における人間活動の定量的評価－大阪湾流域圏のエコロジカル・フットプリント－.瀬戸内海, (54): 26-30. S43853
- 国分秀樹・奥村宏征・松田 治 (2008) 英虞湾における干潟の歴史的変遷とその底質, 底生生物への影響. 水環境学会誌, 31(6): 305-311. S43746
- 松田 治 (2008) 沿岸環境の再生と機能回復② 沿岸環境の機能回復に果たす生物多様性の役割. アクアネット, 11(5): 58-63. S43582
- 松尾広暁・有山啓之・池本徳孝・大森浩二・竹内一郎 (2009) 炭素・窒素安定同位体比を用いた大阪湾の人工干潟における食物連鎖網の解析. 水環境学会誌, 32(2): 99-104. S44276
- 中根幸則 (2008) 吹上浜の魚類－魚類群集の構造は砂浜タイプによって異なるのか－. 日本水産学会誌, 74(5): 924-925. S44065
- 中野陽一・石井 亮・中井智司・西嶋 渉・岡田光正 (2008) 浚渫土を活用して造成した干潟生態系の評価. 水環境学会誌, 31(10): 603-607. S44220
- 西 隆一郎 (2008) 吹上浜の物理環境と砂浜の形成要因. 日本水産学会誌, 74(5): 928-929. S44067
- 尾田成幸 (2008) 豊前海の漁場環境－変動の歴史－.瀬戸内海, (55): 38-41. S44231
- 大富 潤 (2008) 半閉鎖的内湾の砂質干潟における生物と環境：比較研究として. 日本水産学会誌, 74(5): 926-927. S44066
- 奥本直人 (2008) 魚つき保安林の効果(その2)－真鶴半島周辺を例として－.潮流, (45): 57-64. S43331
- 鬼倉徳雄・中島 淳・江口勝久・三宅琢也・河村功一・栗田喜久・西田高志・乾 隆帝・向井貴彦・河口洋一 (2008) 九州北西部, 有明海・八代海沿岸域のクリークにおける外来魚類の分布の現状. 水環境学会誌, 31(7): 395-401. S43839
- 小野寺 浩 (2008) 生物多様性国家戦略の意味とその役割. 技術士(日本技術士会), (497): 20-23. S43882
- 佐々木克之 (2008) 内湾および干潟における物質循環と生物生産(48). 海洋と生物, 30(2): 195-205. S43538
- 佐々木克之 (2008) 内湾および干潟における物質循環と生物生産(49). 海洋と生物, 30(3): 369-377. S43811
- 佐々木 克之 (2008) 内湾および干潟における物質循環と生物生産(50) 瀬戸内海漁業 (8)香川県の漁業 (その2) 貝類漁獲量変動. 海洋と生物, 30(4): 589-593. S43996
- 佐々木克之 (2008) 内湾および干潟における物質循環と生物生産(52) 瀬戸内海漁業 10. イカナゴ. 海洋と生物, 30(6): 786-791. S44284
- 佐藤 永 (2008) 生物地球化学モデルの現状と未来－静的モデルから動的モデルへの

- 展開一. 日本生態学会誌, 58(1): 11-21. S43365
- 須田有輔 (2008) 吹上浜の研究の背景と概要. 日本水産学会誌, 74(5): 920-921.
S44063
- 須田有輔・大富 潤・早川康博 (2008) 開放的な砂浜海岸における水産生物と環境－吹上浜をモデルとした生態研究－. 日本水産学会誌, 74(5): 919. S44062
- 田所和明・杉本隆成・岸 道郎 (2008) 海洋生態系に対する地球温暖化の影響. 海の研究, 17(6): 404-420. S44240
- 寺脇利信・新井章吾 (2008) 藻場の景観模式図 28. 富山湾西部・虻が島地先. 藻類, 56(3): 206-208. S44224
- 渡久山 章・飯野倫裕 (2008) 沖縄における赤土問題－溶液と赤土の化学反応－. 沿岸海洋研究, 46(1): 29-39. S43986
- 鳥井正也 (2007) 藻場を巡る生息場ネットワークの構築－岡山県における事例－. 水産工学関係研究開発推進特別部会 水産基盤分科会 報告書, 平成 19 年度: 3-6.
S43644
- 土屋 誠 (2008) 热帶沿岸生態系の多様性と相互関連性. 沿岸海洋研究, 46(1): 11-17.
S43985
- 辻野 瞳・有馬 郷司・神山 孝史・内田卓志 (2008) 広島湾におけるマクロベントス・メイオベントス現存量・生産量の推定. 日本ベントス学会誌, (63): 35-41.
S43932
- 上田直子 (2008) 洞海湾の近年の水質改善と生態系の変化.瀬戸内海, (55): 8-11.
S44228
- 山田 久 (2008) 新規防汚物質の水域環境における挙動、汚染状況及び水生生物に対する有害性並びに水域生態系に対する予備的リスク評価. 水産総合センター研究報告, (21): 31-45. S43286
- 山本正之 (2007) 魚類の移動特性から見た生息場ネットワークの考え方. 水産工学関係研究開発推進特別部会 水産基盤分科会 報告書, 平成 19 年度: 7-13. S43645
- 山野博哉 (2008) 日本におけるサンゴ礁の分布. 沿岸海洋研究, 46(1): 3-9. S43984
- 柳井清治 (2008) 森林と魚－森から川から海へ－魚付き林機能に関する最近の研究成果－付:平成 19 年度における「漁民の森づくり活動」状況調査. 豊かな海, (15): 19-27. S44245
- 横山 寿 (2008) 温帯の感潮域および沿岸域における動物の食物源－安定同位体研究の成果と課題－. 日本生態学会誌, 58(1): 23-36. S43366
- 米田佳弘・藤田種美・中原紘之・金子健司・豊原哲彦 (2008) 大阪湾の人工護岸における高密度に生息するウニ類の摂食による海藻群落の生産量の増大. 日本水産学会誌, 74(1): 45-54. S43254
- **** (2008) エコロジカル・フットプリント－私たちの生活には地球が何個必要か？－. アクアネット, 11(3): 20-22. S43326
- BOLDOR, D., BALASUBRAMANIAN, S., PUROHIT, S. & RUSCH, K. A. (2008) Design and implementation of a continuous microwave heating system for ballast water treatment. Environ. Sci. Technol., 42(11): 4121-4127. S43760

- BURROWS, M. T., HARVEY, R. & ROBB, L. (2008) Wave exposure indices from digital coastlines and the prediction of rocky shore community structure. *Mar. Ecol. Prog. Ser.*, 353: 1-12. S43314
- CHEUNG, K. L., LIU, C.-C., XU, W.-Z., CHUENG, S. G. & SHIN, P. K. S. (2008) Macrobenthic communities in a sub-tropical man-made mudflat. *Mar. Pollut. Bull.*, 56(6): 1226-1230. S43866
- CLYNICK, B. G. (2008) Characteristics of an urban fish assemblage: Distribution of fish associated with coastal marinas. *Mar. Environ. Res.*, 65(1): 18-33. S43240
- COMPTON, T. J., KENTIE, R., STOREY, A. W., VELTHEIM, I., PEARSON, G. B. & PIERSMA, T. (2008) Carbon isotope signatures reveal that diet is related to the relative sizes of the gills and palps in bivalves. *J. Exp. Mar. Biol. Ecol.*, 361(2): 104-110. S43721
- CONNELL, S. D., RUSSELL, B. D., TURNER, D. J., SHEPHERD, S. A., KILDEA, T., MILLER, D., AIROLDI, L. & CHESHIRE, A. (2008) Recovering a lost baseline: missing kelp forests from a metropolitan coast. *Mar. Ecol. Prog. Ser.*, 360: 63-72. S43782
- EHLERS, A., WORM, B. & REUSCH, T. B. H. (2008) Importance of genetic diversity in eelgrass *Zostera marina* for its resilience to global warming. *Mar. Ecol. Prog. Ser.*, 355: 1-7. S43380
- FOSTER, M. S., MCCONNICO, L. M., LUNDSTEN, L., WADSWORTH, T., KIMBALL, T., BROOKS, L. B., MEDINA-LOPEZ, M., RIOSMENA-RODRIGUEZ, R., HERNANDEZ-CARMONA, G., VASWUEZ-ELIZONDO, R. M., JOHNSON, S. & STELLER, D. L. (2007) Diversity and natural history of a *Lithothamnion muelleri-Sargassum horridum* community in the Gulf of California. *Cienc. Mar.*, 33(4): 367-384. S43575
- FUKUMORI, K., OI, M., DOI, H., OKUDA, N., YAMAGUCHI, H., KUWAE, M., MIYASAKA, H., YOSHINO, K., KOIZUMI, Y., OMORI, K. & TAKEOKA, H. (2008) Food sources of the pearl oyster in coastal ecosystems of Japan: Evidence from diet and stable isotope analysis. *Estuarine Coast. Shelf Sci.*, 76(3): 704-709. S43234
- FUKUMORI, K., OI, M., DOI, H., TAKAHASHI, D., OKUDA, N., MILLER, T. W., KUWAE, M., MIYASAKA, H., GENKAI-KATO, M., KOIZUMI, Y., OMORI, K. & TAKEOKA, H. (2008) Bivalve tissue as a carbon and nitrogen isotope baseline indicator in coastal ecosystems. *Estuarine Coast. Shelf Sci.*, 79(1): 45-50. S43717
- GALIL, B. S. (2008) Alien species in the Mediterranean Sea-which, when, why?. *Hydrobiol.*, 606: 105-116. S43740
- GAMBOA-DELGADO, J., CANAVATE, J. P., ZEROLO, R. & VAY, L. L. (2008) Natural carbon stable isotope ratios as indicators of the relative contribution of live and inert diets to growth in larval Senegalese sole (*Solea senegalensis*). *Aquacult.*,

280(1-4): 190-197. S43892

- GARCIA-ROBLEDO, E., CORZO, A., DE LOMAS, J. G. & VAN BERGEIJK, S. A. (2008) Biogeochemical effects of macroalgal decomposition on intertidal microbenthos: A microcosm experiment. Mar. Ecol. Prog. Ser., 356: 139-151. S43412
- GLOECKNER, D. R. & LUCZKOVICH, J. J. (2008) Experimental assessment of trophic impacts from a network model of a seagrass ecosystem: Direct and indirect effects of gulf flounder, spot and pinfish on benthic polychaetes. J. Exp. Mar. Biol. Ecol., 357(2): 109-120. S43410
- GUEST, M. A., NICHOLS, P. D., FRUSHER, S. D. & HIRST, A. J. (2008) Evidence of abalone (*Haliotis rubra*) diet from combined fatty acid and stable isotope analyses. Mar. Biol., 153(4): 579-588. S43302
- HAGAN, S. M. & ABLE, K. W. (2008) Diel variation in the pelagic fish assemblage in a temperate estuary. Estuaries and Coasts, 31(1): 33-42. S43219
- HEAVEN, C. S. & SCROSATI, R. A. (2008) Benthic community composition across gradients of intertidal elevation, wave exposure, and ice scour in Atlantic Canada. Mar. Ecol. Prog. Ser., 369: 13-23. S44137
- IVERSON, S. J., SPRINGER, A. M. & KITAYSKY, A. S. (2008) Seabirds as indicators of food web structure and ecosystem variability: Qualitative and quantitative diet analyses using fatty acids. Mar. Ecol. Prog. Ser., 352: 235-244. S43313
- JACKSON, D. C., O'CONNELL, M., DELABBIO, J., PETERSON, M. S., FRANKS, J. & PERRY, H. (2008) After the storm: Post-Katrina reflections from AFS members in Louisiana and Mississippi. Fisheries, 33(4): 186-191. S43549
- KACH, D. J. & WARD, J. E. (2008) The role of marine aggregates in the ingestion of picoplankton-size particles by suspension-feeding molluscs. Mar. Biol., 153(5): 797-805. S43304
- KANAYA, G. & KIKUCHI, E. (2008) Spatial changes in a macrozoobenthic community along environmental gradients in a shallow brackish lagoon facing Sendai Bay, Japan. Estuarine Coast. Shelf Sci., 78(4): 674-684. S43796
- KANG, C. K., CHOY, E. J., SON, Y. S., LEE, J. Y., KIM, J. K., KIM, Y. D. & LEE, K. S. (2008) Food web structure of a restored macroalgal bed in the eastern Korean peninsula determined by C and N stable isotope analyses. Mar. Biol., 153(6): 1181-1198. S43307
- KIM, Y. S. (2008) Seasonal variations of marine algal community in the vicinity of Uljin nuclear power plant, Korea. J. Environ. Biol., 29(4): 493-499. S44194
- MATHEWS, T. & FISHER, N. S. (2008) Trophic transfer of seven trace metals in a four-step marine food chain. Mar. Ecol. Prog. Ser., 367: 23-33. S44095
- MCCOLLIN, T., SHANKS, A. M. & DUNN, J. (2008) Changes in zooplankton abundance and diversity after ballast water exchange in regional seas. Mar. Pollut. Bull., 56(5): 834-844. S43806

- MCMANUS, M. A., KUDELA, R. M., SILVER, M. W., STEWARD, G. F., DONAGHAY, P. L. & SULLIVAN, J. M. (2008) Cryptic blooms: Are thin layers the missing connection?. *Estuaries and Coasts*, 31(2): 396-401. S43617
- NAKAMURA, Y., HORINOUCHI, M., SHIBUNO, T., TANAKA, Y., MIYAJIMA, T., KOIKE, I., KUROKURA, H. & SANO, M. (2008) Evidence of ontogenetic migration from mangroves to coral reefs by black-tail snapper *Lutjanus fulvus*: Stable isotope approach. *Mar. Ecol. Prog. Ser.*, 355: 257-266. S43381
- NAKANE, T., NAKAKA, K., BOUMAN, H. & PLATT, T. (2008) Environmental control of short-term variation in the plankton community of inner Tokyo Bay, Japan. *Estuarine Coast. Shelf Sci.*, 78(4): 796-810. S43797
- NGUYEN, L. V. & PHAN, H. K. (2008) Distribution and factors influencing on structure of reef fish communities in Nha Trang Bay Marine Protected Area, South-Central Vietnam. *Environ. Biol. Fish.*, 82(3): 309-324. S43976
- NISHIDA, T., MATSUNAGA, A., ONIKURA, N., OIKAWA, S. & NAKAZONO, A. (2008) Fish fauna associated with drifting sea weeds in the Chikuzen Sea, northern Kyushu, Japan. *Fish. Sci.*, 74(2): 285-292. S43486
- NOMURA, H., TOYODA, K., YAMADA, M., OKAMOTO, K., WADA, M., NISHIMURA, M., YOSHIDA, A., SHIBATA, A., TAKADA, H. & OHWADA, K. (2007) Mesocosm studies on phytoplankton community succession after inputs of the water-soluble fraction of Bunker A oil. *La mer(うみ)*, 45(3): 105-116. S43648
- NOZAWA, Y., TOKESHI, M. & NOJIMA, S. (2008) Structure and dynamics of a high-latitude scleractinian coral community in Amakusa, southwestern Japan. *Mar. Ecol. Prog. Ser.*, 358: 151-160. S43604
- PAZ, L. D., NETO, J. M., MARQUES, J. C. & LABORDA, A. J. (2008) Response of intertidal macrobenthic communities to long term human induced changes in the Eo estuary (Asturias, Spain): Implications for environmental management. *Mar. Environ. Res.*, 66(2): 288-299. S44158
- PIATT, J. F., SYDEMAN, W. J. & WIESE, F. (2008) Introduction: A modern role for seabirds as indicators. *Mar. Ecol. Prog. Ser.*, 352: 199-204. S43312
- QUINLAN, R., HALL, R. I., PATERSON, A. M., CUMMING, B. F. & SMOL, J. P. (2008) Long-term assessments of ecological effects of anthropogenic stressors on aquatic ecosystems from paleoecological analyses: challenges to perspectives of lake management. *Can. J. Fish. Aquat. Sci.*, 65(5): 933-944. S43756
- REUM, J. C. P. & ESSINGTON, T. E. (2008) Seasonal Variation in Guild Structure of the Puget Sound Demersal Fish Community. *Estuaries and Coasts*, 31(4): 790-801. S43870
- RICHARDS, Z. T., BEGER, M., PINCA, S. & WALLACE, C. C. (2008) Bikini Atoll coral biodiversity resilience five decades after nuclear testing. *Mar. Pollut. Bull.*, 56(3): 503-515. S43536
- SCHAAL, G., RIERA, P. & LEROUX, C. (2008) Trophic coupling between two adjacent

- benthic food webs within a man-made intertidal area: A stable isotopes evidence. *Estuarine Coast. Shelf Sci.*, 77(3): 523-534. S43484
- STOECKER, D. K., ADOLF, J. E., PLACE, A. R., GLIBERT, P. M. & MERITT, D. W. (2008) Effects of the dinoflagellates *Karlodinium veneficum* and *Prorocentrum minimum* on early life history stages of the eastern oyster (*Crassostrea virginica*). *Mar. Biol.*, 154(1): 81-90. S43495
- SUZUKI, K. W., KASAI, A., ISODA, T., NAKAYAMA, K. & TANAKA, M. (2008) Distinctive stable isotope ratios in important zooplankton species in relation to estuarine salinity gradients: Potential tracer of fish migration. *Estuarine Coast. Shelf Sci.*, 78(3): 541-550. S43763
- TOMIYAMA, T., KOMIZUNAI, N., SHIRASE, T., ITO, K., OMORI, M. (2008) Spatial intertidal distribution of bivalves and polychaetes in relation to environmental conditions in the Natori River estuary, Japan. *Estuarine Coast. Shelf Sci.*, 80(2): 243-250. S44116
- TSIRTSIS, G., SPATHARIS, S. & KARYDIS, M. (2008) Application of the lognormal equation to assess phytoplankton community structural changes induced by marine eutrophication. *Hydrobiol.*, 605: 89-98. S43744
- UNSWORTH, R. K. F., DE LEON, P. S., GARRARD, S. L., JOMPA, J., SMITH, D. J. & BELL, J. J. (2008) High connectivity of Indo-Pacific seagrass fish assemblages with mangrove and coral reef habitats. *Mar. Ecol. Prog. Ser.*, 353: 213-224. S43318
- VALAVANIS, V. D. (2008) Preface: European Commission's 'Scientific Support to Policies' Action EnviEFH: Environmental Approach to Essential Fish Habitat Designation. *Hydrobiol.*, 612: 1-3. S43889
- VASELLI, S., BERTOCCI, I., MAGGI, E. & BENEDETTI-CECCHI, LISANDRO. (2008) Assessing the consequences of sea level rise: effects of changes in the slope of the substratum on sessile assemblages of rocky seashores. *Mar. Ecol. Prog. Ser.*, 368: 9-22. S44121
- WADA, S., AOKI, M. N., MIKAMI, A., KOMATSU, T., TSUCHIYA, Y., SATO, T., SHINAGAWA, H. & HAMA, T. (2008) Bioavailability of macroalgal dissolved organic matter in seawater. *Mar. Ecol. Prog. Ser.*, 370: 33-44. S44118
- WETZ, M. S., HALES, B. & WHEELER, P. A. (2008) Degradation of phytoplankton-derived organic matter: Implications for carbon and nitrogen biogeochemistry in coastal ecosystems. *Estuarine Coast. Shelf Sci.*, 77(3): 422-432. S43483
- WON, N.-I., KAWAMURA1, T., TAKAMI, H. & WATANABE, Y. (2008) Applicability of stable isotope analyses for ecological studies of abalone: Estimation of fractionation values and natural diets. *J. Shellfish Res.*, 27(4): 871-879. S43960
- XIE, Z. H., XIAO, H., TANG, X. X., LU, K. & CAI, H. (2008) Interactions between red tide microalgae and herbivorous zooplankton: Effects of two bloom-forming

species on the rotifer *Brachionus plicatilis* (O.F. Muller). *Hydrobiol.*, 600: 237-245. S43262

YOKOYAMA, H., ISHIHI, Y. & YAMAMOTO, S. (2008) Diet-tissue isotopic fractionation of the Pacific oyster *Crassostrea gigas*. *Mar. Ecol. Prog. Ser.*, 358: 173-179. S43605

藻場・干潟・サンゴ礁

阿部真比古・倉島 彰・前川行幸 (2008) 現存量法を利用したアマモ群落の生産力推定. 水産増殖, 56(4): 567-572. S44282

濱口昌巳 (2007) ガラモ場の機能評価からみた水産生物の生息場ネットワーク. 水産工学関係研究開発推進特別部会 水産基盤分科会 報告書, 平成 19 年度: 1-2. S43643

長谷川雅俊 (2008) 伊豆沿岸海洋ノートVII 伊豆半島におけるガラモ場の消長の一事例. 伊豆分場だより, (312): 15-20. S43279

干川 裕 (2008) 石狩湾ニシンの産卵藻場造成適地選定基準の策定. 北水試だより, (76): 19-21. S43768

深澤茂之 (2008) 松島湾における藻場を利用した環境改善技術. 水環境学会誌, 31(5): 232. S43591

小松輝久 (2008) 第 5 回 地球温暖化による藻場・流れ藻への影響. 養殖, 45(9): 38-40. S44244

森 信人・二宮順一・有田 守・出口一郎・芳田利春・矢持 進 (2007) SFFM を用いた藻場分布と海底地形のリモートセンシング. 海岸工学論文集, 54: 1451-1455. S43624

大村 剛・松尾 定・神田一紀 (2009) 島根原子力発電所 3 号機人工リーフにおける藻場形成. 電力土木, (340): 25-28. S44552

霜村胤日人・長谷川雅俊 (2008) 磯焼け域と群落域におけるカジメの生長と光・水温条件との関係. 藻類, 56(3): 169-178. S44221

田中 孝 (2008) 炭素繊維人工藻場を用いた湖水浄化法に関する研究. 環境情報科学・別冊/環境情報科学論文集, (22): 499-504. S44242

寺脇利信・新井章吾 (2008) 神奈川県横須賀市秋谷地先の砂泥底に設置された石積みマウンド. 藻類, 56(2): 116-118. S43841

寺脇利信・新井章吾 (2008) 藻場の景観模式図:26. 新潟県柏崎市のマリーナ防波堤. 藻類, 56(1): 22-24. S43273

鳥井正也 (2007) 藻場を巡る生息場ネットワークの構築－岡山県における事例－. 水産工学関係研究開発推進特別部会 水産基盤分科会 報告書, 平成 19 年度: 3-6. S43644

上出貴士 (2008) 和歌山県田辺湾内ノ浦の海底, 干潟及びコアマモ群落における海底堆積物の化学的特性. 水産増殖, 56(3): 295-302. S44236

ABE, M., KURASHIMA, A. & MAEGAWA, M. (2008) High water-temperature

- tolerance in photosynthetic activity of *Zostera marina* seedlings from Ise Bay, Mie Prefecture, central Japan. Fish. Sci., 74(5): 1017-1023. S44111
- ABE, M., YOKOTA, K., GOTO, M., KURASHIMA, A. & MAEGAWA, M. (2008) Relationship between distribution patterns of shoots and light conditions on population floor in *Zostera marina* population. Fish. Sci., 74(2): 299-307. S43487
- BACKHAUS, J. O. & VERDUIN, J. J. (2008) Simulating the interaction of seagrasses with their ambient flow. Estuarine Coast. Shelf Sci., 80(4): 563-572. S44296
- BAKER, A. C., GLYNN, P. W. & RIEGL, B. (2008) Climate change and coral reef bleaching: An ecological assessment of long-term impacts, recovery trends and future outlook. Estuarine Coast. Shelf Sci., 80(4): 435-471. S44295
- BIRRELL, C. L., MACOOK, L. J., WILLIS, B. L. & DIAZ-PULIDO, G. A. (2008) Effects of benthic algae on the replenishment of corals and the implications for the resilience of coral reefs. Oceanogr. Mar. Biol. Annu. Rev., 46: 25-63. S43633
- BRADLEY, D. E., RONNIE, N. G. & NICOLE, P. (2008) Mass coral spawning: A natural large-scale nutrient addition experiment. Limnol. Oceanogr., 53(3): 997-1013. S43788
- BRUN, F. G., OLIVE, I., MALTA, E.-J., VERGARA, J. J., HERNANDEZ, I. & PEREZ-LLORENS, J. L. (2008) Increased vulnerability of *Zostera noltii* to stress caused by low light and elevated ammonium levels under phosphate deficiency. Mar. Ecol. Prog. Ser., 365: 67-75. S44046
- CABACO, S., MACHAS, R., VIEIRA, V. & SANTOS, R. (2008) Impacts of urban wastewater discharge on seagrass meadows (*Zostera noltii*). Estuarine Coast. Shelf Sci., 78(1): 1-13. S43660
- CABACO, S., SANTOS, R. & DUARTE, C. M. (2008) The impact of sediment burial and erosion on seagrasses: A review. Estuarine Coast. Shelf Sci., 79(3): 354-366. S44032
- CARDOSO, P. G., RAFFAELLI, D. & PARDAL, M. A. (2008) The impact of extreme weather events on the seagrass *Zostera noltii* and related *Hydrobia ulvae* population. Mar. Pollut. Bull., 56(3): 483-492. S43499
- CHEUNG, K. L., LIU, C.-C., XU, W.-Z., CHUENG, S. G. & SHIN, P. K. S. (2008) Macrobenthic communities in a sub-tropical man-made mudflat. Mar. Pollut. Bull., 56(6): 1226-1230. S43866
- COPPARD, S. E. & CAMPBELL, A. C. (2007) Grazing preferences of diadematid echinoids in Fiji. Aquat. Bot., 86(3): 204-212. S43139
- FOSTER, M. S., MCCONNICO, L. M., LUNDSTEN, L., WADSWORTH, T., KIMBALL, T., BROOKS, L. B., MEDINA-LOPEZ, M., RIOSMENA-RODRIGUEZ, R., HERNANDEZ-CARMONA, G., VASWUEZ-ELIZONDO, R. M., JOHNSON, S. & STELLER, D. L. (2007) Diversity and natural history of a *Lithothamnion muelleri-Sargassum horridum* community in the Gulf of California. Cienc. Mar.,

33(4): 367-384. S43575

- GAYLORD, B., DENNY, M. W. & KOEHL, M. A. R. (2008) Flow forces on seaweeds: Field evidence for roles of wave impingement and organism inertia. *Biol. Bull.*, 215(3): 295-308. S44324
- GLOECKNER, D. R. & LUCZKOVICH, J. J. (2008) Experimental assessment of trophic impacts from a network model of a seagrass ecosystem: Direct and indirect effects of gulf flounder, spot and pinfish on benthic polychaetes. *J. Exp. Mar. Biol. Ecol.*, 357(2): 109-120. S43410
- HARVEY, A. S. & BIRD, F. L. (2008) Community structure of a rhodolith bed from cold-temperate waters (southern Australia). *Aust. J. Bot.*, 56(5): 437-450. S43875
- KIM, Y. S. (2008) Seasonal variations of marine algal community in the vicinity of Uljin nuclear power plant, Korea. *J. Environ. Biol.*, 29(4): 493-499. S44194
- KORPINEN, S. & JORMALAINENA, V. (2008) Grazing effects in macroalgal communities depend on timing of patch colonization. *J. Exp. Mar. Biol. Ecol.*, 360(1): 39-46. S43566
- KUTSER, T., VAHTMAE, E., ROELFSEMA, C. M. & METSAMAA, L. (2007) Photo-library method for mapping seagrass biomass. *Estuarine Coast. Shelf Sci.*, 75(4): 559-563. S43145
- MARTINEZ-CREGO, B., VERGES, A., ALCOVERRO, T. & ROMERO, J. (2008) Selection of multiple seagrass indicators for environmental biomonitoring. *Mar. Ecol. Prog. Ser.*, 361: 93-109. S43828
- NAKAMURA, Y. & TSUCHIYA, M. (2008) Spatial and temporal patterns of seagrass habitat use by fishes at the Ryukyu Islands, Japan. *Estuarine Coast. Shelf Sci.*, 76(2): 345-356. S43232
- NEJRUP, L. B. & PEDERSEN, M. F. (2008) Effects of salinity and water temperature on the ecological performance of *Zostera marina*. *Aquat. Bot.*, 88(3): 239-246. S43427
- PEREZ, M., GARCIA, T., INVERS, O. & RUIZ, J. M. (2008) Physiological responses of the seagrass *Posidonia oceanica* as indicators of fish farm impact. *Mar. Pollut. Bull.*, 56(5): 869-879. S43807
- ROBERTS, D. A., JOHNSTON, E. L. & POORE, A. G. B. (2008) Contamination of marine biogenic habitats and effects upon associated epifauna. *Mar. Pollut. Bull.*, 56(6): 1057-1065. S44161
- RONNIE, N. G., BRADLEY, D. E. & NICOLE, P. (2008) Biogeochemical responses to mass coral spawning at the Great Barrier Reef: Effects on respiration and primary production. *Limnol. Oceanogr.*, 53(3): 1014-1024. S43789
- SCHLACHER, T. A., THOMPSON, L. M. C. & WALKER, S. J. (2008) Mortalities caused by off-road vehicles (ORVs) to a key member of sandy beach assemblages, the surf clam *Donax deltoides*. *Hydrobiol.*, 610: 345-350. S43861

- SCHULTZ, S. T. (2008) Seagrass monitoring by underwater videography: Disturbance regimes, sampling design, and statistical power. *Aquat. Bot.*, 88(3): 228-238. S43426
- SHAFER, D. J., WYLLIE-ECHEVERRIA, S. & SHERMAN, T. D. (2008) The potential role of climate in the distribution and zonation of the introduced seagrass *Zostera japonica* in North America. *Aquat. Bot.*, 89(3): 297-302. S43909
- UNSWORTH, R. K. F., DE LEON, P. S., GARRARD, S. L., JOMPA, J., SMITH, D. J. & BELL, J. J. (2008) High connectivity of Indo-Pacific seagrass fish assemblages with mangrove and coral reef habitats. *Mar. Ecol. Prog. Ser.*, 353: 213-224. S43318
- VONK, J. A., MIDDELBURG, J. J., STAPEL, J. & BOUMA, T. J. (2008) Dissolved organic nitrogen uptake by seagrasses. *Limnol. Oceanogr.*, 53(2): 542-548. S43786
- WIDDOWS, J., POPE, N. D., BRINSLEY, M. D., ASMUS, H. & ASMUS, R. M. (2008) Effects of seagrass beds (*Zostera noltii* and *Z. marina*) on near-bed hydrodynamics and sediment resuspension. *Mar. Ecol. Prog. Ser.*, 358: 125-136. S43603

安定同位体

- 松尾広暁・有山啓之・池本徳孝・大森浩二・竹内一郎 (2009) 炭素・窒素安定同位体比を用いた大阪湾の人工干潟における食物連鎖網の解析. 水環境学会誌, 32(2): 99-104. S44276
- 鈴木隆史・大竹二雄 (2008) 耳石の微量元素・安定同位体組成を用いたアユの母川回帰性に関する研究. 東京大学海洋研究所国際沿岸海洋研究センター, (33): 5-6. S44043
- 富田泰生・大竹二雄 (2008) 耳石の酸素, 炭素安定同位体比を用いたカラフトマス孵化場魚と野生魚の判別. 東京大学海洋研究所国際沿岸海洋研究センター, (33): 7-8. S44044
- 横山 寿 (2008) 温帯の感潮域および沿岸域における動物の食物源－安定同位体研究の成果と課題－. 日本生態学会誌, 58(1): 23-36. S43366
- FUKUMORI, K., OI, M., DOI, H., OKUDA, N., YAMAGUCHI, H., KUWAE, M., MIYASAKA, H., YOSHINO, K., KOIZUMI, Y., OMORI, K. & TAKEOKA, H. (2008) Food sources of the pearl oyster in coastal ecosystems of Japan: Evidence from diet and stable isotope analysis. *Estuarine Coast. Shelf Sci.*, 76(3): 704-709. S43234
- GAMBOA-DELGADO, J., CANAVATE, J. P., ZEROLO, R. & VAY, L. L. (2008) Natural carbon stable isotope ratios as indicators of the relative contribution of live and inert diets to growth in larval Senegalese sole (*Solea senegalensis*). *Aquacult.*, 280(1-4): 190-197. S43892

- GUEST, M. A., NICHOLS, P. D., FRUSHER, S. D. & HIRST, A. J. (2008) Evidence of abalone (*Haliotis rubra*) diet from combined fatty acid and stable isotope analyses. Mar. Biol., 153(4): 579-588. S43302
- KANG, C. K., CHOY, E. J., SON, Y. S., LEE, J. Y., KIM, J. K., KIM, Y. D. & LEE, K. S. (2008) Food web structure of a restored macroalgal bed in the eastern Korean peninsula determined by C and N stable isotope analyses. Mar. Biol., 153(6): 1181-1198. S43307
- NAKAMURA, Y., HORINOUCHI, M., SHIBUNO, T., TANAKA, Y., MIYAJIMA, T., KOIKE, I., KUROKURA, H. & SANO, M. (2008) Evidence of ontogenetic migration from mangroves to coral reefs by black-tail snapper *Lutjanus fulvus*: Stable isotope approach. Mar. Ecol. Prog. Ser., 355: 257-266. S43381
- PITT, K. A., CONNOLLY, R. M. & MEZIANE, T. (2009) Stable isotope and fatty acid tracers in energy and nutrient studies of jellyfish: A review. Hydrobiol., 616: 119-132. S44399
- SCHAAL, G., RIERA, P. & LEROUX, C. (2008) Trophic coupling between two adjacent benthic food webs within a man-made intertidal area: A stable isotopes evidence. Estuarine Coast. Shelf Sci., 77(3): 523-534. S43484
- SUZUKI, K. W., KASAI, A., ISODA, T., NAKAYAMA, K. & TANAKA, M. (2008) Distinctive stable isotope ratios in important zooplankton species in relation to estuarine salinity gradients: Potential tracer of fish migration. Estuarine Coast. Shelf Sci., 78(3): 541-550. S43763
- WON, N.-I., KAWAMURA1, T., TAKAMI, H. & WATANABE, Y. (2008) Applicability of stable isotope analyses for ecological studies of abalone: Estimation of fractionation values and natural diets. J. Shellfish Res., 27(4): 871-879. S43960

モデリング・GIS

- 三角和弘・津旨大輔・西岡 純・BRYAN, F. O. • LINDSAY, K. • DONEY, S. C. (2008) 動画解析によるフジツボ幼生観測システムの開発. 電中研報告, V08004: 18pp. S44272
- ALEXANDER, M., CAPOTONDI, A., MILLER, A., CHAI, F., BRODEUR, R. & DESER, C. (2008) Decadal variability in the northeast Pacific in a physical-ecosystem model: Role of mixed layer depth and trophic interactions. J. Geophys. Res., 113(C2): C02017.1-13. S43733
- BACKHAUS, J. O. & VERDUIN, J. J. (2008) Simulating the interaction of seagrasses with their ambient flow. Estuarine Coast. Shelf Sci., 80(4): 563-572. S44296
- BARBER, M. C. (2008) Dietary uptake models used for modeling the bioaccumulation of organic contaminants in fish. Environ. Toxicol. Chem., 27(4): 755-777. S43370
- CHIPPS, S. R. & WAHL, D. H. (2008) Bioenergetics modeling in the 21st century:

- Reviewing new insights and revisiting old constraints. *Trans. Am. Fish. Soc.*, 137(1): 298-313. S43389
- CREC'HRIOU, R., BONHOMME, P., CRIQUET, G., CADIOU, G., LENFANT, P., BERNARD, G., ROUSSEL, E., LE DIREACH, L. & PLANES, S. (2008) Spatial patterns and GIS habitat modelling of fish in two French Mediterranean coastal areas. *Hydrobiol.*, 612: 135-153. S43965
- FERNANDES, R. N. & VALAVANIS, V. D. (2008) A GIS-based tool for storage, selection and visualization of time series 4D marine datasets. *Hydrobiol.*, 612: 297-300. S43966
- LIN, H. J., SHAO, K. T., JAN, R. Q., HSIEH, H. L., CHEN, C. P., HSIEH, L. Y. & HSIAO, Y. T. (2007) A trophic model for the Danshuei River Estuary, a hypoxic estuary in northern Taiwan. *Mar. Pollut. Bull.*, 54(11): 1789-1800. S43147
- MACLEOD, C. D., MANDLEBERG, L., SCHWEDER, C., BANNON, S. M. & PIERCE, G. J. (2008) A comparison of approaches for modelling the occurrence of marine animals. *Hydrobiol.*, 612: 21-32. S43891
- MURPHY, C. A., ROSE, K. A., ALVAREZ, M. D. & FUIMAN, L. A. (2008) Modeling larval fish behavior: Scaling the sublethal effects of methylmercury to population-relevant endpoints. *Aquat. Toxicol.*, 86(4): 470-484. S43480
- PERNET, F., TREMBLAY, R., REDJAH, I., SEVIGNY, J. -M. & GIONET, C. (2008) Physiological and biochemical traits correlate with differences in growth rate and temperature adaptation among groups of the eastern oyster *Crassostrea virginica*. *J. Exp. Biol.*, 221(6): 969-977. S43647
- RADIARTA, I. N., SAITO, S.-I. & MIYAZONO, A. (2008) GIS-based multi-criteria evaluation models for identifying suitable sites for Japanese scallop (*Mizuhopecten yessoensis*) aquaculture in Funka Bay, southwestern Hokkaido, Japan. *Aquacult.*, 278(1-4): 127-135. S44287
- RHODES, J. R., GRIST, E. P. M., KWOK, K. W. H. & LEUNG, K. M. Y. (2008) A Bayesian Mixture Model for Estimating Intergeneration Chronic Toxicity. *Environ. Sci. Technol.*, 42(21): 8108-8114. S44114
- ROBERTIS, A. D. & WILLIAMS, K. (2008) Weight-length relationships in fisheries studies: The standard allometric model should be applied with caution. *Trans. Am. Fish. Soc.*, 137(3): 707-719. S43804
- ROUBEIX, V., ROUSSEAU, V. & LANCELOT, C. (2008) Diatom succession and silicon removal from freshwater in estuarine mixing zones: From experiment to modelling. *Estuarine Coast. Shelf Sci.*, 78(1): 14-26. S43523
- SOCOLOFSKY, S. A. & BHAUMIK, T. (2008) Dissolution of direct ocean carbon sequestration plumes using an integral model approach. *J. Hydraul. Eng.*, 134(11): 1570-1578. S44112
- SORANNO, P. A., CHERUVELIL, K. S., STEVENSON, R. J., ROLLINS, S. L., HOLDEN, S. W., HEATON, S. & TORNG, E. (2008) A framework for developing

- ecosystem-specific nutrient criteria: Integrating biological thresholds with predictive modeling. *Limnol. Oceanogr.*, 53(2): 773-787. S43787
- STEPHEN, B. B. & NICHOLAS, S. F. (2008) Modeling the effect of temperature on bioaccumulation of metals by a marine bioindicator organism, *Mytilus edulis*. *Environ. Sci. Technol.*, 42(9): 3277-3282. S43600
- TANG, H. S., PAIK, J., SOTIROPOULOS, F. & KHANGAONKAR, T. (2008) Three-dimensional numerical modeling of initial mixing of thermal discharges at real-life configurations. *J. Hydraul. Eng.*, 134(9): 1210-1224. S43910
- URTIZBEREA, A., FIKSEN, O., FOLKVORD, A. & IRIGOEN, X. (2008) Modelling growth of larval anchovies including diel feeding patterns, temperature and body size. *J. Plankton Res.*, 30(12): 1369-1383. S44270
- VALAVANIS, V. D., PIERCE, G. J., ZUUR, A. F., PALIALEXIS, A., SAVELIEV, A., KATARA, I. & WANG, J. (2008) Modelling of essential fish habitat based on remote sensing, spatial analysis and GIS. *Hydrobiol.*, 612: 5-20. S43963
- ZABEL, R. W., FAULKNER, J., SMITH, S. J., ANDERSON, J. J., HOLMES, C. V., BEER, N., ILTIS, S., KRINKE, J., FREDRICKS, G., BELLERUD, B., SWEET, J. & GIORGI, A. (2008) Comprehensive passage (COMPASS) model: a model of downstream migration and survival of juvenile salmonids through a hydropower system. *Hydrobiol.*, 609: 289-300. S43827

増養殖

- 阿部宏喜 (2008) 水生動物における遊離 D-アミノ酸の存在, 生合成および生理的意義. *生化学*, 80(4): 308-315. S43540
- 渥美貴史・増田 健・山形陽一 (2008) 真珠養殖とその環境への影響. *海洋と生物*, 30(3): 335-340. S43809
- 藤 加菜子・長谷川 理・本多数充・マリア・ラクウェル・モウラ・コインブラ・小林一展・セシリア・カスター・サンチエス・坂本 崇・岡本信明 (2008) ヒラメにおけるマーカー選抜育種. *水産育種*, 38(1): 17-24. S43855
- 古川 清 (2008) マダイ養殖における自発摂餌実用化の取り組み. *日本水産学会誌*, 74(5): 902-903. S44061
- 浜野かおる・筒井 功・SRISAPOOME, P.・AUE-UMNEOY, D. (2007) 19. 低投資・環境共生型ウシエビ・海藻混合養殖技術の開発. *国際農林水産業研究成果情報*, (15/平成 19 年度): 37-38. S44050
- 林 政博・横山 唯 (2008) アコヤガイ *Pinctada fucata martensii* の幼生および稚貝に対する人工飼料の有用性. *三重県水産研究所研究報告*, (16): 7-15. S44273
- 掘 豊・望月松寿・島本信夫 (2008) 播磨灘北部海域におけるノリ色落ちと漁場環境の変遷. *水産海洋研究*, 72(2): 107-112. S43657
- 干川 裕 (2008) 石狩湾ニシンの産卵藻場造成適地選定基準の策定. *北水試だより*, (76): 19-21. S43768

- 深田陽久・田所大二・古谷尚大・好井覚大・森岡克司・益本俊郎 (2009) ブリ (当歳魚) の成長と脂質代謝における色落ちノリ添加飼料の効果. 日本国水産学会誌, 75(1): 64-69. S44278
- 石井光廣・長谷川健一・松山幸彦 (2008) 東京湾のノリ生産に影響を及ぼす環境要因: 栄養塩の長期変動および最近の珪藻赤潮発生. 水産海洋研究, 72(1): 22-29. S43274
- 一色竜也・片山知史 (2008) 神奈川県沿岸域におけるヒラメ種苗放流効果の推定. 神水セ研報, (3): 49-58. S44016
- 伊藤龍星・寺脇利信・サトイト シリル グレン・北村 等 (2008) 天然藻体のロープへの挟み込み法によるヒジキ養殖. 水産増殖, 56(1): 97-103. S43288
- 伊藤 靖・中野喜央・藤沢真也 (2008) 人工魚礁およびその周辺における小型動物の分布—漁場施設の魚類増殖効果に関する研究—I. 水産工学, 45(2): 101-110. S44232
- 伊藤 靖・中野喜央・藤沢真也 (2008) 人工魚礁におけるマコガレイの分布と食性—漁場施設の魚類増殖効果に関する研究-II. 水産工学, 45(2): 129-138. S44233
- 粕谷和寿 (2008) III サケ・サクラマス資源調査 1 サケの増殖調査. 山形県水産試験場事業報告, 平成 18 年度: 66-68. S43769
- 粕谷和寿 (2008) III サケ・サクラマス資源調査 2 サクラマスの増殖調査. 山形県水産試験場事業報告, 平成 18 年度: 69-70. S43770
- 兼松正衛・熊谷厚志・太田健吾・島 康洋 (2008) ホシガレイ種苗生産における少換水飼育の有効性について. 栽培漁業センター技法(水産総合研究センター), (8): 14-20. S43957
- 神原 淳・田畠満生・秋山敏男・山本剛史・浮 永久 (2008) 次世代型魚類養殖給餌システム開発の現状と展望. 日本国水産学会誌, 74(5): 897pp. S44059
- 栗山 功 (2008) 閉鎖循環式養殖システムを用いたクエ養殖試験. 三重県水産研究所研究報告, (16): 37-44. S44274
- 松田 治 (2008) 第 23 回 アサリ資源増殖のための様々な技術的アプローチ. アクアネット, 11(11): 58-63. S44219
- 三上信雄・石岡 昇・川岸 寛・松尾章子 (2008) 10. 鉄鋼水砕スラグを利用した漁場造成の可能性. 水産土木建設技術センター技術報告, 2008: 50-53. S44256
- 仲 忠臣 (2008) 残餌制御型ブリ自動給餌システム開発の試み. 日本国水産学会誌, 74(5): 900-901. S44060
- 中川太樹 (2008) 自発摂餌システムを活用したマダイ養殖. アクアネット, 11(8): 6-9. S43884
- 中村眞也 (2008) 閉鎖循環システムによるクエの陸上養殖. アクアネット, 11(4): 10-13. S43414
- 中牟田弘典 (2008) 炭酸ガスを用いたアワビ類付着珪藻板飼育時のカイアシ類の除去方法. 栽培漁業技術開発研究, 35(2): 15-19. S43673
- 二羽恭介 (2008) 養殖ノリの分類と品種改良. 水産育種, 38(1): 3-16. S43854
- 太田健吾・有瀧真人・渡辺研一 (2008) オキシダント海水およびポビドンヨード剤が

- ヒラメ *Paralichthys olivaceus* 卵のふ化率に及ぼす影響. 日本水産学会誌, 74(4): 653-659. S43851
- 岡内正典 (2008) 珪藻培養用の新しいケイ酸供給剤「ゲルカルチャー」. 養殖研究レター(水産総合研究センター), (1): 6. S43129
- 佐野雅昭 (2008) 養殖業の今後のあり方について(後半). かん水, (523): 11-18. S44247
- 清水大輔・藤浪祐一郎 (2008) ホシガレイ種苗の ALC 標識試験－水温と浸漬濃度および pH 調整の有効性の検討－. 栽培漁業センター技報(水産総合研究センター), (7): 41-43. S43128
- 清水利厚 (2008) 千葉県におけるアワビ放流技術(総説). 千葉水産総合研究センター研報, (3): 45-52. S43363
- 清水利厚 (2008) 種苗放流効果解析システムの補遺(資料). 千葉水産総合研究センター研報, (3): 57-69. S43364
- 宍道弘敏・北田修一・坂本 崇・浜崎活幸 (2008) マイクロサテライト DNA による鹿児島湾のマダイ天然魚と放流魚の遺伝的変異性の評価. 日本水産学会誌, 74(2): 183-188. S43386
- 高橋正征 (2008) 魚の給餌養殖による環境負荷とその解決の方向(1). アクアネット, 11(7): 62-63. S43835
- 高橋正征 (2008) 魚の給餌養殖による環境負荷とその解決の方向(2). アクアネット, 11(8): 74-75. S43883
- 高田久美代・高辻英之・妹尾正登 (2008) 麻痺性貝毒により毒化したマガキのろ過海水での蓄養による減毒. 日本水産学会誌, 74(1): 78-80. S43255
- 竹内宏行・升間主計・渡辺 稔・中川 亭・町田雅春 (2008) オキシダント海水がアカアマダイ卵に及ぼす影響. 栽培漁業センター技法(水産総合研究センター), (8): 5-8. S43956
- 滝尾健二・安藤和人・杉野 隆・駒澤一朗・中村千穂・荒川久幸 (2009) 三宅島の火山灰を利用したテングサ海藻礁の開発とその効果の検証. 日本水産学会誌, 75(1): 45-53. S44277
- 寺脇利信・新井章吾 (2008) 神奈川県横須賀市秋谷地先の砂泥底に設置された石積みマウンド. 藻類, 56(2): 116-118. S43841
- 照屋和久・與世田兼三・岡 雅一・西岡豊弘・中野昌次・森 広一郎・菅谷琢磨・浜崎活幸 (2008) 光周期がマハタ仔魚の生残、成長および摂餌に及ぼす影響. 日本水産学会誌, 74(4): 645-652. S43850
- 富田泰生・大竹二雄 (2008) 耳石の酸素、炭素安定同位体比を用いたカラフトマス孵化場魚と野生魚の判別. 東京大学海洋研究所国際沿岸海洋研究センター, (33): 7-8. S44044
- 鳥井正也 (2008) 水産系副産物(貝殻)の漁場造成事業への活用. 水産工学, 44(3): 205-209. S43360
- 山田達哉・塩澤 聰・小金隆之・森田哲男・吉田一範 (2008) 感染試験によるネオヘテロボツリウム寄生状況. 栽培漁業センター技法(水産総合研究センター),

(7): 68-71. S43477

山本岳男・渡辺研一・今井 智・大貫 努・飯田真也・細川隆良・中島 歩 (2008) 炭酸ガスによるサケ親魚への麻酔効果の検討. 栽培漁業センター技報 (水産総合研究センター), (7): 8-11. S43126

山本義久 (2008) マダイを対象とした閉鎖循環飼育－II 人工海水の利用. 栽培漁業センター技報 (水産総合研究センター), (7): 23-28. S43127

山内繁樹・峰 寛明・櫻井 泉・金田友紀・横山善勝 (2008) 魚類分布の定量的表現による魚礁の効果範囲の推定と考察. 水産工学, 44(3): 175-183. S43359

横山 寿 (2009) 海面養殖による汚染とその管理. 化学物質と環境, (93): 10-12. S44279

與世田兼三 (2008) タイマイ養殖の事業化に向けてさらに前進. 西海(西海区水産研究所), (3): 6. S43514

**** (2008) 環境条件の制御によるカンパチの早期人工種苗生産に成功－カンパチ養殖業に大きな進展－. FRA ニュース(水産総合研究センター), (15): 30. S43838

BRISKI, E., STAPPEN, G. V., BOSSIER, P. & SORGELOOS, P. (2008) Laboratory production of early hatching *Artemia* sp. cysts by selection. Aquacult., 282(1-4): 19-25. S44097

CHANG, Y.-C., CHEN, R.-H., CHANG, K.-C. & LIU, F.-G. (2008) Application of RAPD and PCR-RFLP on the selective breeding of Taiwanese red Tilapia (*Oreochromis* sp.) Journal of Taiwan Fisheries Research, 16(1): 29-37. S43930

COMAN, F. E., SELLARS, M. J., NORRIS, B. J., COMAN, G. J. & PRESTON, N. P. (2008) The effects of triploidy on *Penaeus (Marsupenaeus) japonicus* (Bate) survival, growth and gender when compared to diploid siblings. Aquacult, 276(1-4): 50-59. S43516

D'AMOURS, O., ARCHAMBAULT, P., MCKINDSEY, C. W. & JOHNSON, L. E. (2008) Local enhancement of epibenthic macrofauna by aquaculture activities. Mar. Ecol. Prog. Ser., 371: 73-84. S44216

DOI, H., CHANG, K. H., OBAYASHI, Y., YOSHIHARA, M., SHIME, M., YAMAMOTO, T., NISHIBE, Y. & NAKANO, S. (2008) Attached microalgae contribute to planktonic food webs in bays with fish and pearl oyster farms. Mar. Ecol. Prog. Ser., 353: 107-113. S43316

HAGA, S., UJI, S. & SUZUKI, T. (2008) Evaluation of the effects of retinoids and carotenoids on egg quality using a microinjection system. Aquacult., 282(1-4): 111-116. S44100

HAYASHI, L., YOKOYA, N. S., OSTINI, S., PEREIRA, R. T. L., BRAGA, E. S. & OLIVEIRA, E. C. (2008) Nutrients removed by *Kappaphycus alvarezii* (Rhodophyta, Solieriaceae) in integrated cultivation with fishes in re-circulating water. Aquacult., 277(3-4): 185-191. S43662

HE, P., XU, S., ZHANG, H., WEN, S., DAI, Y., LIN, S. & YARISH, C. (2008) Bioremediation efficiency in the removal of dissolved inorganic nutrients by the

- red seaweed, *Porphyra yezoensis*, cultivated in the open sea. Water Res., 42(4-5): 1281-1289. S43403
- JOHNSTON, D., MELVILLE-SMITH, R., HENDRIKS, B. & PHILLIPS, B. (2008) Growth rates and survival of western rock lobster (*Panulirus cygnus*) at two temperatures (ambient and 23 °C) and two feeding frequencies. Aquacult., 279(1-4): 77-84. S43793
- KOBAYASHI, T., NAGASE, T., HINO, A. & TAKEUCHI, T. (2008) Effect of combination feeding of *Nannochloropsis* and freshwater *Chlorella* on the fatty acid composition of rotifer *Brachionus plicatilis* in a continuous culture. Fish. Sci., 74(3): 649-656. S43777
- KUTTI, T., ERVIK, A. & HOISATER, T. (2008) Effects of organic effluents from a salmon farm on a fjord system. III. Linking deposition rates of organic matter and benthic productivity. Aquacult., 282(1-4): 47-53. S44098
- MATIJEVIC, S., KUSPILIC, G., KLJAKOVIC-GASPIC, Z. & BOGNER, D. (2008) Impact of fish farming on the distribution of phosphorus in sediments in the middle Adriatic area. Mar. Pollut. Bull., 56(3): 535-548. S43500
- MILKE, L. M., BRICELJ, V. M. & PARRISH, C. C. (2008) Biochemical characterization and nutritional value of three *Pavlova* spp. in unialgal and mixed diets with *Chaetoceros muelleri* for postlarval sea scallops, *Placopecten magellanicus*. Aquacult., 276(1-4): 130-142. S43518
- MIRON, D. D. S., MORAES, B., BECKER, A. G., CRESTANI, M., SPANEVELLO, R., LORO, V. L. & BALDISSEROTTO, B. (2008) Ammonia and pH effects on some metabolic parameters and gill histology of silver catfish, *Rhamdia quelen* (Heptapteridae). Aquacult., 277(3-4): 192-196. S43663
- MONK, J., PUWANENDRAN, V. & BROWN, J. A. (2008) Does different tank bottom colour affect the growth, survival and foraging behaviour of Atlantic cod (*Gadus morhua*) larvae?. Aquacult., 277(3-4): 197-202. S43664
- MSUYA, F. E. & NEORI, A. (2008) Effect of water aeration and nutrient load level on biomass yield, N uptake and protein content of the seaweed *Ulva lactuca* cultured in seawater tanks. J. Appl. Phycol., 20(6): 1021-1031. S44269
- NAZ, M. (2008) The changes in the biochemical compositions and enzymatic activities of rotifer (*Brachionus plicatilis*, Muller) and *Artemia* during the enrichment and starvation periods. Fish Physiol. Biochem., 34(4): 391-404. S44263
- NICHOLAS, A. & DE NYS, R. (2008) Promise and pitfalls of locally abundant seaweeds as biofilters for integrated aquaculture. Aquacult., 281(1-4): 49-55. S44012
- PONIS, E., PARISI, G., ZITTELLI, G. C., LAVISTA, F., ROBERT, R. & TREDICI, M. R. (2008) *Pavlova lutheri*: Production, preservation and use as food for *Crassostrea gigas* larvae. Aquacult., 282(1-4): 97-103. S44099
- RADIARTA, I. N., SAITO, S.-I. & MIYAZONO, A. (2008) GIS-based multi-criteria evaluation models for identifying suitable sites for Japanese scallop

- (*Mizuhopecten yessoensis*) aquaculture in Funka Bay, southwestern Hokkaido, Japan. Aquacult., 278(1-4): 127-135. S44287
- SCHOTT, E. J., FERNANDEZ-ROBLEDO, J. A., ALAVI, M. R. & VASTA, G. R. (2008) Susceptibility of *Crassostrea ariakensis*(Fujita 1913) to *Bonamia* and *Perkinsus* spp. infections: potential for disease transmission between oyster species. J. Shellfish Res., 27(3): 541-549. S43712
- SUZUKI, K., MIZUSAWA, K., NOBLE, C. & TABATA, M. (2008) The growth, feed conversion ratio and fin damage of rainbow trout *Oncorhynchus mykiss* under self-feeding and hand-feeding regimes. Fish. Sci., 74(4): 941?943. S43945
- TEROVA, G., RIMOLDI, S., CORA, S., BERNARDINI, G., GORNATI, R. & SAROGLIA, M. (2008) Acute and chronic hypoxia affects HIF-1 α mRNA levels in sea bass (*Dicentrarchus labrax*). Aquacult., 279(1-4): 150-159. S43794
- TSUDA, A. & NEMOTO, T.(1992) Distribution and growth of salps in a Kuroshio warm-core ring during summer 1987. Deep-Sea Res., 39(suppl.1): S219-S229. S43928
- YINGYING, S., CHANGHAI, W. & JING, C. (2008) Growth inhibition of the eight species of microalgae by growth inhibitor from the culture of *Isochrysis galbana* and its isolation and identification. J. Appl. Phycol., 20(3): 315-321. S44006
- YOSHIMATSU, T., HIGUCHI, T., HAMASAKI, Y. & TANAKA, K. (2008) Preliminary trials on the effect of lighting for the population growth of the rotifer, *Brachionus plicatilis*. Jpn. Agric. Res. Q., 42(2): 131-136. S43679

資 源

- 反田 實 (2008) 兵庫県瀬戸内海におけるマコガレイの生態と漁業に関する研究. 兵庫農技総セ研報(水産), (40): 1-96. S44250
- 長谷川正巳 (2008) 我が国における海水資源利用の現状と将来. 海水総合研究所研究報告, (10): 43-46. S44251
- 金丸彦一郎 (2007) 佐賀県玄海域における植食性魚類－アイゴ, メジナ, ニザダイ, スズメダイ等－の漁獲実態. 佐賀玄海水産振興センター研報, (4): 7-14. S43368
- 粕谷和寿 (2008) III サケ・サクラマス資源調査 1 サケの増殖調査. 山形県水産試験場事業報告, 平成 18 年度: 66-68. S43769
- 粕谷和寿 (2008) III サケ・サクラマス資源調査 2 サクラマスの増殖調査. 山形県水産試験場事業報告, 平成 18 年度: 69-70. S43770
- 慶野英生・杉山清泉・西沢 正・鈴木輝明 (2008) 潜砂行動とエネルギー消費過程からみたアサリ資源回収に向けての諸課題. 水産工学, 44(3): 169-174. S43358
- 久保田仁志・手塚 清・福富則夫 (2008) マイクロサテライト DNA マーカーによる釣獲されたアユの由来判別と種苗放流効果の評価. 日本水産学会誌, 74(6): 1052-1059. S44239

- 工藤貴史 (2008) 漁業の多面的機能とその支援施策の課題. 水産工学, 45(1): 75-78.
S43728
- 松川康夫・張 成年・片山知史・神尾光一郎 (2008) 我が国のアサリ漁獲量激減の要因について. 日本水産学会誌, 74(2): 137-143. S43384
- 宮下和夫・細川雅史 (2008) 第4回(最終回) 新たな水産資源としての海藻の重要性. アクアネット, 11(12): 78-82. S44217
- 中村 充 (2008) 一漁場環境を考える—水産と海の環境Ⅱ. 月報(日本水産資源保護協会), (514): 3-8. S43124
- 大友俊武・清水勇一 (2008) (8)サクラマス資源の保全技術の開発. 岩手水産技術センター年報, 平成18年度: 52-55. S43247
- 佐藤利幸・尾形康夫・根本芳春・島村野信也 (2007) 福島県松川浦におけるアサリ漁業の変遷と現状における問題点. 福島県水産試験場研究報告, (14): 57-65. S44275
- 重田利拓 (2008)瀬戸内海の魚類に見られる異変と諸問題. 日本水産学会誌, 74(5): 868-872. S44113
- 玉手 剛 (2008) 1980年以前の北海道沿岸におけるサクラマス漁獲量の推定. 水産増殖, 56(1): 137-138. S43290
- 田中種雄・片山知史・加藤正人・目黒清美 (2008) 耳石横断薄片法を用いた銚子周辺海域におけるヒラメの年齢と成長. 千葉水産総合研究センター研報, (3): 1-5. S43362
- 坂本達也・吉田幹英・前野幸男 (2008) 夏季の有明海干潟域でみられた浮上タイラギの組織学的所見および栄養状態. 水産増殖, 56(4): 587-594. S44283
- DRASTIK, J., KUBECKA, J., TUSER, M., CECH, M., FROUZOVA, J., JAROLIM, O. & PRCHALOVA, M. (2008) The effect of hydropower on fish stocks: comparison between cascade and non-cascade reservoirs. Hydrobiol., 609: 25-36. S43822
- GONZALEZ, E. B., NAGASAWA, K. & UMINO, T. (2008) Stock enhancement program for black sea bream (*Acanthopagrus schlegelii*) in Hiroshima Bay: Monitoring the genetic effects. Aquacult, 276(1-4): 36-43. S43515
- GREENWOOD, M. F. D. (2008) Trawls and cooling-water intakes as estuarine fish sampling tools: Comparisons of catch composition, trends in relative abundance, and length selectivity. Estuarine Coast. Shelf Sci., 76(1): 121-130. S43228
- KIMURA, D. K. (2008) Extending the von Bertalanffy growth model using explanatory variables. Can. J. Fish. Aquat. Sci., 65(9): 1879-1891. S44206
- LIU, H.-J., ZHU, X.-C., SUN, X.-W., XUE, L.-L., ZHAO, Y.-Y. & MAO, L.-J. (2008) Analysis of genetic structure among 5 cultured stocks of Japanese flounder *Paralichthys olivaceus*. J. Fish. Sci. China, 15(1): 30-37. S43237
- MA, T., KUROKI, M., MILLER, M. J., ISHIDA, R. & TSUKAMOTO, K. (2008) Morphology and microchemistry of abnormal otoliths in the ayu, *Plecoglossus altivelis*. Environ. Biol. Fish., 83(2): 155-167. S44313
- MASU, T., WATANABE, S., AOKI, S., KATAYAMA, S., FUKUDA, M. & HINO, A.

- (2008) Establishment of shell growth analysis technique of juvenile Manila clam *Ruditapes philippinarum*: Semidiurnal shell increment formation. Fish. Sci., 74(1): 41-47. S43374
- OCZKOWSKI, A. & NIXON, S. (2008) Increasing nutrient concentrations and the rise and fall of a coastal fishery; A review of data from the Nile Delta, Egypt. Estuarine Coast. Shelf Sci., 77(3): 309-319. S43482
- ONITSUKA, T., KAWAMURA, T., HORII, T., TAKIGUCHI, N. & WATANABE, Y. (2008) Survival, Growth and Recruitment of Abalone *Haliotis diversicolor* in Sagami Bay, Japan. J. Shellfish Res., 27(4): 843-855. S43959
- PAGE, H. M., REED, D. C., BRZEZINSKI, M. A. & MELACK, J. M. (2008) Assessing the importance of land and marine sources of organic matter to kelp forest food webs. Mar. Ecol. Prog. Ser., 360: 47-62. S44153
- RYPEL, A. L. (2008) An inexpensive image analysis system for fish otoliths. N. Am. J. Fish. Manage., 28(1): 193-197. S43391
- TOMIYAMA, T., MIZUNO, T., UENOYAMA, D., ENOMOTO, M. & SOHTOME, T. (2008) Offshore collection of larval Japanese flounder *Paralichthys olivaceus*: Implication for transport-induced mortality. Fish. Sci., 74(2): 449-451. S43489
- WATTS, P. C., O'LEARY, D., CROSS, M. C., COUGHLAN, J., DILLANE, E., KAY, S. M., WYLDE, S., STET, R., NASH, R. D. M., HATFIELD, E. M. C. & CROSS, T. F. (2008) Contrasting levels of genetic differentiation among putative neutral microsatellite loci in Atlantic herring *Clupea harengus* populations and the implications for assessing stock structure. Hydrobiol., 606: 27-33. S43558
- XU, Z-L., & CHEN, H. (2008) Estimating economic costs of potential fishery losses caused by marine engineering. J. Fish. Sci. China., 15(6): 970-975. S44293
- YUKAMI, R., AOKI, I. & MITANI, I. (2008) Daily age of adult Japanese anchovy *Engraulis japonicus* off eastern Honshu, Japan by otolith daily increment. Fish. Sci., 74(6): 1348-1350. S44213
- ZHANG, H., HE, W. S., TONG, C. F. & LU, J. J. (2008) The effect of fishing the anguillid elver (*Anguilla japonica*) on the fishery of the Yangtze estuary. Estuarine Coast. Shelf Sci., 76(4): 902-908. S43297

当研究所で定期購読している雑誌は以下のとおりです。

[和 雜 誌]

うみうし通信	(うみうしくらぶ)
海の研究	(日本海洋学会)
沿岸海洋研究	(日本海洋学会沿岸海洋研究部会)
海洋深層水研究	(海洋深層水利用研究)
海洋と生物	(生物研究社)
化学物質と環境	(エコケミストリー研究会)
環境情報科学	(環境情報科学センター)
魚類学雑誌	(日本魚類学会)
水産海洋研究	(水産海洋学会)
水産工学	(日本水産工学会)
水産増殖	(日本水産増殖学会)
生化学	(日本生化学会)
Sessile Organisms	(日本付着生物学会)
瀬戸内海	(瀬戸内海環境保全協会)
藻類	(日本藻類学会)
日本水産学会誌	(日本水産学会)
日本生態学会誌	(日本生態学会)
日本プランクトン学会報	(日本プランクトン学会)
日本ベントス学会誌	(日本ベントス学会)
水環境学会誌	(日本水環境学会)
Ecological Research	(日本生態学会)
Fisheries Oceanography	(水産海洋学会)
Fisheries Science	(日本水産学会)
Ichthyological Research	(日本魚類学会)
The Journal of Biochemistry	(日本生化学会)
Journal of Oceanography	(日本海洋学会)
Phycological Research	(日本藻類学会)
Plankton & Benthos Research	(日本プランクトン学会／日本ベントス学会)

[洋 雜 誌]

Aquaculture
Aquatic Toxicology
Botanica Marina
Canadian Journal of Fisheries and Aquatic Sciences
Copeia
Environmental Science & Technology
Environmental Toxicology and Chemistry
Estuarine, Coastal and Shelf Science
Health Physics
The Journal of Experimental Biology
Journal of Environmental Radioactivity

Journal of Experimental Marine Biology and Ecology

Journal of Fish Biology

Journal of Shellfish Research

Marine Biology

Marine Ecology Progress Series

Marine Environmental Research

Marine Pollution Bulletin