

海生研収書報告

1001-1012

2010年1月 - 12月 収録

2011年3月 発行



財団法人 海洋生物環境研究所

問合せ先： 中央研究所 情報チーム 〒299-5105 千葉県夷隅郡御宿町岩和田 300/TEL(0470)68-5111

本収書報告は2010年に収集した文献，単行書等を収録したものです。収録文献は，下記領域・分野に分類してあります。

文 献	2
発電所取放水	2
環境アセスメント・モニタリング	2
付着生物生態・対策	4
クラゲ生態・対策	5
水温・気候変動・温暖化	6
海洋酸性化・CO ₂	8
貧酸素	10
海洋環境・環境保全	12
海洋汚染	17
魚類生理	18
海洋環境放射能	22
化学物質・危害物質・環境汚染物質	23
生物実験	26
生態系	33
藻場・干潟・サンゴ礁	37
安定同位体	39
モデリング	40
増養殖	40
資源・生態	45
生物多様性	53
単行書	55

(注：各文献・単行書の最後の番号は，当所ライブラリーでの登録番号です)

発電所取放水

- 北原宏一・和田 明・上原義和・福岡一平・川永充人・高野泰隆(2004). 東京湾岸に立地する発電所取放水が湾の水質に及ぼす影響について . 海洋調査技術, 16(1): 1-17. S45406
- 清野通康(2010). 水産・海洋分野における電気利用技術の現状と課題 -水産増養殖と発電所生物対策について- <上> . 農業電化 1, 63(1): 8-12. S44870
- 清野通康(2010). 水産・海洋分野における電気利用技術の現状と課題 -水産増養殖と発電所生物対策について- <下> . 農業電化 2, 63(2): 16-18. S44871
- 千秋信一(1979). 特集 温排水問題解決へのアプローチ 温排水問題の解決にいかに対処すべきか -温排水規制に対する米国電気事業者の対応をみて- . 原子力工業, 25(7): 17-23. S45415
- Pitchaikani, J. S., Ananthan, G. & Sudhakar, M.(2010). Studies on the effect of coolant water effluent of Tuticorin Thermal Power Station on hydro biological characteristics of Tuticorin Coastal Waters, South East Coast of India. Current Research Journal of Biological Sciences, 2(2): 118-123. S45430
- Teixeira, T. P., Neves, L. M. & Araujo, F. G.(2009). Effects of a nuclear power plant thermal discharge on habitat complexity and fish community structure in Ilha Grande Bay, Brazil. Marine Environmental Research, 68(4): 188-195. S44999

環境アセスメント・モニタリング

- 清野通康・三浦正治・中村義治・松本正喜・矢代幸太郎(2010). ミニシンポジウム記録 沿岸海域の生物に関する定量的予測評価 . 日本水産学会誌, 76(6): 1100. S45445
- 道津光生(2010). ミニシンポジウム記録 沿岸海域の生物に関する定量的予測評価 1.海生生物に関する予測評価モデルの概要 -予測・評価ツールとしての HSI モデル- . 日本水産学会誌, 76(6): 1101. S45446
- 中村義治(2010). ミニシンポジウム記録 沿岸海域の生物に関する定量的予測評価 3.海生生物に関する予測評価の課題と方向性 . 日本水産学会誌, 76(6): 1105. S45450
- 松本正喜(2010). ミニシンポジウム記録 沿岸海域の生物に関する定量的予測評価 2.海生生物の HSI モデルとその利用法 2-1)海藻類の HSI モデルの現状と課題 . 日本水産学会誌, 76(6): 1102. S45447
- 三浦正治(2010). ミニシンポジウム記録 沿岸海域の生物に関する定量的予測評価 2.海生生物の HSI モデルとその利用法 2-3)HSI モデルを用いた予測・評価例 . 日本水産学会誌, 76(6): 1104. S45449
- 三浦正治・野村浩貴・松本正喜・道津光生(2010). 海藻類 4 種の生息場適性指数モデル .

- 海洋生物環境研究所研究報告, (13): 1-50. S45259
- 矢代幸太郎(2010). ミニシンポジウム記録 沿岸海域の生物に関する定量的予測評価 2. 海生生物の HSI モデルとその利用法 2-2)魚類の HSI モデルの現状と課題 . 日本水産学会誌, 76(6): 1103. S45448
- Boraj, A., Miles, A., Occhipinti-Ambrogi, A. & Berg, T. (2009). Current status of macroinvertebrate methods used for assessing the quality of European marine waters: implementing the Water Framework Directive. *Hydrobiologia*, 633(1): 181-196. S44880
- Fang, J. K. H., Wu, R. S. S., Yip, C. K. M. & Shin, P. K. S.(2009). Power analysis for biomarkers in mussels for use in coastal pollution monitoring. *Marine Pollution Bulletin*, 58(8): 1123-1129. S45556
- Kelly, M., Bennion, H., Burgess, A., Ellis, J., Juggins, S., Guthrie, R., Jamieson, J., Adriaenssens, V. & Yallop, M.(2009). Uncertainty in ecological status assessments of lakes and rivers using diatoms. *Hydrobiologia*, 633(1): 5-15. S44879
- Maier, G., Glegg, G. A., Tappin, A. D. & Worsfold, P. J.(2009). The use of monitoring data for identifying factors influencing phytoplankton bloom dynamics in the eutrophic Taw Estuary, SW England. *Marine Pollution Bulletin*, 58(7): 1007-1015. S45561
- Schreiber, A., Zapp, P. & Kuckshinrichs, W.(2009). Environmental assessment of German electricity generation from coal-fired power plants with amine-based carbon capture. *The International Journal of Life Cycle Assessment*, 14(6): 547-559. S45009
- Sohma, A., Sekiguchi, Y. & Nakata, K.(2009). Application of an ecosystem model for the environmental assessment of the reclamation and mitigation plans for seagrass beds in Atsumi Bay. *Estuarine Coastal and Shelf Science*, 83(2): 133-147. S44899
- Young, J. R.(2009). Comparison of failure time analysis and Abbott's Formula for estimating survival of organisms entrained at Power Stations. *North American Journal of Fisheries Management*, 29(2): 263-278. S44876

付着生物生態・対策

- 野方靖行(2009). 遺伝情報を用いた汚損性フジツボ幼生の定量的検出方法の開発 - サイクリングプローブによる簡易検出法の検討- . 電力中央研究所報告 (研究報告), V08010: 1-12. S44891
- 山田ちはる・伊谷 行・上田拓史(2010). 高知県浦ノ内湾におけるミドリイガイの生息場所利用と水平分布 . 付着生物研究, 27(1): 41-50. S45094
- Berger, M. S.(2009). Reproduction of the intertidal barnacle *Balanus glandula* along an estuarine gradient. Mar. Ecol., 30(3): 346-353. S44867
- Callier, M. D., Richard, M. & McKindsey, C. W.(2009). Responses of benthic macrofauna and biogeochemical fluxes to various levels of mussel biodeposition: An in situ “benthocosm” experiment. Marine Pollution Bulletin, 58(10): 1544-1553. S45545
- Dutertre, M., Beninger, P. G., Barille, L., Papin, M. & Haure, J.(2010). Rising water temperatures, reproduction and recruitment of an invasive oyster, *Crassostrea gigas*, on the French Atlantic coast. Marine Environmental Research, 69(1): 1-9. S45011
- Findlay, H. S., Kendall, M. A., Spicer, J. I. & Widdicombe, S.(2010). Post-larval development of two intertidal barnacles at elevated CO₂ and temperature. Marine Biology, 157(4): 725-735. S45071
- Gaonkar, C. A. & Anil, A. C.(2010). What do barnacle larvae feed on? Implications in biofouling ecology. Journal of the Marine Biological Association of the United Kingdom, 90(6): 1241-1247. S45404
- Inatsuchi, A., Yamato, S. & Yusa, Y.(2010). Effects of temperature and food availability on growth and reproduction in the neustonic pedunculate barnacle *Lepas anserifera*. Marine Biology, 157(4): 899-905. S45072
- Ioannou, S., Anestis, A., Portner, H. O. & Michaelidis, B.(2009). Seasonal patterns of metabolism and the heat shock response (HSR) in farmed mussels *Mytilus galloprovincialis*. Journal of Experimental Marine Biology and Ecology, 381(2): 136-144. S44859
- Jones, S. J., Mieszkowska, N. & Wethey, D. S.(2009). Linking thermal tolerances and biogeography: *Mytilus edulis* (L.) at its southern limit on the East Coast of the United States. Biological Bulletin, 217(1): 73-85. S44843
- Pérez, D., Lorenzo-Abalde, S., Gonzalez-Fernandez, a. & Fuentes, J.(2009). Immunodetection of *Mytilus galloprovincialis* larvae using monoclonal antibodies to monitor larval abundance on the Galician coast: Optimization of the method and comparison with identification by morphological traits. Aquaculture, 294(1-2): 86-92. S44919
- Satheesh, S. & Wesley, S. G.(2009). Breeding biology of the barnacle *Amphibalanus amphitrite* (Crustacea: Cirripedia): Influence of environmental factors in a tropical coast.

Journal of the Marine Biological Association of the United Kingdom, 89(6): 1203-1208. S44851

Seth, N., Chakravarty, P., Khandeparker, L., Anil, A. C. & Pandit, A. B.(2010). Quantification of the energy required for the destruction of *Balanus amphitrite* larva by ultrasonic treatment. Journal of the Marine Biological Association of the United Kingdom, 90(7): 1475-1482. S45420

Shanks, A. L.(2009). Barnacle settlement versus recruitment as indicators of larval delivery. I. Effects of post-settlement mortality and recruit density. Marine Ecology Progress Series, 385: 1-14. S44902

Shanks, A. L.(2009). Barnacle settlement versus recruitment as indicators of larval delivery. II. Time-series analysis and hypothesized delivery mechanisms. Marine Ecology Progress Series, 385: 1-14. S44903

クラゲ生態・対策

井口直樹(2010). 日本海における大型クラゲの成熟 . 日本海リサーチ&トピックス, (6): 10-11. S45576

内田直幸・半田慎也・中園金吾・片桐律子・荒 功一・広海十朗(2010). ミズクラゲ *Aurelia aurita* の自己溶解液に存在する赤潮藻類殺藻物質の分離同定 . 日本プランクトン学会報, 57(2): 87-93. S45354

御宿昭彦(2010). 大型クラゲ来襲 . 伊豆分場だより, (320): 14-15. S45541

子未とし子(2007). "海の厄介者"を"海の幸"に . 海洋水産エンジニアリング, 7(74): 50-54. S45028

Di Camillo, C. G., Betti, F., Bo, M., Martinelli, M., Puce, S. & Bavestrello, G.(2010). Contribution to the understanding of seasonal cycle of *Aurelia aurita* (Cnidaria: Scyphozoa) scyphopolyps in the northern Adriatic Sea. Journal of the Marine Biological Association of the United Kingdom, 90(6): 1105-1110. S45403

Han, C.-H. & Uye, S.-I.(2010). Combined effects of food supply and temperature on asexual reproduction and somatic growth of polyps of the common jellyfish *Aurelia aurita* s.l. Plankton and Benthos Research, 5(3): 98-105. S45371

Kitamura, M. & Omori, M.(2010). Synopsis of edible jellyfishes collected from Southeast Asia, with notes on jellyfish fisheries. Plankton and Benthos Research, 5(3): 106-118. S45457

Lindsay, D., Pages, F., Corbera, J., Miyake, H., Hunt, J. C., Ichikawa, T., Segawa, K. & Yoshida, H.(2008). The anthomedusan fauna of the Japan Trench: Preliminary results from *in situ* surveys with manned and unmanned vehicles. Journal of the Marine Biological Association of the United Kingdom, 88(8): 1519-1539. S45031

Yasuda, T.(1973). Ecological studies on the jelly-fish, *Aurelia aurita* (Linne), in Urazoko Bay, Fukui Prefecture-VIII. Diel vertical migration of the medusa in early fall, 1969. Ecological Studies on *Aurelia aurita*- , 20: 491-500. S44974

水温・気候変動・温暖化

Ishida, Y., Yamada, A., Adachi, H., Yagisawa, I., Tadokoro, K. & Geiger, H. J.(2009). Salmon distribution in Northern Japan during the Jomon Period, 2,000–8,000 years ago, and Its implications for future global warming. North Pacific Anadromous Fish Commission Bulletin, (5): 287-292. S45443

Jonsson, B. & Jonsson, N.(2010). A review of the likely effects of climate change on anadromous Atlantic salmon *Salmo salar* and brown trout *Salmo trutta*, with particular reference to water temperature and flow. Journal of Fish Biology, 75(10): 2381-2447. S44936

Jonsson, B. & Jonsson, N.(2010). A review of the likely effects of climate change on anadromous Atlantic salmon *Salmo salar* and Brown trout *Salmo trutta*, with particular reference to water temperature and flow. Journal of Fish Biology, 75(10): 2381-2447. S45055

Kamenos, N. A., Cusack, M. & Moore, P. G.(2008). Coralline algae are global palaeothermometers with bi-weekly resolution. Geochimica et Cosmochimica Acta, 72(3): 771-779. S45097

Kawamura, H., Qin, H., Sakaida, F. & Setiawan, R. Y.(2010). Hourly sea surface temperature retrieval using the Japanese geostationary satellite, multi-functional transport satellite (MTSAT). Journal of Oceanography, 66(1): 61-70. S45012

Keser, M., Swenarton, J. T. & Foertch, J. F.(2005). Effects of thermal input and climate change on growth of *Ascophyllum nodosum* (Fucales, Phaeophyceae) in eastern Long Island Sound (USA). Journal of Sea Research, 54(3): 211-220. S45390

Lassen, M. K., Nielsen, K. D., Richardson, K., Garde, K. & Schluter, L.(2010). The effects of temperature increases on a temperate phytoplankton community — A mesocosm climate change scenario. Journal of Experimental Marine Biology and Ecology, 383(1): 79-88. S45467

Ling, S. D., Johnson, C. R., Frusher, S. & King, C. K.(2008). Reproductive potential of a marine ecosystem engineer at the edge of a newly expanded range. Global Change Biology, 14(4):907-915. S45394

Mieszkowska, N., Kendall, M. A., Hawkins, S. J., Leaper, R., Williamson, P., Hardman-Mountford, N. J. & Southward, A. J.(2006). Changes in the range of some

- common rocky shore species in Britain – A response to climate change? *Hydrobiologia*, 555(1):241-251. S45389
- Muller, R., Laepple, T., Bartsch, I. & Wiencke, C.(2009). Impact of oceanic warming on the distribution of seaweeds in polar and cold-temperate waters. *Botanica Marina*, 52(6):617-638. S44915
- Najjar, R. G., Pyke, C. R., Adams, M. B., Breitburg, D., Hershner, C., Kemp, M., Howarth, R., Mulholland, M. R., Paolisso, M., Secor, D., Sellner, K., Wardrop, D. & Wood, R.(2010). Potential climate-change impacts on the Chesapeake Bay. *Estuarine Coastal and Shelf Science*, 86(1):1-20. S44990
- Nunn, A. D., Frear, P. A., Lee, M. & Cowx, I. G.(2010). Is there evidence for a shift in fish growth and recruitment success linked to climate change? *Journal of Fish Biology*, 77(8):1780-1792. S45514
- Puceat, E., Joachimski, M. M., Bouilloux, A., Monna, F., Bonin, A., Motreuil, S., Moriniere, P., Henard, S., Mourin, J., Dera, G. & Quesne, D.(2010). Revised phosphate–water fractionation equation reassessing paleotemperatures derived from biogenic apatite. *Earth and Planetary Science Letters*, 298(1-2):135-142. S45468
- Snover, M. L.(2008). Ontogenetic habitat shifts in marine organisms: Influencing factors and the impact of climate variability. *Bulletin of Marine Science*, 83(1):53-67. S45038
- Vinagre, C., Santos, F. D., Cabrala, H. N. & Costa, M. J.(2009). Impact of climate and hydrology on juvenile fish recruitment towards estuarine nursery grounds in the context of climate change. *Estuarine Coastal and Shelf Science*, 85(3):479-486. S44860
- Yamane, L. & Gilman, S. E.(2009). Opposite responses by an intertidal predator to increasing aquatic and aerial temperatures. *Marine Ecology Progress Series*, 393:27-36. S44986

- Bates, N. R., Mathis, J. T. & Cooper, L. W.(2009). Ocean acidification and biologically induced seasonality of carbonate mineral saturation states in the western Arctic Ocean. *Journal of Geophysical Research*, 114(C11): C11007 (1 of 12) S45045
- Bianchi, A. A., Pino, D. R., Perlender, H. G. I., Osiroff, A. P., Segura, V., Lutz, V., Clara, M. L., Balestrini, C. F. & Piola, A. R. (2009). Annual balance and seasonal variability of sea-air CO₂ fluxes in the Patagonia Sea: Their relationship with fronts and chlorophyll distribution. *Journal of Geophysical Research*, 114(C3): C03018 (1of11) S44971
- Cigliano, M., Gambi, M. C., Rodolfo-Metalpa, R., Patti, F. P. & Hall-Spencer, J. M.(2010). Effects of ocean acidification on invertebrate settlement at volcanic CO₂ vents. *Marine Biology*, 157(11): 2489–2502. S45495
- Comeau, S., Gorsky, G., Alliouane, S. & Gattuso, J.-P.(2010). Larvae of the pteropod *Cavolinia inflexa* exposed to aragonite undersaturation are viable but shell-less. *Marine Biology*, 157(10): 2341-2345. S45411
- Dias, B. B., Hart, M. B., Smart, C. W. & Hall-Spencer, J. M.(2010). Modern seawater acidification: the response of foraminifera to high-CO₂ conditions in the Mediterranean Sea. *Journal of the Geological Society*, 167(5): 843-846. S45418
- Dupont, S., Ortega-Martínez, O. & Thorndyke, M.(2010). Impact of near-future ocean acidification on echinoderms. *Ecotoxicology*, 19(3): 449-462. S45047
- Egilsdottir, H., Spicer, J. I. & Rundle, S. D.(2009). The effect of CO₂ acidified sea water and reduced salinity on aspects of the embryonic development of the amphipod *Echinogammarus marinus* (Leach). *Marine Pollution Bulletin*, 58(8): 1187-1191. S45557
- Feely, R. A., Alin, S. R., Newton, J., Sabine, C. L., Warber, M., Devol, A., Krembs, C. & Maloy, C. (2010). The combined effects of ocean acidification, mixing, and respiration on pH and carbonate saturation in an urbanized estuary. *Estuarine Coastal and Shelf Science*, 88(4): 442-449. S45323
- Friedrich, T. & Oschlies, A.(2009). Neural network-based estimates of North Atlantic surface pCO₂ from satellite data: A methodological study. *Journal of Geophysical Research*, 114(C3): C03020 (1of12) S44970
- Gagliano, M., McCormick, M. I., Moore, J. A. & Depczynski, M.(2010). The basics of acidification: Baseline variability of pH on Australian coral reefs. *Marine Biology*, 157(8): 1849-1856. S45329
- Hauck, J., Hoppema, M., Bellerby, R. G. J., Volker, C. & Wolf-Gladrow, D.(2010). Data-based estimation of anthropogenic carbon and acidification in the Weddell Sea on a decadal timescale. *Journal of Geophysical Research*, 115: C03004 (1-14.) S45338

- Hendriks, I. E. & Duarte, C. M.(2010). Ocean acidification: Separating evidence from judgment - A reply to Dupont et al. *Estuarine Coastal and Shelf Science*, 89(2): 186-190. S45351
- Hurd, C. L., Hepburn, C. D., Currie, K. I., Raven, J. A. & Hunter, K. A.(2009). Testing the effects of ocean acidification on algal metabolism: considerations for experimental designs. *Journal of Phycology*, 45(6): 1236-1251. S45001
- Israelsson, P. H., Chow, A. C. & Adams, E. E.(2010). An updated assessment of the acute impacts of ocean carbon sequestration by direct injection. *International Journal of Greenhouse Gas Control*, 4(2): 262-271. S45059
- Kano, Y., Sato, T., Kita, J., Hirabayashi, S. & Tabeta, S.(2009). Model prediction on the rise of pCO₂ in uniform flows by leakage of CO₂ purposefully stored under the seabed. *International Journal of Greenhouse Gas Control*, 3(5): 617-625. S44998
- Kano, Y., Sato, T., Kita, J., Hirabayashi, S. & Tabeta, S.(2009). Model prediction on the rise of pCO₂ in uniform flows by leakage of CO₂ purposefully stored under the seabed. *International Journal of Greenhouse Gas Control*, 3(5): 617-625. S45260
- Kano, Y., Sato, T., Kita, J., Hirabayashi, S. & Tabeta, S.(2010). Multi-scale modeling of CO₂ dispersion leaked from seafloor off the Japanese coast. *Marine Pollution Bulletin*, 60(2): 215-224. S45505
- McDonald, M. R., McClintock, J. B., Amsler, C. D., Rittschof, D., Angus, R. A., Orihuela, B. & Lutostanski, K.(2009). Effects of ocean acidification over the life history of the barnacle *Amphibalanus amphitrite*. *Marine Ecology Progress Series*, 385: 1-14. S44901
- Merlivat, L., Davila, M. G., Caniaux, G., Boutin, J. & Reverdin, G.(2009). Mesoscale and diel to monthly variability of CO₂ and carbon fluxes at the ocean surface in the northeastern Atlantic. *Journal of Geophysical Research*, 114(C3): C03010 (1of17) S44969
- Nakamura, T., Wada, A., Hasagawa, K. & Ochiai, M.(2010). Evaluation of the effect of the CO₂ ocean sequestration on marine life in the sea near the Japan using a numerical model. *Journal of Global Environment Engineering,JSCE*, (15): 49-60. S45255
- O'Donnell, M. J., Todgham, A. E., Sewell, M. A., Hammond, L. M., Ruggiero, K., Fanguie, N. A., Zippay, M. L. & Hofmann, G. E.(2010). Ocean acidification alters skeletogenesis and gene expression in larval sea urchins. *Marine Ecology Progress Series*, 398: 157-171. S45013
- Parker, L. M., Ross, P. M. & O'Connor, W. A.(2010). Comparing the effect of elevated pCO₂ and temperature on the fertilization and early development of two species of oysters. *Marine Biology*, 157(11): 2435–2452. S45494
- Ridgwell, A. & Schmidt, D. N.(2010). Past constraints on the vulnerability of marine calcifiers to massive carbon dioxide release. *Nature Geoscience*, 3(3): 196-200. S45030
- Ries, J. B., Cohen, A. L. & Mccorkle, D. C.(2009). Marine calcifiers exhibit mixed responses

- to CO₂-induced ocean acidification. *Geology*, 37(12): 1131-1134. S44842
- Rodolfo-Metalpa, R., Lombardi, C., Cocito, S., Hall-Spencer, J. M., & Gambi, M. C.(2010). Effects of ocean acidification and high temperatures on the bryozoan *Myriapora truncata* at natural CO₂ vents. *Mar. Ecol.*, 31(3): 447-456. S45378
- Semesi, I. S., Kangwe, J. & Bjork, M.(2009). Alterations in seawater pH and CO₂ affect calcification and photosynthesis in the tropical coralline alga, *Hydrolithon* sp. (Rhodophyta). *Estuarine Coastal and Shelf Science*, 84(3): 337-341. S45481
- Spalding, M., Stafford-Smith, M. G. & Rogers, A. D.(2009). The coral reef crisis: The critical importance of <350 ppm CO₂. *Marine Pollution Bulletin*, 58(10): 1428-1436. S45546
- Wood, H. L., Spicer, J. I., Lowe, D. M. & Widdicombe, S.(2010). Interaction of ocean acidification and temperature; the high cost of survival in the brittlestar *Ophiura ophiura*. *Marine Biology*, 157(9): 2001-2013. S45352
- Yamada, N. & Suzumura, M.(2010). Effects of seawater acidification on hydrolytic enzyme activities. *Journal of Oceanography*, 66(2): 233-241. S45516

貧酸素

- 太田一之・寒川 強・鬼塚正光・富永 衛(1987). 東京湾の青潮における光学特性 . 公害, 22(6): 385-392. S45364
- 小倉久子・宮崎早苗(1995). 東京湾幕張沖の貧酸素水塊 . 日本海洋学会大会講演要旨集, 1995: 135-136. S45291
- 柿野 純(1982). 青潮によるアサリへい死原因について 貧酸素水および硫化物の影響 . 千葉県水産試験場研究報告, (40): 1-6. S45302
- 角田 出(2002). 低酸素曝露がマコガレイの生理指標に及ぼす影響および当該指標による海域の貧酸素化把握 : 貧酸素マーカーとしてのエリスロポイエチン {in Japanese} . 日本海水学会誌 *Bulletin of the Society of Sea Water Science, Japan*, 56(6): 432-439. S45285
- 寒川 強・太田一之・鬼塚正光・富永 衛・近磯 晴(1987). 東京湾北部海域における無酸素水中の栄養塩濃度 . 公害, 22(6): 31-39. S45301
- 中川保祐(1992). 東京湾の青潮について 無酸素水塊形成および硫酸還元菌(SRB)との関係 . 千葉県水質保全研究所年報, 平成3年度: 57-70. S45359
- 中村由行(2010). 堆積物による酸素消費からみた内湾の貧酸素化 . 沿岸海洋研究, 48(1): 17-27. S45316
- 長谷川一幸・清野通康・横田端郎・秋本 泰・丸茂恵右・市川哲也・長谷川晃一・柳川竜一(2009). 現地観測と数値シミュレーション解析による大阪湾の湾奥部におけるDO分布特性の把握 . 海洋調査技術, 21(1): 1-12. S45256

- 藤原建紀(2010). 内湾の貧酸素化と青潮 . 沿岸海洋研究, 48(1): 3-15. S45315
- 藤原建紀・高橋鉄哉・笠井亮秀・山田佳昭・久野正博・木村琢磨・戸沢 実(2000). 内湾の中層貧酸素水塊 . 日本海洋学会大会講演要旨集, 2000: 115. S45286
- 藤原建紀・柳 哲雄(2010). シンポジウム「沿岸海域の貧酸素化」のまとめ . 沿岸海洋研究, 48(1): 1. S45314
- 風呂田利夫(2005). 東京湾における季節的酸素欠乏による底生生物群集の大量斃死ならびに種多様性の減少 (総特集 現在と過去の無(貧)酸素環境(上)比較研究の必要性) . 月刊海洋, 37(11): 791-796. S45282
- Brandt, S. B., Gerken, M., Hartman, K. J. & Demers, E.(2009). Effects of hypoxia on food consumption and growth of juvenile striped bass (*Morone saxatilis*). Journal of Experimental Marine Biology and Ecology, 381(Supplement 1): 143-149. S44858
- Pierson, J. J., Roman, M. R., Kimmel, D. G., Boicourt, W. C. & Zhang, X.(2009). Quantifying changes in the vertical distribution of mesozooplankton in response to hypoxic bottom waters. Journal of Experimental Marine Biology and Ecology, 381(Supplement 1): 74-79. S44855
- Pulidoa, C. & Borum, J.(2010). Eelgrass (*Zostera marina*) tolerance to anoxia. Journal of Experimental Marine Biology and Ecology, 385(1-2): 8-13. S45330
- Rakocinski, C. F.(2009). Linking allometric macrobenthic processes to hypoxia using the Peters mass balance model. Journal of Experimental Marine Biology and Ecology, 381(Supplement 1): 13-20. S44853
- Seitz, R. D., Dauer, D. M., Llanso, R. J. & Long, W. C.(2009). Broad-scale effects of hypoxia on benthic community structure in Chesapeake Bay, USA. Journal of Experimental Marine Biology and Ecology, 381(Supplement 1): 4-12. S44852
- Switzer, T. S., Chesney, E. J. & Baltz, D. M.(2009). Habitat selection by flatfishes in the northern Gulf of Mexico: Implications for susceptibility to hypoxia. Journal of Experimental Marine Biology and Ecology, 381(Supplement 1): 51-64. S44854
- Takeda, S., Nimura, Y. & Hirano, R.(1991). Optical, biological, and chemical properties of Aoshio, hypoxic milky blue-green water, observed at the head of Tokyo Bay. . Journal of the Oceanographical Society of Japan / 日本海洋学会誌, 47(4): 126-137. S45361
- Zhang, H., Ludsin, S. A., Mason, D. M., Adamack, A. T., Brandt, S. B., Zhang, X., Kimmel, D. G., Roman, M. R. & Boicourt, W. C.(2009). Hypoxia-driven changes in the behavior and spatial distribution of pelagic fish and mesozooplankton in the northern Gulf of Mexico. Journal of Experimental Marine Biology and Ecology, 381(Supplement 1): 80-91. S44856

海洋環境・環境保全

相崎守弘・田中秀之・北村 博(1990). 特集 内湾の環境保全 東京湾における無酸素水

- 塊の形成と青潮 . 用水と廃水, 32(1): 41-45. S45362
- 有路隆一・田中陽二・諸星一信・松坂省一・鈴木高二朗(2008). 横浜川崎地区京浜運河における水質の現状調査 . 海洋開発論文集, 24: 627-632. S45271
- 市岡志保・佐々木淳・吉本侑矢・松坂省一・有路隆一・諸星一信(2008). 東京湾奥部の浚渫窪地における硫化物量の簡易推定手法の提案 . 海洋開発論文集, 24: 669-674. S45340
- 小川大介・村上和男・大宮将司・片倉徳男(2008). 内湾域における底泥の栄養塩溶出および酸素消費に関する現地調査と室内実験 . 海洋開発論文集, 24: 663-668. S45270
- 小倉久子(1995). 東京湾の青潮発生状況 . 千葉県水質保全研究所年報, 1995: 85-88. S45289
- 小倉久子・飯村 晃(1997). 東京湾底層水の酸化還元環境について . 日本海洋学会大会講演要旨集, 1997: 112. S45288
- 風間真理(2006). 解説 底生生物を主とした水生生物からみた東京都内湾の水環境評価 . 用水と廃水, 48(9): 741-746. S45279
- 片岡真二・小松 明・布施裕幸(1988). 東京湾の青潮 . 埋立としゅんせつ, 88(143): 12-19. S45299
- 岸田弘之・藤田光一・望月貴文・小路剛志・久保田一・小島富士夫・神岡誠司(2010). 陸域を含む広域的な視点からの海域環境再生方策の検討 -三河湾における貧酸素水塊発生に関わる物質循環の感度分析から- . 水産工学, 46(3): 211-215. S45537
- 北原宏一・和田 明・川永充人・福岡一平・高野泰隆(2008). 東京湾奥での貧酸素水塊の湧昇現象の解析 . 海洋調査技術, 20(2): 1-22. S45269
- 北原宏一・和田 明・上原義和・福岡一平・川永充人・高野泰隆(2003). 発電所取放水を考慮した東京湾の流動・水質について . 海洋調査技術, 15(2): 1-15. S45407
- 楠井隆史(2005). バイオアッセイと海洋環境管理 . 環境科学会誌, 18(2): 169-177. S45474
- 熊谷博史・田中義人・白川ゆかり・松尾 宏・金並和重(2010). 有明海北東部流入河川の溶存態ケイ素濃度の予測 . 水環境学会誌, 33(3): 17-23. S45502
- 佐々木淳(1997). 東京湾湾奥水塊の湧昇現象と青潮への影響 . 海岸工学論文集, 44: 1101-1105. S45227
- 左山幹雄(2004). 東京湾湾奥部堆積物表層における O_2 と S_2 -の動態 -in situ profiler 及び in situ flux chamber による解析- . 日本海洋学会大会講演要旨集, 2004: 196. S45284
- 清水潤子・山尾 理(2007). 伊勢湾の貧酸素化と再生 東京湾奥部における連続観測より得られた貧酸素水塊の現状について . 月刊海洋, 39(1): 29-34. S45276
- 清水潤子・山尾 理(2006). 東京湾奥部における連続観測より得られた貧酸素水塊の現状について . 日本海洋学会大会講演要旨集, 2006 特殊号 秋季: 276. S45278
- 鈴木 亨・松山優治・須藤英雄・浜谷雅信(1992). 東京湾の風による湧昇に関する研究 .

- 日本海洋学会大会講演要旨集, 1992 Autumn: 178-179. S45294
- 田島良博(2010). 東京湾生物相モニタリング調査-1 底生生物相の経年変動 神奈川県水産技術センター研究報告, (4): 21-30. S45499
- 田中淳也(2010). 陸奥湾の水温予測は可能か? . 青森県水産研究情報 水と漁, (3): 1-2. S45484
- 田中陽二・有路隆一・諸星一信・鈴木信昭・松坂省一・鈴木高二朗(2008). 東京湾における底層水塊の流動と千葉浚渫窪地に与える影響 . 海岸工学論文集, 55(2): 1031-1035. S45268
- 塚田光博・三村信男・鈴木雅晴(1997). 東京湾における貧酸素水塊の形成・停滞・消滅過程のシミュレーション . 海岸工学論文集, 44(2): 1086-1090. S45287
- 富永 衛(1991). 青潮発生海域の底質環境 -東京湾北部海域を中心として-. 産業公害, 27(12): 906-913. S45360
- 富永 衛・木村 明・寒川 強・太田一之・鬼塚正光・松尾 信(1994). 総説 閉鎖性海域の富栄養化と青潮 -東京湾の低水温化傾向-. 資源と環境, 3(3): 153-162. S45293
- 中嶋昌紀・藤原建紀(2006). 河口循環流と貧酸素水塊 . 日本海洋学会大会講演要旨集, 2006 特殊号 春季 : 372. S45280
- 中辻啓二・尹 鐘星・湯浅泰三・村岡浩爾(1995). 東京湾における吹送密度流と青潮発生機構との関連性 . 海岸工学論文集, 42: 1066-1070. S45226
- 中西雅幸・杉山元彦・西岡 純・田中俊次(1979). 阿蘇海における無酸素層と硫化水素の周年変化について . 京都府立海洋センター研究報告, (3): 103-110. S45303
- 中村由行(2010). 全国の浚渫窪地の現況と三河湾における埋め戻し修復 . 水産工学, 46(3): 229-233. S45539
- 中山恵介・中尾隆志・Sivapalan, M.・武村圭史朗・佐藤千鶴・古川恵太(2008). 東京湾の湾奥底層DO濃度に対する強風イベントの統計的解析 . 水工学論文集, 52: 193-198. S45272
- 中山恵介・佐藤千鶴・古川恵太(2007). 東京湾奥における底層DOに対する風および河川流入の影響評価 . 海洋開発論文集, 23: 633-638. S45275
- 橋口晴穂・今尾和正・金子健司・宮向智興・石田基雄・鈴木輝明(2010). 浚渫窪地の埋め戻しに伴うマクロベントス群集の予測手法と修復効果の経済評価 . 水産工学, 46(3): 241-246. S45540
- 濱田建一郎・上田直子・山田真知子・多田邦尚・門谷 茂(2010). 栄養塩濃度が大幅に減少した洞海湾の貧酸素水塊と低次生産過程について . 沿岸海洋研究, 48(1): 29-36. S45317
- 平井正直・富永 衛・木村 明・太田一之・寒川 強・松尾 信(1990). 臨海工場地先の停滞海域における貧酸素水塊構造の解明に関する研究 . 環境保全研究成果集, 1: 1-11. S45295

- 平井正直・富永 衛・木村 明・太田一之・寒川 強・松尾 信(1991). 臨海工場地先の停滞海域における貧酸素水塊構造の解明に関する研究 (環境庁企画調整局 S) . 海洋・湖沼の汚染防止に関する総合研究 平成 2 年度, : 1-11. S45296
- 松尾 信・太田一之・木村 明・富永 衛・寒川 強・鬼塚正光(1991). 東京湾無酸素水塊域の底質環境 -硫酸還元活性の季節変動- . 日本海洋学会大会講演要旨集, 1991 Spring: 131. S45297
- 松尾 信・太田一之・木村 明・富永 衛・寒川 強・鬼塚正光(1989). 東京湾青潮発生海域における底質環境 . 公害, 24(3): 147-158. S45363
- 三谷琢司・吉永 剛・沼田洋一・三浦正治(2009). 小型熱赤外線センサと航空レーザスキャナによる環境調査 . 写真測量とリモートセンシング, 48(4): 222-223. S45257
- 山口県水産研究センター(2010). 山口県日本海域における水温の長期変動について . 水産研究センターだより (山口県水産研究センター), (3): 4-5. S45347
- 山尾 理(2006). 東京湾の冬季貧酸素水塊とその発生要因 . 日本海洋学会大会講演要旨集, 2006 特殊号 春季 : 205. S45281
- 山尾 理・茂木由夫(2004). 秋季の東京湾奥部における貧酸素水塊の時間変動 . 日本海洋学会大会講演要旨集, 2004 特殊号 春季 : 197. S45283
- 吉松定昭(2010). 香川大学連携融合事業 3 魚類養殖漁場の環境改善技術の検討 . 香川県水産試験場事業報告, 平成 20 年度: 48. S45594
- 渡辺正孝・木幡邦男(1995). 内湾の環境保全 赤潮の発生機構と青潮の生成環境 . 環境科学会誌, 8(4): 449-460. S45290
- Andersen, J. H. & Conley, D. J.(2009). Eutrophication in coastal marine ecosystems: towards better understanding and management strategies. *Hydrobiologia*, 629(1): 1-4. S44893
- Chance, R., Weston, K., Baker, A. R., Hughes, C., Malin, G., Carpenter, L., Meredith, M. P., Clarke, A., Jickells, T. D., Mann, P. & Rossetti, H.(2010). Seasonal and interannual variation of dissolved iodine speciation at a coastal Antarctic site. *Marine Chemistry*, 118(3-4): 171-181. S45056
- Gonzalez, F. I., Geist, E. L., Jaffe, B., Kanoglu, U., Mofjeld, H., Synolakis, C. E., Titov, V. V., Arcas, D., Bellomo, D., Carlton, D., Horning, T., Johnson, J., Newman, J., Parsons, T., Peters, R., Peterson, C., Priest, G., Venturato, A., Weber, J., Wong, F. & Yalciner, A.(2009). Probabilistic tsunami hazard assessment at Seaside, Oregon, for near- and far-field seismic sources. *Journal of Geophysical Research*, 114(C11): C11023 S45603
- Hildebrand, J. A.(2009). Anthropogenic and natural sources of ambient noise in the ocean. *Marine Ecology Progress Series*, 395: 5-20. S45458
- Kelly, T. A., West, T. E. & Davenport, J. K.(2009). Challenges and solutions of remote sensing at offshore wind energy developments. *Marine Pollution Bulletin*, 58(11): 1599-1604. S45543
- Kitayama, S., Kuma, K., Manabe, E., Sugie, K., Takata, H., Isoda, Y., Toya, K., Saitoh, S.,

- Takagi, S., Kamei, Y. & Sakaoka, K.(2009). Controls on iron distributions in the deep water column of the North Pacific Ocean: Iron(III) hydroxide solubility and marine humic-type dissolved organic matter. *Journal of Geophysical Research*, 114(C8): C08019 (1-13.) S44865
- Krause, J. W., Nelson, D. M. & Lomas, M. W.(2010). Production, dissolution, accumulation, and potential export of biogenic silica in a Sargasso Sea mode-water eddy. *Limnology and Oceanography*, 55(2): 569-579. S45060
- Kunihiro, T., Miyazaki, T., Uramoto, Y., Kinoshita, K., Inoue, A., Tamaki, S., Hama, D., Tsutsumi, H., Ohwada, K.(2008). The succession of microbial community in the organic rich fish-farm sediment during bioremediation by introducing artificially mass-cultured colonies of a small polychaete, *Capitella* sp. I. *Marine Pollution Bulletin*, 57(1-5): 68-77. S45563
- Lan Smith, S., Yamanaka, Y., Pahlow, M. & Oschlies, A.(2009). Optimal uptake kinetics: physiological acclimation explains the pattern of nitrate uptake by phytoplankton in the ocean. *Marine Ecology Progress Series*, 384: 1-12. S44895
- Liu, D., Keesing, J. K., Dong, Z., Zhen, Y., Di, B., Shi, Y., Fearn, P. & Shi, P.(2010). Recurrence of the world's largest green-tide in 2009 in Yellow Sea, China: *Porphyra yezoensis* aquaculture rafts confirmed as nursery for macroalgal blooms. *Marine Pollution Bulletin*, 60(9): 1423-1432. S45431
- Lotze, H. K., Lenihan, H. S., Bourque, B. J., Bradbury, R. H., Cooke, R. G., Kay, M. C., Kidwell, S. M., Kirby, M., Peterson, C. H. & Jackson, J. B. C.(2006). Depletion, degradation, and recovery potential of estuaries and coastal seas. *Science*, 312(5781): 1806-1809. S45310
- Martinez, E., Maamaatuaiahutapu, K. & Taillandier, V.(2009). Floating marine debris surface drift: Convergence and accumulation toward the South Pacific subtropical gyre. *Marine Pollution Bulletin*, 58(9): 1347-1355. S45553
- Middag, R., de Baar, H. J. W., Laan, P. & Bakker, K.(2009). Dissolved aluminium and the silicon cycle in the Arctic Ocean. *Marine Chemistry*, 115(3-4): 176-195. S44874
- Nishikawa, T., Hori, Y., Nagai, S., Miyahara, K., Nakamura, Y., Harada, K., Tanda, M., Manabe, T. & Tada, K.(2010). Nutrient and phytoplankton dynamics in Harima-Nada, Eastern Seto Inland Sea, Japan during a 35-year period from 1973 to 2007. *Estuaries and Coasts*, 33(2): 417-427. S45048
- Ono, A., Tada, K. & Ichimi, K.(2008). Chemical composition of *Coscinodiscus wailesii* and the implication for nutrient ratios in a coastal water, Seto Inland Sea, Japan. *Marine Pollution Bulletin*, 57(1-5): 94-102. S45566
- Shimizu, T., Nakai, J., Nakajima, K., Kozai, N., Takahashi, G., Matsumoto, M. & Kikui, J.(2008). Seasonal variations in coastal debris on Awaji Island, Japan. *Marine Pollution*

- Bulletin, 57(1-5): 182-186. S45571
- Smale, D. A. & Wernberg, T.(2009). Satellite-derived SST data as a proxy for water temperature in nearshore benthic ecology. *Marine Ecology Progress Series*, 387: 27-37. S44927
- TasI, S., Yilmaz, N. & Okus, E.(2009). Phytoplankton as an indicator of improving water quality in the Golden Horn Estuary. *Estuaries and Coasts*, 32(6): 1205-1224. S44861
- Torres, R. & Ampuero, P.(2009). Strong CO₂ outgassing from high nutrient low chlorophyll coastal waters off central Chile (30°S): The role of dissolved iron. *Estuarine Coastal and Shelf Science*, 83(2): 126-132. S44898
- Wada, M., Zhang, D., Do, H.-K., Nishimura, M., Tsutsumi, H. & Kogure, K.(2008). Co-inoculation of *Capitella* sp. I with its synergistic bacteria enhances degradation of organic matter in organically enriched sediment below fish farms. *Marine Pollution Bulletin*, 57(1-5): 86-93. S45565
- Willey, J. D., Kieber, R. J., Seaton, P. J. & Miller, C.(2008). Rainwater as a source of Fe(II)-stabilizing ligands to seawater. *Limnology and Oceanography*, 53(4): 1678-1684. S45574
- Wong, G. T. F. & Li, K.-Y.(2009). Winkler's method overestimates dissolved oxygen in seawater: Iodate interference and its oceanographic implications. *Marine Chemistry*, 115(1-2): 86-91. S44868
- Wright, D. A., Gensemer, R. W., Mitchelmore, C. L., Stubblefield, W. A., Genderen, E. v., Dawson, R., Orano-Dawson, C. E., Berr, J. S., Mueller, R. A. & Cooper, W. J.(2010). Shipboard trials of an ozone-based ballast water treatment system. *Marine Pollution Bulletin*, 60(9): 1571-1583. S45432
- Yoon, J. S., Nakatsuji, K. & Muraoka, K.(1994). Study of Upwelling Phenomena of Anoxic Water 'A-oshio' . . *Coastal Engineering*, 1994(2): 3447-3461. S45292

海洋汚染

- 川合真一郎(2005). ネットプランクトンおよび海産哺乳類による水域の汚染評価 . 環境科学会誌, 18(2): 137-144. S45471
- 小林直正(2005). ウニを用いた海水汚染のバイオアッセイ . 環境科学会誌, 18(2): 155-167. S45473
- 丸山俊朗・三浦昭雄・吉田多摩夫(1987). 養殖ノリの生育に及ぼす塩素殺菌都市下水処理水の影響 . 日本水産学会誌, 53(3): 465-472. S45408
- Batley, G. E. & Simpson, S. L.(2009). Development of guidelines for ammonia in estuarine and marine water systems. Marine Pollution Bulletin, 58(10): 1472-1476. S45548
- Do Sul, J. A. I., Spengler, a. & Costa, M. F.(2009). Here, there and everywhere. Small plastic fragments and pellets on beaches of Fernando de Noronha (Equatorial Western Atlantic). Marine Pollution Bulletin, 58(8): 1236-1238. S45559
- Fongsatitkul, P., Elefsiniotis, P., Khuhasawan, N. & Jindal, R.(2009). Use of power plant ash to remove and solidify heavy metals from a metal-finishing wastewater. Water, Air, & Soil Pollution (Water, Air, and Soil Pollution), 203(1-4): 147-154. S45008
- Jena, K. B., Verlecar, X. N. & Chainy, G. B. N.(2009). Application of oxidative stress indices in natural populations of *Perna viridis* as biomarker of environmental pollution. Marine Pollution Bulletin, 58(1): 107-113. S45026
- Jung, J. H., Addison, R. F., Yim, U. H., Hong, S. H., Ha, S. & Shim, W. J.(2009). Biomarkers in marbled flounder (*Pleuronectes yokohamae*) from contaminated and reference sites in South Korea. Marine Pollution Bulletin, 58(11): 1754-1759. S45610
- Mearns, A. J., Reish, D. J., Oshida, P. S., Buchman, M., Ginn, T. & Donnelly, R.(2009). Effects of pollution on marine organisms. Water Environment Research, 80(10): 2070-2125. S45003
- Mearns, A. J., Reish, D. J., Oshida, P. S. & Ginn, T.(2010). Effects of pollution on marine organisms. Water Environment Research, 2010 Literature Review: 2001-2046. S45588
- Morton, B.(2009). Recovery from imposex by a population of the dogwhelk, *Nucella lapillus* (Gastropoda: Caenogastropoda), on the southeastern coast of England since may 2004: A 52-month study. Marine Pollution Bulletin, 58(10): 1530-1538. S45544
- Olson, K. R., Healy, M. J., Qin, Z., Skovgaard, N., Vulesevic, B., Duff, D. W., Whitfield, N. n. L., Yang, G., Wang, R. & Perry, S. F.(2006). Life on the edge: hydrogen sulfide and the fish communities of a Mexican cave and surrounding waters. Extremophiles, 10(6): 577-585. S45266
- Pastorinho, M., Telfer, T. C. & Soares, A. M. V. M.(2009). Amphipod intersex, metals and latitude: A perspective. Marine Pollution Bulletin, 58(6): 812-817. S45095

- Sakurai, T., Kobayashi, J., Imaizumi, Y. & Suzuki, N.(2009). Non-food-chain transfer of sediment-associated persistent organic pollutants to a marine benthic fish. *Marine Pollution Bulletin*, 58(7): 1072-1077. S45562
- Slater, M. J. & Carton, A. G.(2009). Effect of sea cucumber (*Australostichopus mollis*) grazing on coastal sediments impacted by mussel farm deposition. *Marine Pollution Bulletin*, 58(8): 1123-1129. S45555
- Takahashi, Sh., Oshihoi, T., Ramu, K., Isobe, T., Ohmori, K., Kubodera, T. & Tanabe, S.(2010). Organohalogen compounds in deep-sea fishes from the western North Pacific, off-Tohoku, Japan: Contamination status and bioaccumulation profiles. *Marine Pollution Bulletin*, 60(2): 187-196. S45504
- Wada, A. & Hasegawa, K.(2010). Effect of reducing effluent loads in Tokyo Bay on the improvement of water quality. *Asian Journal of Environment and Disaster Management*, 2(2): 1-16. S45248
- Won, J. H., Hong, S. H., Shim, W. J., Yim, U. H. & Kim, G. B.(2009). Persistent organochlorine pollutants in Korean offshore waters: Squid (*Todarodes pacificus*) as a biomonitor. *Marine Pollution Bulletin*, 58(8): 1238-1244. S45560
- Yasuda, Y. & Mori, K.(2010). Mercury deposit distribution in Minamata Bay. *Coastal Marine Science*, 34(1): 223-229. S45438
- Ying, L., Xiyao, L., Dongxing, Y., Zhebin, G. & Zhen, Z.(2010). Mercury species in seawater and sediment of Xiamen western sea area adjacent to a coal-fired power plant. *Water Environment Research*, 82(4): 335-341. S45212

魚類生理

- 青江 弘(1968). 総説 魚類の栄養性疾患 . *魚病研究*, 2(2): 159-181. S44973
- Fukuda, H., Torisawa, S., Sawada, Y. & Takagi, T.(2010). Developmental changes in behavioral and retinomotor responses of Pacific bluefin tuna on exposure to sudden changes in illumination. *Aquaculture*, 305(1-4): 73-78. S45322
- Afonso, L. O. B., Iwama, G. K., Smith, J. & Donaldson, E. M.(1999). Effects of the aromatase inhibitor Fadrozole on plasma sex steroid secretion and oocyte maturation in female Coho salmon (*Oncorhynchus kisutch*) during vitellogenesis. *Fish Physiology and Biochemistry*, 20(3): 231-241. S44946
- Berntssen, M. H. G., Lundebye, A.-K. & Hamre, K.(2000). Tissue lipid peroxidative responses in Atlantic salmon (*Salmo salar* L.) parr fed high levels of dietary copper and cadmium. *Fish Physiology and Biochemistry*, 23(1): 35-48. S44960
- Bjerkeng, B., Johnsen, K., Mayer, I., Storebakken, T. & Nilssen, K. J.(1999). Influence of

- 11-ketotestosterone, 17 β -estradiol, and 3,5,3'-triiodo-L-thyronine on distribution and metabolism of carotenoids in Arctic charr, *Salvelinus alpinus* L. *Fish Physiology and Biochemistry*, 21(4): 353-365. S44954
- Bon, E., Breton, B., Govoroun, M. S. & Le Menn, F.(1999). Effects of accelerated photoperiod regimes on the reproductive cycle of the female rainbow trout: II Seasonal variations of plasma gonadotropins (GTH I and GTH II) levels correlated with ovarian follicle growth and egg size. *Fish Physiology and Biochemistry*, 20(2): 143-154. S44945
- Brill, R. W. & Bushnell, P. G.(2006). Effects of open- and closed-system temperature changes on blood O₂-binding characteristics of Atlantic bluefin tuna (*Thunnus thynnus*). *Fish Physiology and Biochemistry*, 32(4): 283-294. S41944
- Grim, J. M., Miles, D. R. B. & Crockett, E. L.(2010). Temperature acclimation alters oxidative capacities and composition of membrane lipids without influencing activities of enzymatic antioxidants or susceptibility to lipid peroxidation in fish muscle. *Journal of Experimental Biology*, 213(3): 445-452. S45089
- Gutierrez, M. F., Paggi, J. C. & Gagneten, A. M.(2010). Fish kairomones alter life cycle and growth of a calanoid copepod. *Journal of Plankton Research*, 32(1): 47-55. S44966
- Halm, S., Rand-Weaver, M., Sumpter, J. P. & Tyler, C. R.(2001). Cloning and molecular characterization of an ovarian-derived (brain-like) P450 aromatase cDNA and development of a competitive RT-PCR assay to quantify its expression in the fathead minnow (*Pimephales promelas*). *Fish Physiology and Biochemistry*, 24(1): 49-62. S44965
- Heppell, S. A. & Sullivan, C. V.(1999). Gag (*Mycteroperca microlepis*) vitellogenin: Purification, characterization and use for enzyme-linked immunosorbent assay (ELISA) of female maturity in three species of grouper. *Fish Physiology and Biochemistry*, 20(4): 361-374. S44949
- Imsland, A. K., Foss, A., Stefansson, S. O. & Naevdal, G.(2000). Hemoglobin genotypes of turbot (*Scophthalmus maximus*): Consequences for growth and variations in optimal temperature for growth. *Fish Physiology and Biochemistry*, 23(1): 75-81. S44962
- Kagawa, N., Ryo, K. & Mugiya, Y.(1999). Enhanced expression of stress protein 70 in the brains of goldfish, *Carassius auratus*, reared with bluegills, *Lepomis macrochirus*. *Fish Physiology and Biochemistry*, 21(2): 103-110. S44951
- Kokokiris, L., Mourot, B., Le Menn, F., Kentouri, M. & Fostier, A.(2000). Endocrine changes during the annual reproductive cycle of the red porgy, *Pagrus pagrus* (Teleostei, Sparidae). *Fish Physiology and Biochemistry*, 23(1): 1-11. S44958
- Kulczykowska, E.(1999). Diel changes in plasma arginine vasotocin, isotocin, and melatonin in rainbow trout (*Oncorhynchus mykiss*). *Fish Physiology and Biochemistry*, 21(2): 141-146. S44952
- Macdonald, J. I. & Crook, D. A.(2010). Variability in Sr:Ca and Ba:Ca ratios in water and fish

- otoliths across an estuarine salinity gradient. *Marine Ecology Progress Series*, 413: 147-161. S45414
- Maestro, M. A., Mendez, E., Planas, J. V. & Gutierrez, J.(1999). Dynamics of insulin and insulin-like growth factor-I (IGF-I) ovarian receptors during maturation in the brown trout (*Salmo trutta*). *Fish Physiology and Biochemistry*, 20(4): 341-349. S44948
- Mancera, J. M. & McCormick, S. D.(1999). Influence of cortisol, growth hormone, insulin-like growth factor I and 3,3',5-triiodo-L-thyronine on hypoosmoregulatory ability in the euryhaline teleost *Fundulus heteroclitus*. *Fish Physiology and Biochemistry*, 21(1): 25-33. S44950
- Maxime, V., Pichavant, K., Boeuf, G. & Nonnotte, G.(2000). Effects of hypoxia on respiratory physiology of turbot, *Scophthalmus maximus*. *Fish Physiology and Biochemistry*, 22(1): 51-59. S44956
- Nikinmaa, M., Bogdanova, A. & Virkki, L. V.(1999). Intracellular pH regulation of rainbow trout and carp thrombocytes. *Fish Physiology and Biochemistry*, 21(3): 269-275. S44953
- Otto, D. M. E., Sen, C. K., Hidirolou, N., Madere, R. & Moon, T. W.(1997). Role of exogenous glutathione in teleost fish and its effects on antioxidant defense responses in rainbow trout exposed to 3,3',4,4'-tetrachlorobiphenyl. *Fish Physiology and Biochemistry*, 16(6): 449-457. S44939
- Papoutsoglou, S. E., Karakatsouli, N., Papoutsoglou, E. S. & Vasilikos, G.(2010). Common carp (*Cyprinus carpio*) response to two pieces of music (“Eine Kleine Nachtmusik” and “Romanza”) combined with light intensity, using recirculating water system. *Fish Physiology and Biochemistry*, 36(3): 539-554. S45370
- Pérez-Lopez, M., Anglade, P., Bec-Ferte, M. P., Debrauwer, L., Perdu, E., Cravedi, J. P. & Rouimi, P.(2000). Characterization of hepatic and extrahepatic glutathione S-transferases in rainbow trout (*Oncorhynchus mykiss*) and their induction by 3,3',4,4'-tetrachlorobiphenyl. *Fish Physiology and Biochemistry*, 22(1): 21-32. S44955
- Rodriguez, L., Begtashi, I., Zanuy, S. & Carrillo, M.(2000). Development and validation of an enzyme immunoassay for testosterone: Effects of photoperiod on plasma testosterone levels and gonadal development in male sea bass (*Dicentrarchus labrax*, L.) at puberty. *Fish Physiology and Biochemistry*, 23(2): 141-150. S44963
- Rotllant, J., Arends, R. J., Mancera, J. M., Flik, G., Bonga, S. E. W. & Tort, L.(2000). Inhibition of HPI axis response to stress in gilthead sea bream (*Sparus aurata*) with physiological plasma levels of cortisol. *Fish Physiology and Biochemistry*, 23(1): 13-22. S44959
- Sakamoto, K., Miyazaki, A. & Taniguchi, N.(2010). Thermal tolerance traits of redbfin velvetfish *Paracentropogon rubripinnis* evaluated using their caudal fin cells. *Aquaculture*, 308(Supplement 1): S124-S127. S45368
- Saroglia, M., Cecchini, S., Terova, G., Caputo, A. & De Stradis, A.(2000). Influence of environmental temperature and water oxygen concentration on gas diffusion distance in sea

- bass (*Dicentrarchus labrax*, L.). *Fish Physiology and Biochemistry*, 23(1): 55-58. S44961
- Specker, J. L., Sundell, K., Chandlee, M. & Soffientino, B.(2000). Flounder with partial intestine osmoregulate in seawater. *Fish Physiology and Biochemistry*, 23(2): 159-164. S44964
- Sun, L.-T. & Jeng, S. -S.(1999). Accumulation of zinc from diet and its release in common carp. *Fish Physiology and Biochemistry*, 20(4): 313-324. S44947
- Tian, X.-L., Wang, G.-D., Dong, S.-L. & Fang, J.-H.(2010). Effects of salinity and temperature on growth, osmophysiology and energy budget of tongue sole (*Cynoglossus semilaevis* Gunther). *Journal of Fish Sciences of China*, 17(4): 771-782. S45320
- Tipsmark, C. K., Sorensen, K. J. & Madsen, S. S.(2010). Aquaporin expression dynamics in osmoregulatory tissues of Atlantic salmon during smoltification and seawater acclimation. *Journal of Experimental Biology*, 213(3): 368-379. S45088
- Vermeirssen, E. L. M., Shields, R. J., de Quero, C. M. & Scott, A. P.(2000).
Gonadotrophin-releasing hormone agonist raises plasma concentrations of progestogens and enhances milt fluidity in male Atlantic halibut (*Hippoglossus hippoglossus*). *Fish Physiology and Biochemistry*, 22(1): 77-87. S44957
- Wright, K. J., Higgs, D. M., Belanger, A. J. & Leis, J. M.(2008). Auditory and olfactory abilities of larvae of the Indo-Pacific coral trout *Plectropomus leopardus* (Lacepede) at settlement. *Journal of Fish Biology*, 72(10): 2543-2556. S45039

海洋環境放射能

- 石山央存・小林 正・笠原 貢(2009). 柏崎を含む新潟県沿岸周辺の魚介類の ^{137}Cs 濃度 . 新潟県放射線監視センター年報, 7: 33-39. S45092
- Baeza, A., García, E., Paniagua, J. M., Rodríguez, A.(2009). Study of the comparative dynamics of the incorporation of tissue free-water tritium (TFWT) in bulrushes (*Typha latifolia*) and carp (*Cyprinus carpio*) in the Almaraz nuclear power plant cooling reservoir. Journal of Environmental Radioactivity, 100(3): 209-214. S45010
- Hirose, K., Amano, H., Baxter, M. S., Chaykovskaya, E., Chumichev, V. B., Hong, G. H., Isogai, K., Kim, C. K., Kim, S. H., Miyao, T., Morimoto, T., Nikitin, A., Oda, K., Pettersson, H. B. L., Povinec, P. P., Seto, Y., Tkalind, A., Togawa, O. & Veletova, N. K.(1999). Anthropogenic radionuclides in seawater in the East Sea/Japan Sea: Results of the first-stage Japanese–Korean–Russian expedition. Journal of Environmental Radioactivity, 43(1): 1-13. S45396
- Hirose, K. & Aoyama, M.(2003). Analysis of ^{137}Cs and $^{239,240}\text{Pu}$ concentrations in surface waters of the Pacific Ocean. Deep-Sea Research. Part 2. Topical Studies in Oceanography, 50: 2675-2700. S45043
- Hirose, K., Aoyama, M. & Povinec, P. P. (2003). Concentration of particulate plutonium in surface and deep-water samples collected during the IAEA'97 expedition. Deep-Sea Research. Part 2. Topical Studies in Oceanography, 50: 2639-2647. S45042
- Hirose, K., Sugimura, Y. & Aoyama, M.(1992). Plutonium and ^{137}Cs in the western North Pacific: Estimation of residence time of plutonium in surface waters. International Journal of Radiation Applications and Instrumentation. Part A. Applied Radiation and Isotopes, 43(1-2): 349-359. S45397
- Johnson, O.(2009). Radioactive waste management. Water Environment Research, 81(10): 1836-1844. S45004
- Kawamura, H., Ito, T., Kobayashi, T., Otosaka, S., Hirose, N. & Togawa, O.(2010). Numerical experiment for strontium-90 and cesium-137 in the Japan Sea. Journal of Oceanography, 66(5): 649-662. S45429
- Lee, S.-H., Gastaud, J., Povinec, P. P., Hong, G.-H., Kim, S.-H., Chung, C.-S., Lee, K.-W. & Pettersson, H. B. L.(2003). Distribution of plutonium and americium in the marginal seas of the northwest Pacific Ocean. Deep-Sea Research. Part 2. Topical Studies in Oceanography, 50: 2727-2750. S45044
- Miyao, T., Hirose, K., Aoyama, M. & Igarashi, Y.(1998). Temporal variation of ^{137}Cs and $^{239,240}\text{Pu}$ in the sea of Japan. Journal of Environmental Radioactivity, 40(3): 239-250. S45395

- Mohamed, C. A. R. & Shafie, A.(2010). Natural thorium isotopes levels in marine sediments of coal-fired power plant. *Coastal Marine Science*, 34(1): 172-180. S45437
- Yamazaki, H., Yamamoto, S., Nishida, H., Bessyo, K., Kawashima, A. & Kobashi, K.(2010). Historical trend of ^{137}Cs released from Nagasaki atomic bomb recorded in sediment core of Nishiyama Reservoir at Nagasaki, Japan. *近畿大学理工学総合研究所研究報告*, (22): 23-26. S45483

化学物質・危害物質・環境汚染物質

- 吉川貴志・伊藤康男(2010). シオダマリミジンコ *Tigriopus japonicus* ノープリウス幼生に対する六価クロムの急性致死影響 . *CANCER*, 19: 11-14. S45305
- 佐竹研一(1973). ビニルテープによる硫化水素の分析 . *用水と廃水*, 15(2): 224-228. S45264
- 高井 雄・嶋田和夫(1971). 水中微量硫化水素の簡易分析法と装置 . *用水と廃水*, 13(9): 1147-1153. S45304
- 保田雅夫(1964). 各種残留塩素計の原理について -とくにガルバニ電極法を中心として- . *用水と廃水*, 6(5): 15-22. S45405
- 三木 理・加藤敏朗・楠井隆史(2010). 海洋性発光細菌および動物プランクトンを用いた製鋼スラグ溶出水のバイオアッセイ . *水環境学会誌*, 33(9): 141-146. S45346
- Akiyama, H., Goda, Y., Tanaka, T. & Toyoda, M.(2001). Determination of aflatoxins B1, B2, G1 and G2 in spices using a multifunctional column clean-up. *Journal of Chromatography A*, 932(1-2): 153-157. S45213
- Ankley, G. T., Bencic, D. C., Breen, M. S., Collette, T. W., Conolly, R. B., Denslow, N. D., Edwards, S. W., Ekman, D. R., Garcia-Reyero, N., Jensen, K. M., Lazorchak, J. M., Martinovic, D., Miller, D. H., Perkins, E. J., Orlando, E. F., Villeneuve, D. L., Wang, R.-L. & Watanabe, K. H.(2009). Endocrine disrupting chemicals in fish: Developing exposure indicators and predictive models of effects based on mechanism of action. *Aquatic Toxicology*, 92(3): 168-178. S44890
- Baawain, M. & Al-Abri, M.(2010). Power production waste. *Water Environment Research*, 2010 Literature Review: 1553-1559. S45587
- Bougearda, C. M. M., Goslana, E. H., Jeffersona, B. & Parsons, S. A.(2010). Comparison of the disinfection by-product formation potential of treated waters exposed to chlorine and monochloramine. *Water Res.*, 44(3): 729-740. S45051
- Cardoso, P. G., Lillebo, A. I., Pereira, E., Duarte, A. C. & Pardal, M. A.(2009). Different mercury bioaccumulation kinetics by two macrobenthic species: The bivalve *Scrobicularia plana* and the polychaete *Hediste diversicolor*. *Marine Environmental Research*, 68(1):

12-18. S44904

- Carson, R. T., Damon, M., Johnson, L. T. & Gonzalez, J. A.(2009). Conceptual issues in designing a policy to phase out metal-based antifouling paints on recreational boats in San Diego Bay. *Journal of Environmental Management*, 90(8): 2460-2468. S44968
- Connor, P. M.(1972). Acute toxicity of heavy metals to some marine larvae. *Marine Pollution Bulletin*, 3(12): 190-192. S45385
- Elnabarawy, M. T., Welter, A. N. & Robideau, R. R.(1986). Relative sensitivity of three daphnid species to selected organic and inorganic chemicals. *Environmental Toxicology and Chemistry*, 5(4): 393-398. S45416
- Fung, D. K. & Bewick, P. H.(1980). Short-term toxicity of aqueous hydrogen sulfide to representative fish species of lake Huron. *ASTM Special Technical Publication (American Society for Testing and Materials)*, (707): 377-396. S45263
- Gobas, F. A. P. C., Muir, D. C. G. & Mackay, D.(1988). Dynamics of dietary bioaccumulation and faecal elimination of hydrophobic organic chemicals in fish. *Chemosphere*, 17(5): 943-962. S45017
- Goto, D. & Wallace, W. G.(2009). Influences of prey- and predator-dependent processes on cadmium and methylmercury trophic transfer to mummichogs (*Fundulus heteroclitus*). *Canadian Journal of Fisheries and Aquatic Sciences*, 66(5): 836-846. S44912
- Hatlen, K., Sloan, C. A., Burrows, D. G., Collier, T. K., Scholz, N. L. & Incardona, J. P.(2010). Natural sunlight and residual fuel oils are an acutely lethal combination for fish embryos. *Aquatic Toxicology*, 99(1): 56-64. S45321
- Hilvarsson, A., Ohlauson, C., Blanck, H. & Granmo, a.(2009). Bioaccumulation of the new antifoulant medetomidine in marine organisms. *Marine Environmental Research*, 68(1): 12-18. S44905
- Ho, T.-Y., You, C.-., Chou, W.-C., Pai, S.-C., Wen, L.-S. & Sheu, D. D.(2009). Cadmium and phosphorus cycling in the water column of the South China Sea: The roles of biotic and abiotic particles. *Marine Chemistry*, 115(1-2): 125-133. S44869
- Hutchinson, T. H., Hutchings, M. J. & Moore, K. W.(1997). A review of the effects of bromate on aquatic organisms and toxicity of bromate to oyster (*Crassostrea gigas*) embryos. *Ecotoxicology and Environmental Safety*, 38(3): 238-243. S44979
- Kobayashi, J., Serizawa, S., Sakurai, T., Imaizumi, Y., Suzuki, N. & Horiguchi, T.(2010). Spatial distribution and partitioning of polychlorinated biphenyls in Tokyo Bay, Japan. *Journal of Environmental Monitoring*, 12: 838-845. S45049
- Le, Q. D., Shirai, K., Nguyen, D. C., Miyazaki, N. & Arai, T.(2009). Heavy metals in a tropical eel *Anguilla marmorata* from the central part of Vietnam. *Water, Air, & Soil Pollution (Water, Air, and Soil Pollution)*, 204: 69-78. S44882
- Luisa, G. DE C. M., Milagrosa, O. & Carmen, G.(2009). Toxicity of lindane

- (γ -hexachlorocyclohexane) in *Sparus aurata*, *Crassostrea angulata* and *Scrobicularia plana*. *Journal of Environmental Science and Health, Part B*, 44(2): 95-105. S45232
- Madsen, S. S., Mathiesen, A. B. & Korsgaard, B.(1997). Effects of 17 β -estradiol and 4-nonylphenol on smoltification and vitellogenesis in Atlantic salmon (*Salmo salar*). *Fish Physiology and Biochemistry*, 17(1-6): 303-312. S44940
- Matsuo, H., Kawano, M., Omori, K. & Nakajima, K.(2009). Stable isotope-guided analysis of congener-specific PCB concentrations in a Japanese coastal food web. *Marine Pollution Bulletin*, 58(11): 1615-1623. S45550
- Mizukawa, K., Takada, H., Takeuchi, I., Ikemoto, T., Omori, K. & Tsuchiya, K.(2009). Bioconcentration and biomagnification of polybrominated diphenyl ethers (PBDEs) through lower-trophic-level coastal marine food web. *Marine Pollution Bulletin*, 58(8): 1217-1224. S45558
- Mohammed, E. H., Wang, G. & Jiang, J.(2010). The effects of nickel on the reproductive ability of three different marine copepods. *Ecotoxicology*, 19(5): 911-916. S45365
- Naito, W., Jin, J., Kang, Y.-S., Yamamuro, M., Masunaga, S. & Nakanishi, J.(2003). Dynamics of PCDDs/DFs and coplanar-PCBs in an aquatic food chain of Tokyo Bay. *Chemosphere*, 53: 347-362. S44849
- Ng, T. Y.-T., Chuang, C.-Y., Stupakoff, I., Christy, A. E., Cheney, D. P. & Wang, W.-X.(2010). Cadmium accumulation and loss in the Pacific oyster *Crassostrea gigas* along the west coast of the USA. *Marine Ecology Progress Series*, 401: 147-160. S45503
- Ohji, M., Harino, H. & Arai, T.(2009). Variation in organotin accumulation in relation to the life history in the Japanese eel *Anguilla japonica*. *Estuarine Coastal and Shelf Science*, 84(1): 28-36. S44924
- Ohji, M., Harino, H. & Arai, T.(2010). Bioaccumulation of organotin in relation to the life history of the brown trout *Salmo trutta*. *Marine Ecology Progress Series*, 399: 285-293. S45240
- Plakas, S. M., Loveland, P. M., Bailey, G. S., Blazer, V. S. & Wilson, G. L.(1991). Tissue disposition and excretion of ¹⁴C-labelled aflatoxin B1 after oral administration in channel catfish. *Food and Chemical Toxicology*, 29(12): 805-808. S45234
- Rhee, J. S., Raisuddin, S., Lee, K. W., Seo, J. S., Ki, J. S., Kim, I. C., Park, H. G. & Lee, J. S.(2009). Heat shock protein (Hsp) gene responses of the intertidal copepod *Tigriopus japonicus* to environmental toxicants. *Comparative Biochemistry and Physiology, Part C*, 149(1): 104-112. S44978
- Robens, J. F. & Richard, J. L.(1992). Aflatoxins in animal and human health. *Reviews of Environmental Contamination and Toxicology*, 127: 69-94. S45005
- Robles-Vargas, D. & Snell, T. W.(2010). Effects of desiccation on the toxicant sensitivity of rotifers. *Hydrobiologia*, 652(1): 185-193. S45307

- Seubert, J. M. & Kennedy, C. J.(1997). The toxicokinetics of benzo[a]pyrene in juvenile coho salmon, *Oncorhynchus kisutch*, during smoltification. *Fish Physiology and Biochemistry*, 16(5): 437-447. S44938
- Smith, K. L. & Guentzel, J. L.(2010). Mercury concentrations and omega-3 fatty acids in fish and shrimp: Preferential consumption for maximum health benefits. *Marine Pollution Bulletin*, 60(9): 1615-1618. S45433
- Sun, Y.-X., Wu, Q.-Y., Hu, H.-Y. & Tian, J.(2009). Effect of bromide on the formation of disinfection by-products during wastewater chlorination. *Water Res.*, 43(9): 2391-2398. S45061
- Sun, Y.-X., Wu, Q.-Y., Hu, H.-Y. & Tian, J.(2010). Erratum to “Effect of bromide on the formation of disinfection by-products during wastewater chlorination” [*Water Research* 43 (2009) 9]. *Water Res.*, 44(3): 1024. S45052
- Sverdrup, L. E., Fürst, C. S., Weideborg, M., Vik, E. A. & Stenersen, J.(2002). Relative sensitivity of one freshwater and two marine acute toxicity tests as determined by testing 30 offshore E & P chemicals. *Chemosphere*, 46(2): 311-318. S44996
- Taleshi, M. S., Edmonds, J. S., Goessler, W., Ruiz-Chancho, M. J., Raber, G., Jensen, K. B. & Francesconi, K. A.(2010). Arsenic-containing lipids are natural constituents of sashimi tuna. *Environmental Science & Technology*, 44(4): 1478-1483. S45529
- Wang, M.-J. & Wang, W.-X.(2009). Cadmium in three marine phytoplankton: Accumulation, subcellular fate and thiol induction. *Aquatic Toxicology*, 95(2): 99-107. S44863
- Won, J. H., Hong, S. H., Shim, W. J., Yim, U. H. & Kim, G. B.(2010). Understanding the accumulation features of POPs in squid from the offshore waters of southeast Korea *Fisheries Science*, 76(2): 325-331, S45527

生物実験

- 安房田智司・武島弘彦・鶴田哲也・矢田 崇・井口恵一朗(2010). 短時間・長時間の濁りに対するアユのストレス応答 . *水産増殖*, 58(2): 425-427. S45535
- 磯野良介・伊藤康男・木下秀明・城戸勝利(1993). シロギス卵・稚魚の生残に及ぼす海水オゾン処理の影響 . *日本水産学会誌*, 59(9): 1527-1533. S45225
- 遠藤 光・山本圭吾・西垣友和・竹野功壘(2010). 攪拌培養条件下における褐藻ホンダワラの葉状部と気胞の形成に対する密度の影響 . *京都府農林水産技術センター海洋センター研究報告*, (32): 29-32. S45075
- 角埜 彰(2005). 海産魚を用いた毒性試験 . *環境科学会誌*, 18(2): 131-136. S45470
- 手塚信弘・荒井大介・小磯雅彦・友田 努・島 康洋・榮 健次(2010). マダラ受精卵の発生とふ化に及ぼす水温の影響 . *栽培漁業センター技法(水産総合研究センタ*

- ー), (11): 19-21. S45093
- 寺園勝二・越澤 治(1998). ダム貯水池におけるサクラマスの光誘導 (その2) . ダム技術, (138): 50-58. S44834
- 馬場俊典(2010). 山口県仙崎湾で採集された有毒渦鞭毛藻 *Gymnodinium catenatum* の天然シストの発芽に及ぼす水温・光強度の影響 日本プランクトン学会報, 57(2): 79-86. S45348
- 馬場将輔(2010). 室内培養によるアラメ配偶体と幼胞子体の生育に及ぼす温度と光量の影響 . 海洋生物環境研究所研究報告, (13): 75-82. S45251
- 馬場将輔(2010). 紅藻マクサの生育に及ぼす温度, 光量, 塩分の影響 . 海洋生物環境研究所研究報告, (13): 61-74. S45252
- 馬場将輔(2009). クロメの配偶体と幼胞子体の生育に及ぼす温度、光量、塩分の影響 . Algal Resources, 2: 11-19. S45253
- Baek, S. H., You, K., Katano, T. & Shin, K.(2010). Effects of temperature, salinity, and prey organisms on the growth of three Pfiesteria-like heterotrophic dinoflagellates. Plankton and Benthos Research, 5(1): 31-38. S45498
- Bang, H. W., Lee, W. & Kwak, I. S.(2009). Detecting points as developmental delay based on the life-history development and urosome deformity of the harpacticoid copepod, *Tigriopus japonicus sensu lato*, following exposure to benzo(a)pyrene. Chemosphere, 76(10): 1435-1439. S44918
- Carvalho, A. P., Monteiro, C. M. & Malcata, F. X.(2009). Simultaneous effect of irradiance and temperature on biochemical composition of the microalga *Pavlova lutheri*. Journal of Applied Phycology, 21(5): 543-552. S45311
- Clearwater, S. J. & Crim, L. W.(1998). Gonadotropin releasing hormone-analogue treatment increases sperm motility, seminal plasma pH and sperm production in yellowtail flounder *Pleuronectes ferrugineus*. Fish Physiology and Biochemistry, 19(4): 349-357. S44943
- Cross, E. E. & Rawding, R. S.(2009). Acute thermal tolerance in the round goby, *Apollonia melanostoma (Neogobius melanostomus)*. Journal of Thermal Biology, 34(2): 85-92. S45032
- De La Rocha, C. L., Terbruggen, A., Volker, C. & Hohn, S.(2010). Response and recovery from nitrogen and silicon starvation in *Thalassiosira weissflogii*: growth rates, nutrient uptake and C, Si and N content per cell. Marine Ecology Progress Series, 412: 57-68. S45383
- Dorantes-Aranda, J. J., la Parra. L. M. G.-d., Alonso-Rodriguez, R. & Morquecho, L.(2009). Hemolytic activity and fatty acids composition in the ichthyotoxic dinoflagellate *Cochlodinium polykrikoides* isolated from Bahía de La Paz, Gulf of California. Marine Pollution Bulletin, 58(9): 1401-1405. S45554
- Du, W.-G., Shena, J.-W. & Wang, L.(2009). Embryonic development rate and hatchling

- phenotypes in the Chinese three-keeled pond turtle (*Chinemys reevesii*): The influence of fluctuating temperature versus constant temperature. *Journal of Thermal Biology*, 34(5): 250-255. S45456
- Edmunds, P. J.(2009). Effect of acclimatization to low temperature and reduced light on the response of reef corals to elevated temperature. *Marine Biology*, 156(9): 1797-1808. S44922
- Faria, A. M., Ojanguren, A. F., Fuiman, L. A. & Gonçalves, E. J.(2009). Ontogeny of critical swimming speed of wild-caught and laboratory-reared red drum *Sciaenops ocellatus* larvae. *Marine Ecology Progress Series*, 384: 221-230. S44896
- Feitl, K. E., Ngo, V. & McHenry, M. J.(2010). Are fish less responsive to a flow stimulus when swimming? *Journal of Experimental Biology*, 213(18): 3131-3137. S45488
- Fiorini, S., Gattuso, J.-P., van Rijswijk, P. & Middelburg, J.(2010). Coccolithophores lipid and carbon isotope composition and their variability related to changes in seawater carbonate chemistry. *Journal of Experimental Marine Biology and Ecology*, 394(1-2): 74-85. S45489
- Freddy, G., Manuela, F., Virginie, M., Lionel, U., Boris, J. & Gerard, T.(2010). Effect of UV stress on the fatty acid and lipid class composition in two marine microalgae *Pavlova lutheri* (Pavlovophyceae) and *Odontella aurita* (Bacillariophyceae). *Journal of Applied Phycology*, 22(5): 629-638. S45582
- Gao, K. & Xu, J.(2008). Effects of solar UV radiation on diurnal photosynthetic performance and growth of *Gracilaria lemaneiformis* (Rhodophyta). *European Journal of Phycology*, 43(3): 297-307. S45033
- Gonzalez, R. A., Diaz, F., Licea, A., Re, A. D., Sanchez, L. N. & Garcia-Esquivel, Z.(2010). Thermal preference, tolerance and oxygen consumption of adult white shrimp *Litopenaeus vannamei* (Boone) exposed to different acclimation temperatures. *Journal of Thermal Biology*, 35(5): 218-224. S45332
- Gray, D. K. & MacIsaac, H. J.(2010). Diapausing zooplankton eggs remain viable despite exposure to open-ocean ballast water exchange: evidence from in situ exposure experiments. *Canadian Journal of Fisheries and Aquatic Sciences*, 67(2): 417-426. S45057
- Hansen, B. W., Drillet, G., Kozmer, A., Madsen, K. V., Pedersen, M. F. & Sorensen, T. F.(2010). Temperature effects on copepod egg hatching: does acclimatization matter? *Journal of Plankton Research*, 32(3): 305-315. S45053
- Henninger, T. O., Froneman, P. W., Booth, A. J. & Hodgson, A. N.(2010). Growth and longevity of *Exosphaeroma hylocoetes* (Isopoda) under varying conditions of salinity and temperature. *African Zoology*, 45(1): 41-51. S45580
- Hermans, J., Borremans, C., Willenz, P., Andre, L. & Dubois, P.(2010). Temperature, salinity and growth rate dependences of Mg/Ca and Sr/Ca ratios of the skeleton of the sea urchin

- Paracentrotus lividus* (Lamarck): an experimental approach. *Marine Biology*, 157(6): 1293-1300. S45607
- Hu, M., Li, Q. & Li, L.(2010). Effect of salinity and temperature on salinity tolerance of the sea cucumber *Apostichopus japonicas*. *Fisheries Science*, 76(2): 267-273 S45525
- Hutchinson, T. H., Hutchings, M. J. & Moore, K. W.(2002). Confounding factors in bioassays with freshwater and marine organisms. *Ecotoxicology and Environmental Safety*, 53(2): 226-237. S44997
- Ismail, H. N., Qin, J. G., Seuront, L. & Adams, M.(2010). Impacts of male and food density on female performance in the brackish cladoceran *Daphniopsis australis*. *Hydrobiologia*, 652(1): 277-288. S45309
- Kieffer, J. D. & Tuft, B. L.(1998). Effects of food deprivation on white muscle energy reserves in rainbow trout (*Oncorhynchus mykiss*): the relationships with body size and temperature. *Fish Physiology and Biochemistry*, 19(3): 239-245. S44941
- Kim, D. & Shirayama, Y.(2010). Use of colloidal iron as a tracer to measure the ingestion rates of free-living marine nematodes. *Journal of Oceanography*, 66(2): 299-305. S45522
- Kock, T. J., Evans, S. D., Liedtke, T. L., Rondorf, D. W. & Kohn, M.(2009). Evaluation of strobe lights to reduce turbine entrainment of juvenile steelhead (*Oncorhynchus mykiss*) at Cowlitz Falls Dam, Washington. *Northwest Science*, 83(4): 308-314. S45016
- Kumlu, M., Kumlu, M. & Turkmen, S.(2010). Combined effects of temperature and salinity on critical thermal minima of Pacific white shrimp *Litopenaeus vannamei* (Crustacea: Penaeidae). *Journal of Thermal Biology*, 35(6): 302-304. S45476
- Kumlu, M., Türkmen, S. & Kumlu, M.(2010). Thermal tolerance of *Litopenaeus vannamei* (Crustacea: Penaeidae) acclimated to four temperatures. *Journal of Thermal Biology*, 35(6): 305-308. S45477
- Lacoue-Labarthe, T., Warnau, M., Oberhänsli, F., Teyssié, J.-L. & Bustamante, P.(2009). Contrasting accumulation biokinetics and distribution of ²⁴¹Am, Co, Cs, Mn and Zn during the whole development time of the eggs of the common cuttlefish, *Sepia officinalis*. *Journal of Experimental Marine Biology and Ecology*, 382(2): 131-138. S45007
- Lane, E. S., Semeniuk, D. M., Strzepek, R. F., Cullen, J. T. & Maldonado, M. T.(2009). Effects of iron limitation on intracellular cadmium of cultured phytoplankton: Implications for surface dissolved cadmium to phosphate ratios. *Marine Chemistry*, 115(3-4): 155-162. S44873
- Liu, F. & Pang, S. J.(2010). Performances of growth, photochemical efficiency, and stress tolerance of young sporophytes from seven populations of *Saccharina japonica* (Phaeophyta) under short-term heat stress. *Journal of Applied Phycology*, 22(2): 221-229. S45208
- Marras, S., Claireaux, G., McKenzie, D. J. & Nelson, J. A.(2010). Individual variation and

- repeatability in aerobic and anaerobic swimming performance of European sea bass, *Dicentrarchus labrax*. *Journal of Experimental Biology*, 213(1): 26-32. S45087
- Miller, M. W., Kramer, K. L., Williams, S. M., Johnston, L. & Szmant, A. M.(2009). Assessment of current rates of *Diadema antillarum* larval settlement. *Coral Reefs*, 28(2): 511-515. S44846
- Modlin, R. F. & Froelich, A. J.(1997). Influence of temperature, salinity, and weight on the oxygen consumption of a laboratory population of *Americamysis bahia* (Mysidacea). *Journal of Crustacean Biology*, 17(1): 21-26. S45435
- Nendick, L., Grant, A., Gardner, M., Sackville, M., Brauner, C. J. & Farrell, A. P.(2009). Swimming performance and associated ionic disturbance of juvenile pink salmon *Oncorhynchus gorbuscha* determined using different acceleration profiles. *Journal of Fish Biology*, 75(7): 1626-1638. S45453
- Nofrizal., Yanase, K. & Arimoto, T.(2009). Effect of temperature on the swimming endurance and post-exercise recovery of jack mackerel *Trachurus japonicus* as determined by ECG monitoring. *Fisheries Science*, 56(6): 1369-1375. S44985
- Olson, K. R., Healy., M. J., Qin, Z., Skovgaard, N., Vulesevic, B., Duff, D. W., Whitfield, N. L., Yang, G., Wang, R. & Perry, S. F.(2008). Hydrogen sulfide as an oxygen sensor in trout gill chemoreceptors. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 295(2): R669-R680. S45265
- Perez, J. A., Rodríguez, C. & Henderson, R. J.(1999). The uptake and esterification of radiolabelled fatty acids by enterocytes isolated from rainbow trout (*Oncorhynchus mykiss*). *Fish Physiology and Biochemistry*, 20(2): 125-134. S44944
- Petersen, L. H. & Gamperl, A. K.(2010). Effect of acute and chronic hypoxia on the swimming performance, metabolic capacity and cardiac function of Atlantic cod (*Gadus morhua*). *Journal of Experimental Biology*, 213(5): 808-819. S45066
- Petersen, L. H. & Gamperl, A. K.(2010). In situ cardiac function in Atlantic cod (*Gadus morhua*): effects of acute and chronic hypoxia. *Journal of Experimental Biology*, 213(5): 820-830. S45067
- Pierron, F., Baudrimont, M., Boudou A. & Massabuau, J.-C.(2007). Effects of salinity and hypoxia on cadmium bioaccumulation in the shrimp *Palaemon longirostris*. *Toxicological and Environmental Chemistry*, 26(5): 1010-1017. S45228
- Rais, A., Miller, N. & Stillman, J. H.(2010). No evidence for homeoviscous adaptation in intertidal snails: analysis of membrane fluidity during thermal acclimation, thermal acclimatization, and across thermal microhabitats. *Marine Biology*, 157(11): 2407-2414. S45493
- Robbins, H. M., Bricelj, V. M. & Ward, J. E.(2010). In vivo effects of brown tide on the feeding function of the gill of the northern quahog *Mercenaria mercenaria* (Bivalvia:

- Veneridae). *Biological Bulletin*, 219(1): 61-71. S45380
- Robinson, M. L., Gomez-Raya, L., Rauw, W. M. & Peacock, M. M.(2008). Fulton's body condition factor K correlates with survival time in a thermal challenge experiment in juvenile Lahontan cutthroat trout (*Oncorhynchus clarki henshawi*). *Journal of Thermal Biology*, 33(6): 363-368. S45334
- Rungruangsak-Torrissen, K., Pringle, G. M., Moss, R. & Houlihan, D. F.(1998). Effects of varying rearing temperatures on expression of different trypsin isozymes, feed conversion efficiency and growth in Atlantic salmon (shape *Salmo salar* L.). *Fish Physiology and Biochemistry*, 19(3): 247-255. S44942
- Scherer, E. & Mcnicol, R. E.(1998). Preference-avoidance responses of lake whitefish (*coregonus clupeaformis*) to competing gradients of light and copper, lead, and zinc. *Water Research*, 32(3): 924-929. S44835
- Stephenson, E. H., Steneck, R. S. & Seeley, R. H.(2009). Possible temperature limits to range expansion of non-native Asian shore crabs in Maine. *Journal of Experimental Marine Biology and Ecology*, 375(1-2): 21-31. S44913
- Strohmeier, T., Strand, o. & Cranford, P.(2009). Clearance rates of the great scallop (*Pecten maximus*) and blue mussel (*Mytilus edulis*) at low natural seston concentrations. *Marine Biology*, 156(9): 1781-1795. S44921
- Thomas, H. C. & Grover, J. P.(2008). Element content of *Pseudomonas fluorescens* varies with growth rate and temperature: A replicated chemostat study addressing ecological stoichiometry. *Limnology and Oceanography*, 53(4): 1242-1251. S45533
- Torrans, E. L. & Clemens, H. P.(1982). Physiological and biochemical effects of acute exposure of fish to hydrogen sulfide. *Comparative Biochemistry and Physiology. C. Toxicology & Pharmacology*, 71(2): 183-190. S45262
- Trimborn, S., Wolf-Gladrow, D., Richter, K.-U. & Rost, B.(2009). The effect of pCO₂ on carbon acquisition and intracellular assimilation in four marine diatoms. *Journal of Experimental Marine Biology and Ecology*, 376(1): 26-36. S44920
- Tyack, P.(2009). Acoustic playback experiments to study behavioral responses of free-ranging marine animals to anthropogenic sound. *Marine Ecology Progress Series*, 395: 187-200. S45460
- Wang, M. & Wang, G.(2010). Oxidative damage effects in the copepod *Tigriopus japonicus* Mori experimentally exposed to nickel. *Ecotoxicology*, 19(2): 273-284. S45029
- Wang, M.-H. & Wang, G.-Z.(2009). Biochemical response of the copepod *Tigriopus japonicus* Mori experimentally exposed to cadmium. *Archives of Environmental Contamination and Toxicology*, 57(4): 707-717. S44917
- Wang, R. & Wang, W.-X.(2010). Importance of Speciation in Understanding mercury bioaccumulation in *Tilapia* controlled by salinity and dissolved organic matter.

- Environmental Science & Technology, 44(20): 7964-7969. S45485
- Wang, Y., Koto, Y., Sakamoto N., Kano, N. & Imaizumi, H.(2010). Biosorption of rare earth elements, thorium and uranium using *Buccinum tenuissimum* shell biomass. *Radioisotopes*, 59(9): 549-558. S45375
- Wu, R. S. S., Lam, P. K. S. & Wan, K. L.(2002). Tolerance to, and avoidance of, hypoxia by the penaeid shrimp (*Metapenaeus ensis*). *Environmental Pollution*, 118(3): 351-355. S45267
- Xu, D., Zhang, J.-H., Wang, W.-Q., Du, M.-R., Ren, L.-H. & Wang, Z.(2010). Effects of temperature elevation on oxygen consumption rate and ammonia excretion rate of *Patinopecten yessoensis*. *Journal of Fish Sciences of China*, 17(3): 1101-1106. S45428
- Xue, S., Fang, J., Mao, Y.-z., Zhang, J.-h. & Zhang, Y.(2009). Effects of salinity on the respiration and ammonia excretion of sea cucumber *Apostichopus japonicus* under high temperature. *Journal of Fish Sciences of China*, 16(6): 975-980. S44983
- Yangyang, W., Yuanzi, H., Jiachun, C., Liping, C. & Peimin, H.(2010). Influence of low temperature and low light intensity on growth of *Ulva compessa*. *Journal of Fish Sciences of China*, 17(3): 593-599. S45426
- Yun, M. S., Lee, S. H. & Chung, I. K.(2010). Photosynthetic activity of benthic diatoms in response to different temperatures. *Journal of Applied Phycology*, 22(5): 559-562. S45384
- Zhou, J., Wang, L., Xin, Y., Wang, W.-N., He, W.-Y., Wang, A.-L. & Liu, Y.(2010). Effect of temperature on antioxidant enzyme gene expression and stress protein response in white shrimp, *Litopenaeus vannamei*. *Journal of Thermal Biology*, 35(6): 284-289. S45475
- Zippay, M. L. & Hofmann, G. E.(2010). Physiological tolerances across latitudes: thermal sensitivity of larval marine snails (*Nucella spp.*). *Marine Biology*, 157(4): 707-714. S45070
- Zou, E. & Fingerman, M.(1997). Effects of estrogenic xenobiotics on molting of the water flea, *Daphnia magna*. *Ecotoxicology and Environmental Safety*, 38(3): 281-285. S45231

生態系

- 浅見大樹・嶋田 宏・石田良太郎・高柳志朗(2010). 春季の石狩湾において優占するカイアシ類数種の年変動 .北海道立水産試験場研究報告, (77): 1-11. S45090
- 梅田智樹・伊賀田邦義(2009). 有明海佐賀県沿岸域の底質環境と底生生物(マクロベントス)発生の経年的変化 佐賀県有明水産振興センター研究報告, (24): 67-72. S45577
- 柏田祥策・岡村秀雄(2005). 5. 海生生物を用いたバイオアッセイと海洋生態系保全のあ

- り方 . 環境科学会誌, 18(2): 127-128. S45469
- 紫加田知幸・吉川壮太・松原 賢・山崎康裕・島崎洋平・大嶋雄治・本城凡夫(2007). 現場における沿岸性植物プランクトンの分裂速度について . 日本水産学会大会講演要旨集, 2007(秋季): 146. S45058
- 道津光生・三浦正治・太田雅隆・山田一之(2010). 長崎県志々伎湾に分布する大型海藻草類の形状と葉上動物相との関係 . 海洋生物環境研究所研究報告, (13): 51-60. S45261
- 吉松定昭(2010). 香川大学連携融合事業 1 干潟域の生態系の解明 . 香川県水産試験場事業報告, 平成 20 年度: 46. S45592
- 吉松定昭(2010). 香川大学連携事業 「干潟を含めた浅海域の生態系研究と地元水産業の活性化」(干潟域の生態系の解明およびノリ色落ち共同研究) . 香川県赤潮研究所年報, 平成 20 年度: 22. S45601
- 福井大介・北辻さほ・池田 勉・志賀直信・山口 篤(2010). 北海道忍路湾におけるネット植物プランクトン群集の長期変動(1984-2004 年 日本プランクトン学会報, 57(1): 30-40. S45575
- Antonio, E. S., Kasai, A., Ueno, M., Won, N.-i., Ishihi, Y., Yokoyama, H. & Yamashita, Y.(2010). Spatial variation in organic matter utilization by benthic communities from Yura River–Estuary to offshore of Tango Sea, Japan. *Estuarine Coastal and Shelf Science*, 86(1): 107-117. S44992
- Branch, G. M., Odendaal, F. & Robinson, T. B.(2010). Competition and facilitation between the alien mussel *Mytilus galloprovincialis* and indigenous species: Moderation by wave action. *Journal of Experimental Marine Biology and Ecology*, 383(1): 65-78. S45466
- Branch, T. A., Watson, R., Fulton, E. A., Jennings, S., McGilliard, C. R., Pablico, G. T., Ricard, D., Tracey, S. R.(2010). The trophic fingerprint of marine fisheries. *Nature*, 468: 431-435. S45419
- Carpenter, R. C.(1986). Partitioning herbivory and its effects on coral reef algal communities. *Ecological Monographs*, 56(4): 345-363. S45019
- Catalano, M. J., Allen, M. S., Schaus, M. H., Buck, D. G. & Beaver, J. R.(2010). Evaluating short-term effects of omnivorous fish removal on water quality and zooplankton at a subtropical lake. *Hydrobiologia*, 655(1): 159-169. S45387
- Collins, A. K., Allen, S. E. & Pawlowicz, R.(2009). The role of wind in determining the timing of the spring bloom in the Strait of Georgia. *Canadian Journal of Fisheries and Aquatic Sciences*, 66(9): 1597-1616. S44989
- Feng, Y., Hare, C. E., Leblanc, K., Rose, J. M., Zhang, Y., DiTullio, G. R., Lee, P. A., Wilhelm, S. W., Rowe, J. M., Sun, J., Nemcek, N., Gueguen, C., Passow, U., Benner, I., Brown, C. & Hutchins, D. A.(2009). Effects of increased pCO₂ and temperature on the North Atlantic spring bloom. I. The phytoplankton community and biogeochemical response. *Marine*

- Ecology Progress Series, 388: 13-25. S45478
- Ferrier, G. A. & Carpenter, R. C.(2009). Subtidal benthic heterogeneity: Flow environment modification and impacts on marine algal community structure and morphology. *Biological Bulletin*, 217(2): 115-129. S44864
- Genner, M. J., Halliday, N. C., Simpson, S. D., Southward, A. J., Hawkins, S. J. & Sims, D. W.(2010). Temperature-driven phenological changes within a marine larval fish assemblage. *Journal of Plankton Research*, 32(5): 699-708. S45233
- Hadas, E., Shpigel, M. & Ilan, M.(2010). Particulate organic matter as a food source for a coral reef sponge. *Journal of Experimental Biology*, 212(22): 3643-3650. S45376
- Hillebrand, H., Soininen, J. & Snoeijs,P.(2010). Warming leads to higher species turnover in a coastal ecosystem. *Global Change Biology*, 16: 1181-1193. S45393
- Hoey, A. S. & Bellwood, D. R.(2009). Limited functional redundancy in a high diversity system: Single species dominates key ecological process on coral reefs. *Ecosystems*, 12(8): 1316-1328. S45020
- Ikeda, T. & Kohshima, S.(2009). Why is the neon tetra so bright? Coloration for mirror-image projection to confuse predators? “Mirror-image decoy” hypothesis. *Environmental Biology of Fishes*, 86(3): 427-441. S44845
- Irisson, J.-O. & Lecchini, D.(2008). In situ observation of settlement behaviour in larvae of coral reef fishes at night. *Journal of Fish Biology*, 72(10): 2707-2713. S45040
- Jiao, N., Zhang, Y., Zeng, Y., Gardner, W. D., Mishonov, A. V., Richardson, M. J., Hong, N., Pan, D., Yan, X.-H., Jo, Y.-H., Chen, C.-T. A., Wang, P., Chen, Y., Hong, H., Bai, Y., Chen, X., Huang, B., Deng, H., Shi, Y. & Yanga, D. (2007). Ecological anomalies in the East China Sea: Impacts of the Three Gorges Dam? *Water Res.*, 41(6): 1287-1293. S45224
- Koibuchi, Y. & Isobe, M. (2007). Phytoplankton bloom mechanism in an area affected by eutrophication : Tokyo Bay In spring 1999. *Journal of Coastal Engineering*, 49(4): 461-479. S45273
- Lee, P. A., Rudisill, J. R., Neeley, A. R., Maucher, J. M., Hutchins, D. A., Feng, Y., Hare, C. E., Leblanc, K., Rose, J. M., Wilhelm, S. W., Rowe, J. M. & DiTullio, G. R.(2009). Effects of increased pCO₂ and temperature on the North Atlantic spring bloom. III. Dimethylsulfoniopropionate. *Marine Ecology Progress Series*, 388: 41-49. S45480
- Lessios, H. A., Kessing, B. D. & Pearse, J. S.(2001). Population structure and speciation in tropical seas: global phylogeography of the sea urchin *Diadema*. *Evolution*, 55(5): 955-975. S45209
- Ludsin, S. A., Zhang, X., Brandt, S. B., Roman, M. R., Boicourt, W. C., Mason, D. M. & Costantini, M.(2009). Hypoxia-avoidance by planktivorous fish in Chesapeake Bay: Implications for food web interactions and fish recruitment. *Journal of Experimental Marine Biology and Ecology*, 381(Supplement 1): 121-131. S44857

- Mongin, M. M., Abraham, E. R. & Trull, T. W.(2009). Winter advection of iron can explain the summer phytoplankton bloom that extends 1000 km downstream of the Kerguelen Plateau in the Southern Ocean. *Journal of Marine Research*, 67(2): 225-237. S45518
- Morrison, D.(1988). Comparing fish and urchin grazing in shallow and deeper coral reef algal communities. *Ecol.*, 69(5): 1367-1382. S45018
- Muthiga, N. A. & McClanahan, T. R.(2007). Chapter 11 Ecology of *Diadema*. *Developments in Aquaculture and Fisheries Science*, 37: 205-225. S45210
- Naceur, H. B., Jenhani, A. B. R. & Romdhane, M. S.(2009). Ecobiological survey of the brine shrimp *Artemia salina* from Sabkhet El Adhibet (south-east Tunisia). *Journal of the Marine Biological Association of the United Kingdom*, 89(6): 1109-1116. S44850
- Nagasoe, S., Shikata, T., Yamasaki, Y., Matsubara, T., Shimasaki, Y., Oshima, Y. & Honjo, T.(2010). Effects of nutrients on growth of the red-tide dinoflagellate *Gyrodinium instriatum* Freudenthal et Lee and a possible link to blooms of this species. *Hydrobiologia*, 651(1): 225-238. S45242
- Nakamura, Y.(2010). Patterns in fish response to seagrass bed loss at the southern Ryukyu Islands, Japan. *Marine Biology*, 157(11): 2397-2406. S45492
- Newell, R. I. E., Tettelbach, S. T., Gobler, C. J., Kimmel, D. G.(2009). Relationships between reproduction in suspensionfeeding hard clams *Mercenaria mercenaria* and phytoplankton community structure. *Marine Ecology Progress Series*, 387: 179-196. S44930
- Pillay, D., Branch, G. M., Griffiths, C. L., Williams, C. & Prinsloo, A.(2010). Ecosystem change in a South African marine reserve (1960–2009): role of seagrass loss and anthropogenic disturbance. *Marine Ecology Progress Series*, 415: 35-48. S45497
- Porter, E. T., Mason, R. P. & Sanford, L. P.(2010). Effect of tidal resuspension on benthic–pelagic coupling in an experimental ecosystem study. *Marine Ecology Progress Series*, 413: 33-53. S45412
- Rose, J. M., Feng, Y., Gobler, C. J., Gutierrez, R., Hare, C. E., Leblanc, K. & Hutchins, D. A.(2009). Effects of increased pCO₂ and temperature on the North Atlantic spring bloom. II. Microzooplankton abundance and grazing. *Marine Ecology Progress Series*, 388: 27-40. S45479
- Steinbeck, J. R., Schiel, D. R. & Foster, M. S.(2005). Detecting long-term change in complex communities: A case study from the rocky intertidal zone. *Ecological Applications*, 15(5): 1813-1832. S45386
- Studer, A., Thielges, D. W. & Poulin, R.(2010). Parasites and global warming: net effects of temperature on an intertidal host–parasite system. *Marine Ecology Progress Series*, 415: 11-22. S45496
- Sugie, K., Kuma, K., Fujita, S. & Ikeda, T.(2009). Increase in Si:N drawdown ratio due to resting spore formation by spring bloom-forming diatoms under Fe- and N-limited

- conditions in the Oyashio region. *Journal of Experimental Marine Biology and Ecology*, 382(2): 108-116. S45006
- Suksomjit, M., Ichimi, K., Hamada, K., Yamada, M., Tada, K. & Harrison, P. J. (2009). Ammonium accelerates the growth rate of *Skeletonema* spp. in the phytoplankton assemblage in a heavily eutrophic embayment, Dokai Bay, Japan. *La mer(うみ)*, 47(3): 89-101. S45591
- Suksomjit, M., Tada, K., Ichimi, K. & Montani, S. (2009). High tolerance of phytoplankton for extremely high ammonium concentrations in the eutrophic coastal water of Dokai Bay (Japan). *La mer(うみ)*, 47(3): 75-88. S45590
- Tsai, C., Yang, S., Trimble, A. C. & Ruesink, J. L.(2010). Interactions between two introduced species: *Zostera japonica* (dwarf eelgrass) facilitates itself and reduces condition of *Ruditapes philippinarum* (Manila clam) on intertidal flats. *Marine Biology*, 157(9): 1929-1936. S45345
- Yamada, K., Hori, M., Tanaka, Y., Hasegawa, N. & Nakaoka, M.(2010). Contribution of different functional groups to the diet of major predatory fishes at a seagrass meadow in northeastern Japan. *Estuarine Coastal and Shelf Science*, 86(1): 71-82. S44991
- Yamasaki, Y., Nagasoe, S., Tameishi, M., Shikata, T., Zou, Y., Jiang, Z., Matsubara, T., Shimasaki, Y., Yamaguchi, K., Oshima, Y., Oda, T. & Honjo, T.(2010). The role of interactions between *Prorocentrum minimum* and *Heterosigma akashiwo* in bloom formation. *Hydrobiologia*, 641(1): 33-44. S45054
- Yodnarasri, S., Montani, S., Tada, K., Shibamura, S. & Yamada, T.(2008). Is there any seasonal variation in marine nematodes within the sediments of the intertidal zone? *Marine Pollution Bulletin*, 57(1-5): 149-154. S45570
- Yoshino, K., Hamada, T., Yamamoto, K., Hayami, Y., Yamaguchi, S. & Ohgushi, K.(2010). Effects of hypoxia and organic enrichment on estuarine macrofauna in the inner part of Ariake Bay. *Hydrobiologia*, 652(1): 23-38. S45308

藻場・干潟・サンゴ礁

- 遠藤 光・山本圭吾・西垣友和・竹野功壘(2010). 京都府沿岸の潮下帯岩礁域におけるヒバマタ目褐藻群落の鉛直分布 . 京都府農林水産技術センター海洋センター研究報告 (前資料名:京都府立海洋センター研究報告の継続), (32): 13-16. S45073
- 野田幹雄・安倍大地・小林孝平(2004). アイゴの補食によるコンブ目大型褐藻類の脱落と群れの際すの影響 . 日本水産工学会 学術講演会 (講演論文集), 平成 16 年度: 133-134. S45002
- 森口朗彦・高木儀昌(2010). 山口県周防大島町逗子ヶ浜地先の局所的で小規模な多年的

- に維持されるアマモ場における動物群集の消長 . 水産技術 (独立行政法人水産総合研究センター/社団法人日本水産学会), 3(1): 43-59. S45501
- 山口県水産研究センター(2010). 山口県における藻場の現状と今後の対策について . 水産研究センターだより (山口県水産研究センター), (3): 9. S45353
- Anton, A., Cebrian, J., Duarte, C. M., Heck Jr., K. L. & Goff, J.(2009). Low impact of hurricane Katrina on seagrass community structure and functioning in the Northern Gulf of Mexico. *Bulletin of Marine Science*, 85(1): 45-59. S44844
- Bassi, D., Braga, J. C. & Iryu, Y.(2009). Palaeobiogeographic patterns of a persistent monophyletic lineage: *Lithophyllum pustulatum* species group (Corallinaceae, Corallinales, Rhodophyta). *Palaeogeography, Palaeoclimatology, Palaeoecology*, 284(3-4): 237-245. S44848
- Breeman, A. M.(1990). Expected effects of changing seawater temperatures on the geographic distribution of seaweed species. Expected effects of climatic change on marine coastal ecosystems. *Developments in Hydrobiology*, 57: 69-76. S45402
- Faxneld, S., Jorgensen, T. L. & Tedengren, M.(2010). Effects of elevated water temperature, reduced salinity and nutrient enrichment on the metabolism of the coral *Turbinaria mesenterina*. *Estuarine Coastal and Shelf Science*, 88(4): 482-487. S45324
- Fitt, W. K., Gates, R. D., Hoegh-Guldberg, O., Bythell, J. C., Jatkar, A., Grottoli, A. G., Gomez, M., Fisher, P., Lajuenesse, T. C., Pantos, O., Iglesias-Prieto, R., Franklin, D. J., Rodrigues, L. J., Torregiani, J. M., Woelkerling, W. J. & Lesser, M. P.(2009). Response of two species of Indo-Pacific corals, *Porites cylindrica* and *Stylophora pistillata*, to short-term thermal stress: The host does matter in determining the tolerance of corals to bleaching. *Journal of Experimental Marine Biology and Ecology*, 373(2): 102-110. S44894
- Haraguchi, H., Hiraoka, M., Murase, N., Imoto, Z. & Okuda, K.(2009). Field and culture study of the temperature related growth rates of the temperate *Sargassum* species, *Sargassum okamurae* Yoshida and *S. micracathum* (Kuetzing) Endlicher (Fucales, Phaeophyceae) in Tosa Bay, southern Japan. *Algal Resources*, 2(1/2): 27-37. S45216
- Hoey, A. S.(2010). NOTE Size matters: macroalgal height influences the feeding response of coral reef herbivores. *Marine Ecology Progress Series*, 411: 299-302. S45341
- Infantes, E., Terrados, J., Orfila, A., Canellas, B. & Alvarez-Ellacuria, A.(2009). Wave energy and the upper depth limit distribution of *Posidonia oceanica*. *Botanica Marina*, 52(5): 419-427. S44866
- Iryu, Y., Bassi, D. & Woelkerling, W. J. (2009). Re-assessment of the type collections of fourteen corallinean species (Corallinales, Rhodophyta) described by W. Ishijima (1942-1960). *Palaeontology*, 52(2): 401-427. S44875
- Kamenos, N. A. & Law, A.(2010). Temperature controls on coralline algal skeletal growth. *Journal of Phycology*, 46(2): 331-335. S45211

- Kenji, M., Hiroki, Y., Naoki, T., Shin-ichi, F., Yusuke, I., Takahiro, N. & Kazushi, M.(2010). Estimation of kelp forest, *Laminaria* spp., distributions in coastal waters of the Shiretoko Peninsula, Hokkaido, Japan, using echosounder and geostatistical analysis. *Fisheries Science*, 76(5): 729-736. S45424
- Lefevre, C. D. & Bellwood, D. R.(2010). Seasonality and dynamics in coral reef macroalgae: variation in condition and susceptibility to herbivory. *Marine Biology*, 157(5): 955-965. S45000
- Matsumoto, A. K.(2010). Estimation of in situ distribution of carbonate produced from cold-water octocorals on a Japanese seamount in the NW Pacific. *Marine Ecology Progress Series*, 399: 81-102. S45238
- Miller, M. W., Valdivia, A., Kramer, K. L., Mason, B., Williams, D. E., Johnston, L.(2009). Alternate benthic assemblages on reef restoration structures and cascading effects on coral settlement. *Marine Ecology Progress Series*, 387: 147-156. S44928
- Ong, L. & Holland, K. N.(2010). Bioerosion of coral reefs by two Hawaiian parrotfishes: species, size differences and fishery implications. *Marine Biology*, 157(6): 1325-1336. S45608
- Otani, S., Kozuki, Y., Kurata, K., Ueda, K., Nakai, S. & Murakami, H.(2008). Relationship between macrobenthos and physical habitat characters in tidal flat in eastern Seto Inland Sea, Japan. *Marine Pollution Bulletin*, 57(1-5): 142-148. S45569
- Pedersen, M. F., Borum, J. & Fotel, F. L.(2010). Phosphorus dynamics and limitation of fast- and slow-growing temperate seaweeds in Oslofjord, Norway. *Marine Ecology Progress Series*, 399: 103-115. S45239
- Perrin, C., Bosence, D. & Rosen, B.(1995). Quantitative approaches to palaeozonation and palaeobathymetry of corals and coralline algae in Cenozoic reefs. *Geological Society, London, Special Publications*, 83: 181-229. S45207
- Roleda, M. Y.(2009). Photosynthetic response of Arctic kelp zoospores exposed to radiation and thermal stress. *Photochemical & Photobiological Sciences*, 8: 1302-1312. S44847
- Roth, L., Koksal, S. & van Woesik, R.(2010). Effects of thermal stress on key processes driving coral-population dynamics. *Marine Ecology Progress Series*, 411: 73-87. S45372
- Tsuda, R. T., Fisher, J. R., Vroom, P. S. & Abbott, I. A.(2010). New records of subtidal benthic marine algae from Wake Atoll, Central Pacific. *Botanica Marina*, 53(1): 19-29. S45046
- Yamochi, S.(2008). Succession of macrobenthic fauna and nitrogen budget at two artificial tidal flats in Osaka Bay, Japan. *Marine Pollution Bulletin*, 57(1-5): 137-141. S45568

- 木暮陽一(2010). 外海および内湾砂泥底における主要貝類の炭素・窒素安定同位体比の比較 日本海リサーチ&トピックス, (7): 8-9. S45349
- Asante, K. A., Agusa, T., Kubota, R., Mochizuki, H., Ramu, K., Nishida, S., Ohta, S., Yeh, H.-m., Subramanian, A. & Tanabe, S.(2010). Trace elements and stable isotope ratios ($\delta^{13}\text{C}$ and $\delta^{15}\text{N}$) in fish from deep-waters of the Sulu Sea and the Celebes Sea. Marine Pollution Bulletin, 60(9): 1560-1570. S45532
- Watanabe, S., Kodama, M. & Fukuda, M.(2009). Nitrogen stable isotope ratio in the manila clam, *Ruditapes philippinarum*, reflects eutrophication levels in tidal flats. Marine Pollution Bulletin, 58(10): 1447-1453. S45547

モデリング

- 相馬明郎(2010). 底生系 - 浮遊系及び湾中央域 -干潟・浅海域の生態系連鎖とモデリング . 沿岸海洋研究, 47(2): 133-145. S45542
- 関根雅彦(2002). 4.2 魚類の選好性モデル a. なぜ魚類の選好性を扱うことが必要か . 生態系とシミュレーション, : 124. S45078
- 関根雅彦(2002). 4.2 魚類の選好性モデル b. 選好性のモデル化 . 生態系とシミュレーション, : 124-129. S45079
- 関根雅彦(2002). 4.2 魚類の選好性モデル c. 魚の泳がせ方 . 生態系とシミュレーション, : 130-131. S45080
- 関根雅彦(2002). 4.2 魚類の選好性モデル . 生態系とシミュレーション, : 124. S45081
- 関根雅彦(2002). 4.2 魚類の選好性モデル d. 魚類の選好性モデルの例 . 生態系とシミュレーション, : 132-133. S45082
- 関根雅彦(2002). 4.2 魚類の選好性モデル e. 今後の展望 . 生態系とシミュレーション, : 134-136. S45083
- Boye, J., Musyl, M., Brill, R. & Malte, H.(2010). Transectional heat transfer in thermoregulating bigeye tuna (*Thunnus obesus*) –a 2D heat flux model. Journal of Experimental Biology, 212(22): 3708-3718. S45377
- Hayashi, M. & Yanagi, T.(2008). Analysis of change of red tide species in Yodo River estuary by the numerical ecosystem model. Marine Pollution Bulletin, 57(1-5): 103-107. S45567
- Nakatsuji, K., Yoon, J. S. & Muraoka, K. (1996). Three-Dimensional Modeling of Wind-Driven Upwelling of Anoxic Bottom Water ‘A-oshio’ in Tokyo Bay. . Estuarine and Coastal Modeling, 1995: 618-631. S45339
- Spilling, K., Tamminen, T., Andersen, T. & Kremp, A.(2010). Nutrient kinetics modeled from time series of substrate depletion and growth: dissolved silicate uptake of Baltic Sea spring diatoms. Marine Biology, 157(2): 427-436. S45506

増養殖

- 今井 正・荒井大介・森田哲男・小金隆之・山本義久・千田直美・遠藤雅人・竹内俊郎 (2010). 閉鎖循環式種苗生産におけるトラフグの成長, 生残および飼育水の浄化に及ぼす低塩分の影響 . 水産増殖, 58(3): 373-380. S45578
- 今尾和正・鈴木輝明(2010). 底生生物群集から見た造成効果を左右する浅場造成地盤高の決定方法 . 水産工学, 46(3): 223-228. S45538
- 角田信孝・寺尾百合正・中村達夫・井上 泰(1970). 人工採苗 パフンウニの成長と撰

- 餌について . 水産増殖, 17(3): 155-165. S45579
- 北尾登史郎・北本恵理・藤沢節茂・大山憲一(2010). ノリ養殖振興総合対策事業 1 ノリ養殖漁場調査 . 香川県水産試験場事業報告, 平成 20 年度: 94-98. S45595
- 北尾登史郎・北本恵理・吉松定昭・藤沢節茂・大山憲一(2010). ノリ養殖振興総合対策事業 2 沖合栄養塩調査 . 香川県水産試験場事業報告, 平成 20 年度: 99-102. S45596
- 鈴木祥広(2010). リレー連載 安全・安心・健康なエビを作るための クルマエビの最新養殖技術 第 3 回 完全閉鎖循環式システムによるウイルスフリー親エビの生産養殖, (591): 44-47. S45350
- 高橋芳明・奥山芳生・濱地寿生・木村 創(2009). プリ幼魚の給餌に伴う窒素、リンの排出とセイヨウオゴノリによる吸収 . 和歌山県農林水産総合技術センター水産試験場研究報告, (1): 17-22. S45237
- 田中庸介・久門一紀・樋口健太郎・江場岳史・西 明文・二階堂英城・塩澤 聡(2010). 小型水槽飼育におけるクロマグロ仔魚の初期生残の向上 . 水産技術 (独立行政法人水産総合研究センター/社団法人日本水産学会), 3(1): 17-20. S45500
- 兵庫県立水産試験場(1994). アユ種苗生産マニュアル . 兵庫県立水産試験場 兵庫水試種苗生産マニュアルシリーズ, 1: 62. S45241
- 西垣友和・山本圭吾・遠藤 光・竹野功璽(2010). 阿蘇海で養殖されたホンダワラ科褐藻アカモクの生長と生残 . 京都府農林水産技術センター海洋センター研究報告, (32): 23-27. S45074
- 長谷川夏樹・日向野純也(2010). 伊勢湾におけるアサリの殻長-重量換算式 . 水産増殖, 58(1): 155-158. S45531
- 濱口昌巳(2009). 魚介類の増養殖技術は今 国産アサリの復活を目指して . 農林水産技術研究ジャーナル, 27(10): 42-47. S45014
- 平川諒三郎・椎原 宏・小野真一(1984). 無解凍イワシ投与によるハマチ (1 才魚)の養成について . 大分県水産試験場調査研究報告, (11): 75-80. S44976
- 藤沢節茂・北尾登史郎・藤原宗弘・大山憲一(2010). ノリ養殖研究高度化事業 (河川水最適利用調査) . 香川県水産試験場事業報告, 平成 20 年度: 114-115. S45598
- 藤沢節茂・大山憲一(2010). ノリ養殖振興総合対策事業 (ノリ養殖漁場調査・沖合栄養塩調査) . 香川県赤潮研究所年報, 平成 20 年度: 20. S45599
- 藤沢節茂・吉松定昭・大山憲一(2010). ノリ養殖研究高度化事業 (河川水最適利用調査) . 香川県赤潮研究所年報, 平成 20 年度: 21. S45600
- 藤原宗弘・山賀賢一・内海範子・松岡 聡・永島浩一郎・栩野弘幹(2010). ノリ養殖振興総合対策事業 3 色落ち等防止技術開発 . 香川県水産試験場事業報告, 平成 20 年度: 103-113. S45597
- 半田岳志(2010). 特集 「魚の酸欠を考える」 環境条件の変化に伴う魚の酸素要求量養殖, (591): 25-27. S45356

- 松山幸彦(2010). 貝類養殖におけるノロウイルス問題と対策 . FRA ニュース(水産総合研究センター), (22): 12-13. S45076
- 室越 章(2010). 特集「魚の酸欠を考える」装置別に見た酸素供給能力とコストの比較 養殖, (591): 28-31. S45357
- 山元憲一(2010). 特集「魚の酸欠を考える」魚の酸素摂取のメカニズムはどうなっているのか 養殖, (591): 22-24. S45355
- Ando, M., Seoka, M., Mukai, Y., Jye, M. W., Miyashita, S. & Tsukamasa, Y.(2010). Effect of water temperature on the feeding activity and the resultant mercury levels in the muscle of cultured bluefin tuna *Thunnus orientalis* (Temminck and Schlegel). *Aquaculture Research*, 2010: 1-9. S45382
- Arnason, T., Bjornsson, B., Steinarsson, A. & Oddgeirsson, M. (2009). Effects of temperature and body weight on growth rate and feed conversion ratio in turbot (*Scophthalmus maximus*). *Aquaculture*, 295(3-4): 218-225. S44885
- Bolton, J. J., Robertson-Andersson, D. V., Shuuluka, D. & Kandjengo, L.(2009). Growing *Ulva* (Chlorophyta) in integrated systems as a commercial crop for abalone feed in South Africa: a SWOT analysis. *Journal of Applied Phycology*, 21(5): 575-583. S45312
- Correa-Reyes, J. G., Sanchez-Saavedra, M. d. P., Viana, M. T., Flores-Acevedo, N. & Vasquez-Pelaez, C.(2009). Effect of eight benthic diatoms as feed on the growth of red abalone (*Haliotis rufescens*) postlarvae. *Journal of Applied Phycology*, 21(4): 387-393. S44967
- Dalvi, R. S., Pal, A. K., Tiwari, L. R., Das, T. & Baruah, K.(2009). Thermal tolerance and oxygen consumption rates of the catfish *Horabagrus brachysoma* (Günther) acclimated to different temperatures. *Aquaculture*, 295(1-2): 116-119. S44884
- Endo, A., Srithongouthai, S., Nashiki, H., Teshiba, I., Iwasaki, T., Hama, D. & Tsutsumi, H.(2008). DO-increasing effects of a microscopic bubble generating system in a fish farm. *Marine Pollution Bulletin*, 57(1-5): 78-85. S45564
- Fulberth, M., Moran, D., Jarlbæk, H. & Stottrup, J. G.(2009). Growth of juvenile Atlantic cod *Gadus morhua* in land-based recirculation systems: Effects of feeding regime, photoperiod and diet. *Aquaculture*, 292(3-4): 225-231. S44908
- Georgakopoulou, E., Katharios, P., Divanach, P. & Koumoundouros, G.(2010). Effect of temperature on the development of skeletal deformities in Gilthead seabream (*Sparus aurata* Linnaeus, 1758). *Aquaculture*, 308(1-2): 13-19. S45391
- Good, C., Davidson, J., Welsh, C., Brazil, B., Snekvik, K. & Summerfelt, S.(2009). The impact of water exchange rate on the health and performance of rainbow trout *Oncorhynchus mykiss* in water recirculation aquaculture systems. *Aquaculture*, 294(1-2): 80-85. S44914
- Haffray, P., Lebegue, E., Jeu, S., Guennoc, M., Guiguen, Y., Baroiller, J. F. & Fostier, A.(2009).

- Genetic determination and temperature effects on turbot *Scophthalmus maximus* sex differentiation: An investigation using steroid sex-inverted males and females. *Aquaculture*, 294(1-2): 30-36. S44887
- Hamasaki, K., Sugizaki, M., Dan, S. & Kitada, S.(2009). Effect of temperature on survival and developmental period of coconut crab (*Birgus latro*) larvae reared in the laboratory. *Aquaculture*, 292(3-4): 259-263. S44910
- Hosfeld, C. D., Hammer, J., Handeland, S. O., Fivelstad, S. & Stefansson, S. O.(2009). Effects of fish density on growth and smoltification in intensive production of Atlantic salmon (*Salmo salar* L.). *Aquaculture*, 294(3-4): 236-241. S44933
- Huang, G., Wei, L., Zhang, X. & Gao, T.(2008). Compensatory growth of juvenile brown flounder *Paralichthys olivaceus* (Temminck & Schlegel) following thermal manipulation. *Journal of Fish Biology*, 72(10): 2534-2542. S45482
- Hwang, E. K., Baek, J. M. & Park, C. S.(2009). The mass cultivation of *Ecklonia stolonifera* Okamura as a summer feed for the abalone industry in Korea. *Journal of Applied Phycology*, 21(5): 585-590. S45313
- Ishibashi, Y., Honryo, T., Saida, K., Hagiwara, A., Miyashita, S., Sawada, Y., Okada, T. & Kurata, M.(2009). Artificial lighting prevents high night-time mortality of juvenile Pacific bluefin tuna, *Thunnus orientalis*, caused by poor scotopic vision. *Aquaculture*, 293(3-4): 157-163. S44911
- Jacobsen, A., Grahl-Nielsen, O. & Magnesen, T.(2010). Does a large-scale continuous algal production system provide a stable supply of fatty acids to bivalve hatcheries? *Journal of Applied Phycology*, 22(6): 769-777. S45451
- Johansson, D., Ruohonen, K., Juell, J.-E. & Oppedal, F.(2009). Swimming depth and thermal history of individual Atlantic salmon (*Salmo salar* L.) in production cages under different ambient temperature conditions. *Aquaculture*, 290(3-4): 296-303. S44892
- Kheder, R. B., Moal, J. & Robert, R.(2010). Impact of temperature on larval development and evolution of physiological indices in *Crassostrea gigas*. *Aquaculture*, 309(1-4): 286-289. S45423
- Magerhans, A., Muller-Belecke, A. & Horstgen-Schwark, G.(2009). Effect of rearing temperatures post hatching on sex ratios of rainbow trout (*Oncorhynchus mykiss*) populations. *Aquaculture*, 294(1-2): 218-225. S44886
- McKenney jr., C. L.(1996). The combined effects of salinity and temperature on various aspects of the reproductive biology of the estuarine mysid, *Mysidopsis bahia*. *Invertebrate Reproduction & Development*, 29(1): 9-18. S45434
- Meng, X.-l., Ji, T.-t., Dong, Y.-w., Wang, Q.-l. & Dong, S.-l.(2009). Thermal resistance in sea cucumbers (*Apostichopus japonicus*) with differing thermal history: The role of Hsp70. *Aquaculture*, 294(3-4): 314-318. S44888

- Ohno, Y., Kawano, F. & Hirazawa, N.(2009). The effect of oral antibiotic treatment and freshwater bath treatment on susceptibility to *Neobenedenia girellae* (Monogenea) infection of amberjack (*Seriola dumerili*) and yellowtail (*S. quinquerediata*) hosts. *Aquaculture*, 292(3-4): 248-251. S44909
- Pankhurst, N. W. & King, H. R. (2010). Temperature and salmonid reproduction: implications for aquaculture. *Journal of Fish Biology*, 76(1): 69-85. S45528
- Pérez-Casanova, J. C., Lall, S. P. & Gamperl, A. K.(2009). Effect of feed composition and temperature on food consumption, growth and gastric evacuation of juvenile Atlantic cod (*Gadus morhua* L.) and haddock (*Melanogrammus aeglefinus* L.). *Aquaculture*, 294(3-4): 228-235. S44932
- Rhyne, A. L., Ohs, C. L. & Stenn, E.(2009). Effects of temperature on reproduction and survival of the calanoid copepod *Pseudodiaptomus pelagicus*. *Aquaculture*, 292(1-2): 53-59. S44889
- Sachlikidis, N. G., Jones, C. M. & Seymour, J. E.(2010). The effect of temperature on the incubation of eggs of the tropical rock lobster *Panulirus ornatus*. *Aquaculture*, 305(1-4): 79-83. S45318
- Shi, Y., Zhang, G., Zhu, Y. & Liu, J.(2010). Effects of photoperiod, temperature, and salinity on growth and survival of obscure puffer *Takifugu obscurus* larvae. *Aquaculture*, 309(1-4): 103-108. S45422
- Shi, Y.-H., Zhang, G.-Y., Zhu, Y.-Z., Liu, J.-Z. & Zang, W.-L.(2010). Effects of temperature on fertilized eggs and larvae of tawny puffer *Takifugu flavidus*. *Aquaculture Research*, 41(12): 1741-1747. S45581
- Slater, M. J., Jeffs, A. G. & Carton, A. G.(2009). The use of the waste from green-lipped mussels as a food source for juvenile sea cucumber, *Australostichopus mollis*. *Aquaculture*, 292(3-4): 219-224. S44906
- Thorarensen, H., Gustavsson, A., Mallya, Y., Gunnarsson, S., Arnason, J., Arnarson, I., Jonsson, A. F., Smaradottir, H., Th. Zoega, G. & Imsland, A. K.(2010). The effect of oxygen saturation on the growth and feed conversion of Atlantic halibut (*Hippoglossus hippoglossus* L.). *Aquaculture*, 309(1-4): 96-102. S45421
- Unuma, T. (2002). Gonadal growth and its relationship to aquaculture in sea urchins. *The sea urchin : from basic biology to aquaculture*, Yokota, Matranga & Smolenicka (eds), : 115-127. S45063
- Vosloo, D. & Vosloo, A.(2010). Response of cold-acclimated, farmed South African abalone (*Haliotis midae*) to short-term and long-term changes in temperature. *Journal of Thermal Biology*, 35(7): 317-323. S45392
- You, X.-x., Su, Y.-q., Mao, Y., Liu, M., Wang, J., Zhang, M. & Wu, C.(2010). Effect of high water temperature on mortality, immune response and viral replication of WSSV-infected

資源・生態

- 荒武久道・渡辺耕平・吉田吾郎(2007). 植食性動物ウニ類の移動とアイゴの採食行動に関する興味深い観察事例 . 瀬戸内海ブロック水産業関係研究開発推進会議生産環境部会・栽培資源部会合同部会議事要録関連資料, 2006: 44-48. S45517
- 上田 宏・帰山雅秀・山内皓平・栗原堅三(1994). サケの母川回帰に新機構 サケは視覚で母川へ帰る. 遺伝, 48(11): 6-7. S44872
- 上田一夫(1984). 特大号・サケの生物学 サケの回遊 . 遺伝, 38(1): 24-32. S44837
- 内田圭一・荒井修亮・宮本佳則・柿原利治・守屋和幸・東海 正(2007). 夏季の東京湾におけるマアナゴの分布特性 . 日本水産学会大会講演要旨集, 2007 特殊号 秋季 : 112. S45274
- 山内 信・木村 創・高橋芳明(2009). アイゴのカジメに対する摂餌率の日変化と季節変化 . 和歌山県農林水産総合技術センター水産試験場研究報告, (1): 13-16. S45236
- 小野郁夫・長谷川英一・平沢勝秋(2004). 1366 サケの母川回帰行動における月光の役割 . 日本水産学会大会講演要旨集, 2004: 261. S44831
- 片岡照男(1960). 飼育水槽におけるコウイカの産卵生態について . 動物園水族館雑誌, 2(1): 12-13. S45025
- 干川 裕・酒井勇一(2009). 水産工学シリーズ マナマコ浮遊幼生の着底並びに稚子の付着に及ぼす流速の影響 . 北水試だより, (79): 18-20. S45091
- 川口 修・高辻英之(2010). 広島県東部海域における溶存態無機窒素動態とノリの色落ちへの影響 . 日本水産学会誌, 76(5): 849-854. S45602
- 清家 暁・海野徹也・大竹二雄・西山文隆・柴田恭宏・中川平介(2000). 308 耳石 Sr/Ca 比による広島県太田川及び山口県錦川で捕獲されたサツキマスの回遊履歴の推定 . 日本水産学会大会講演要旨集, 2000: 32. S44833
- 工藤勝宏(1984). 豊後水道のモジャコに関する研究 - . 1969-80 年の漁況 . 大分県水産試験場調査研究報告, (11): 1-7. S44972
- 古井戸良雄・倉田洋二・川上武彦(1956). 東京湾で獲れるコウイカ及びシリヤケイカの生態について . 水産増殖, 3(3): 40-50. S45023
- 児玉圭太・久米 元・鈴木達也・石井光廣・白石寛明・森田昌敏・堀口敏宏(2006). 東京湾産シャコ資源の減少要因の解明: (2) 貧酸素水塊が稚シャコの着底場におよぼす影響 . 日本内分泌かく乱化学物質学会研究発表会要旨集, 9 th: 149. S45277
- さけ・ます資源管理センター(2001). さけ・ます類の産卵回遊に関する調査研究 産卵回遊と性成熟機構の解明 . さけ・ます資源管理センター業務報告書, 2000: 39-40. S44838

- 中島博司・新田 朗・藤田弘一(2010). アーカイバルタグ標識放流試験で明らかになったトラフグの遊泳行動の季節変化と適水温 . 水産増殖, 58(1): 85-96. S45530
- 中村和夫(1979). 小松島で得られたコウイカ・シリヤケイカの生物情報(成長・背套長と体重の関係・生殖巣の発達状況) . 徳島県水産試験場事業報告書, 昭和 54 年度: 117-121. S44840
- 長谷川英一(2006). 62 サケ科魚類の視覚的特徴と回帰行動 . 日本比較生理生化学会大会予稿集, 28th: 41. S44829
- 長谷川英一(2005). サクラマス視覚行動からの推考 . 日本動物行動学会大会発表要旨集, 24th: 62. S44830
- 森田晃央・国分秀樹・宮松亜美・藤井瑞穂・倉島 彰・前川行幸(2010). コアマモ移植株の生長および生残におよぼす干出の影響 . 水産増殖, 58(2): 261-267. S45534
- 吉松定昭(2010). 香川大学連携融合事業 2 ノリ色落ち共同研究 . 香川県水産試験場事業報告, 平成 20 年度: 47. S45593
- Abe, M., Yokota, K., Kurashima, A. & Maegawa, M.(2010). Estimation of light requirement for growth of *Zostera japonica* cultured seedlings based on photosynthetic properties. Fisheries Science, 76(2): 235- S45524
- Andrews, A. G., Farley, Jr., E. V., Moss, J. H., Murphy, J. M. & Husoe, E. F.(2009). Energy density and length of juvenile Pink Salmon *Oncorhynchus gorbuscha* in the eastern Bering Sea from 2004 to 2007: a Period of relatively warm and cool sea surface temperatures. North Pacific Anadromous Fish Commission Bulletin, (5): 183-189. S45441
- Ariyama, H. & Secor, D. H.(2010). Effect of environmental factors, especially hypoxia and typhoons, on recruitment of the gazami crab *Portunus trituberculatus* in Osaka Bay, Japan Fisheries Science, 76(2): 315-324 S45526
- Aya, F. A. & Kudo, I.(2010). Isotopic shifts with size, culture habitat, and enrichment between the diet and tissues of the Japanese scallop *Mizuhopecten yessoensis* (Jay, 1857). Marine Biology, 157(10): 2157-2167. S45410
- Basti, L. & Segawa, S.(2010). Mortality of the short-neck clam *Ruditapes philippinarum* induced by the toxic dinoflagellate *Heterocapsa circularisquama*. Fisheries Science, 76(4): 625-631. S45326
- Brown, A., Heilmayer, O. & Thatje, S.(2010). Metabolic rate and growth in the temperate bivalve *Mercenaria mercenaria* at a biogeographic limit, from the English Channel. Journal of the Marine Biological Association of the United Kingdom, 90(5): 1019-1023. S45247
- Bulboa, C., Macchiavello, J., Veliz, K. & Oliveira, E. C.(2010). Germination rate and sporeling development of *Chondracanthus chamissoi* (Rhodophyta, Gigartinales) varies along a latitudinal gradient on the coast of Chile. Aquatic Botany, 92(2): 137-141. S44984
- Byrne, M., Soars, N., Selvakumaraswamy, P., Dworjanyan, S. A. & Davis, A. R.(2010). Sea

- urchin fertilization in a warm, acidified and high pCO₂ ocean across a range of sperm densities. *Marine Environmental Research*, 69(4): 234-239. S45342
- Caputi, N., Melville-Smith, R., de Lestang, S., Pearce, A. & Feng, M.(2010). The effect of climate change on the western rock lobster (*Panulirus cygnus*) fishery of Western Australia. *Canadian Journal of Fisheries and Aquatic Sciences*, 67(1): 85-96. S45084
- Cheung, S.-G., Wai, H.-Y., Zhou, H. & Shin, P. K. S.(2009). Structure of infaunal macrobenthos in the presence of artificial reefs in subtropical Hong Kong. *Marine Pollution Bulletin*, 58(6): 934-939. S44907
- Cieciel, K., Farley, Jr., E. V. & Eisner, L. B.(2009). Jellyfish and juvenile salmon associations with oceanographic characteristics during warm and cool years in the Eastern Bering Sea. *North Pacific Anadromous Fish Commission Bulletin*, (5): 209-224. S45442
- Clements, K. D., Raubenheimer, D. & Choat, J. H.(2009). Nutritional ecology of marine herbivorous fishes: ten years on. *Functional Ecology*, 23(1): 79-92. S45096
- Colton, M. A. & Swearer, S. E.(2010). A comparison of two survey methods: Differences between underwater visual census and baited remote underwater video. *Marine Ecology Progress Series*, 400: 19-36. S45573
- Coughlan, B. M., Moroney, G. A., van Pelt, F. N. A. M., O'Brien, N. M., Davenport, J. & O'Halloran, J.(2009). The effects of salinity on the Manila clam (*Ruditapes philippinarum*) using the neutral red retention assay with adapted physiological saline solutions. *Marine Pollution Bulletin*, 58(11): 1680-1684. S45551
- Dang, C., Sauriau, P. G., Savoye, N., Caill-Milly, N., Martinez, P., Millaret, C., Haure, J. & Montaudouin, X. d.(2009). Determination of diet in Manila clams by spatial analysis of stable isotopes. *Marine Ecology Progress Series*, 387: 167-177. S44929
- Dawes, C. J.(1989). Physiological responses of Brown Seaweeds *Sargassum filipendula* and *S. Pteropleuron* before and after transplanting on the West Coast of Florida. *Journal of Coastal Research*, 5(4): 693-700. S45230
- Dempster, T., Uglem, I., Sanchez-Jerez, P., Fernandez-Jover, D., Bayle-Sempere, J., Nilsen, R. & Bjorn, P. A.(2009). Coastal salmon farms attract large and persistent aggregations of wild fish: an ecosystem effect. *Marine Ecology Progress Series*, 385: 1-14. S44900
- Doyle, S., MacDonald, B. & Rochette, R.(2010). Is water temperature responsible for geographic variation in shell mass of *Littorina obtusata* (L.) snails in the Gulf of Maine? *Journal of Experimental Marine Biology and Ecology*, 394(1-2): 98-104. S45490
- Flamarique, I. N. & Hawryshyn, C. W. (1993). Spectral characteristics of salmonid migratory routes from southern Vancouver Island (British Columbia). *Canadian Journal of Fisheries and Aquatic Sciences*, 50(8): 1706-1716. S44836
- Fu, S.-J., Zeng, L.-Q., Li, X.-M., Pang, X., Cao, Z.-D., Peng, J. -L. & Wang, Y.-X.(2009). The behavioural, digestive and metabolic characteristics of fishes with different foraging

- strategies. *Journal of Experimental Biology*, 212(14): 2296-2302. S44883
- Gutowska, M. A., Melzner, F., Pörtner, H. O. & Meier, S.(2010). Cuttlebone calcification increases during exposure to elevated seawater pCO₂ in the cephalopod *Sepia officinalis*. *Marine Biology*, 157(7): 1653-1663. S45328
- Hatch, L. T. & Fristrup, K. M.(2009). No barrier at the boundaries: implementing regional frameworks for noise management in protected natural areas. *Marine Ecology Progress Series*, 395: 223-244. S45461
- Helle, J. H. & Fukuwaka, M.-a.(2009). Body size of maturing Chum Salmon in relation to sea surface temperatures in the Eastern Bering Sea. *North Pacific Anadromous Fish Commission Bulletin*, (5): 303-319. S45444
- Hernandez, J. C., Clemente, S., Girard, D., Perez-Ruzafa, a. & Brito, A.(2010). Effect of temperature on settlement and postsettlement survival in a barrens-forming sea urchin. *Marine Ecology Progress Series*, 413: 69-80. S45413
- Horn, P. L., Forman, J. & Dunn, M. R.(2010). Feeding habits of alfonsino *Beryx splendens*. *Journal of Fish Biology*, 76(10): 2382-2400. S45335
- Hurst, T. P., Abookire, A. A. & Knoth, B.(2010). Quantifying thermal effects on contemporary growth variability to predict responses to climate change in northern rock sole (*Lepidopsetta polyxystra*). *Canadian Journal of Fisheries and Aquatic Sciences*, 67(1): 97-107. S45085
- Irvine, J. R., Macdonald, R. W., Brown, R. J., Godbout, L., Reist, J. D. & Carmack, E. C.(2009). Salmon in the Arctic and how they avoid lethal low temperatures. *North Pacific Anadromous Fish Commission Bulletin*, (5): 39-50. S45439
- Jafor, B. M. A. & Akihiro, T.(2010). Effect of temperature and photoperiod on the reproductive condition and performance of a tropical damselfish *Chrysiptera cyanea* during different phases of the reproductive season. *Fisheries Science*, 76(5): 769-776. S45425
- Katzman, S. M., Greathouse, J., Roessig, J. M., Graham, J., Cocherell, D. E. & Cech Jr., J. J.(2010). Water velocity preferences of Coho Salmon during the parr-smolt transformation. *Environmental Biology of Fishes*, 88(1): 79-84. S45065
- Ki, J.-S., Lee, K.-W., Park, H. G., Chullasorn, S., Dahms, H.-U. & Lee, J.-S.(2009). Phylogeography of the copepod *Tigriopus japonicus* along the Northwest Pacific rim. *Journal of Plankton Research*, 31(2): 209-221. S44916
- Komorita, T., Kajihara, R., Tsutsumi, H., Shibamura, S., Yamada, T., Higaki, N. & Montani, S.(2010). Reevaluation of the nutrient mineralization process by infaunal bivalves (*Ruditapes philippinarum*) in a shallow lagoon in Hokkaido, Japan. *Journal of Experimental Marine Biology and Ecology*, 383(1): 8-16. S45464
- Kraufvelin, P., Lindholm, A., Pedersen, M. F., Kirkerud, L. A. & Bonsdorff, E.(2010). Biomass, diversity and production of rocky shore macroalgae at two nutrient enrichment

- and wave action levels. *Marine Biology*, 157(1): 29-47. S45507
- Kurita, Y., Nakatsuka, N. & Arai, N.(2010). Habitat shifts in relation to the reproduction of Japanese flounder *Paralichthys olivaceus* revealed by a depth-temperature data logger. *Journal of Experimental Marine Biology and Ecology*, 385(1-2): 50-58. S45331
- Lawrence, J.M. & Hughes-Games, L.(1972). The diurnal rhythm of feeding and passage of food through the gut of *Diadema setosum* (Echinodermata: Echinoidea). *Israel Journal of Zoology*, 21: 13-16. S45585
- Leonardo, M., Andreas, S. & Rui, S.(2010). A direct comparison of the performance of the seaweed biofilters, *Asparagopsis armata* and *Ulva rigida*. *Journal of Applied Phycology*, 22(5): 639-644. S45583
- Liu, C.-h.(1985). 台湾北部及南部沿岸的仔稚魚 農委會漁業特刊第二號, (2): 229-278. S44975
- Loher, T. & Blood, C. L.(2009). Seasonal dispersion of Pacific halibut (*Hippoglossus stenolepis*) summering off British Columbia and the US Pacific Northwest evaluated via satellite archival tagging. *Canadian Journal of Fisheries and Aquatic Sciences*, 66(9): 1409-1422. S44987
- Madsen, P. T., Wisniewska, D. & Beedholm, K.(2010). Single source sound production and dynamic beam formation in echolocating harbour porpoises (*Phocoena phocoena*). *Journal of Experimental Biology*, 213(18): 3105-3110. S45487
- Makiguchi, Y., Nii, H., Nakao, K. & Ueda, H. (2007). Upstream migration of adult chum and pink salmon in the Shibetsu River. *Hydrobiologia*, 582: 43-54. S45229
- Martin, P. C.(2009). Do sea surface temperatures influence catch rates in the June South Peninsula, Alaska, Salmon Fishery? *North Pacific Anadromous Fish Commission Bulletin*, (5): 147-156. S45440
- Martinez-Porchas, M., Hernandez-Rodriguez, M. & Buckle-Ramirez, L. F.(2009). Thermal behavior of the Pacific sardine (*Sardinops sagax*) acclimated to different thermal cycles. *Journal of Thermal Biology*, 34(7): 372-376. S45333
- Miyake, Y., Kimura, S., Kawamura, T., Horii, T., Kurogi, H. & Kitagawa, T.(2009). Simulating larval dispersal processes for abalone using a coupled particle-tracking and hydrodynamic model: implications for refugium design. *Marine Ecology Progress Series*, 387: 205-222. S44931
- Miyake, Y., Kimura, S., Kawamura, T., Kitagawa, T., Hara, M. & Hoshikawa, H.(2010). Estimating larval supply of Ezo abalone *Haliotis discus hannai* in a small bay using a coupled particle-tracking and hydrodynamic model: insights into the establishment of harvest refugia. *Fisheries Science*, 76(4): 561-570. S45325
- Morita, K., Fukuwaka, M. & Tanimata, N.(2010). Brief communications. Age-related thermal habitat use by Pacific salmon *Oncorhynchus* spp. *Journal of Fish Biology*, 77(4):

1024-1029. S45584

- Morley, S. A., Tan, K. S., Day, R. W., Martin, S. M., Portner, H.s-O. & Peck, L. S.(2009). Thermal dependency of burrowing in three species within the bivalve genus *Laternula*: a latitudinal comparison. *Marine Biology*, 156(10): 1977-1984. S44926
- Motomura, H., Sakurai, Y., Senou, H. & Ho, H.-C. (2009). Morphological comparisons of the Indo-West Pacific scorpionfish, *Parascorpaena aurita*, with a closely related species, *P. picta*, with first records of *P. aurita* from East Asia (Scorpaeniformes: Scorpaenidae). *Zootaxa*, 2191: 41-57. S45381
- Munroe, T. A. & Krabbenhoft, T. J.(2010). Two unusually large pre-transitional tonguefish larvae (Pleuronectiformes: Cynoglossidae: *Symphurus*) from oceanic waters near the Galápagos Islands. *Bulletin of Marine Science*, 86(1): 15-33. S45021
- Newton, J. R., Smith-Keune, C. & Jerry, D. R.(2010). Thermal tolerance varies in tropical and sub-tropical populations of barramundi (*Lates calcarifer*) consistent with local adaptation. *Aquaculture*, 308(Supplement 1): S128-S132. S45369
- Oetjen, K., Ferber, S., Dankert, I. & Reusch, T. B. H.(2010). New evidence for habitat-specific selection in Wadden Sea *Zostera marina* populations revealed by genome scanning using SNP and microsatellite markers. *Marine Biology*, 157(1): 81-89. S45508
- Ohshimo, S., Tanaka, H. & Hiyama, Y. (2009). Long-term stock assessment and growth changes of the Japanese sardine (*Sardinops melanostictus*) in the Sea of Japan and East China Sea from 1953 to 2006. *Fisheries Oceanography*, 18(5): 346-358. S44934
- Onitsuka, G., Hirose, N., Miyahara, K., Ota, T., Hatayama, J., Mitsunaga, Y. & Goto, T. (2010). Numerical simulation of the migration and distribution of diamond squid (*Thysanoteuthis rhombus*) in the southwest Sea of Japan. *Fisheries Oceanography*, 19(1): 63-75. S44995
- Onitsuka, T., Kawamura, T. & Horii, T. (2010). Reproduction and early life ecology of abalone *Haliotis diversicolor* in Sagami Bay, Japan. *JARQ (Japan Agricultural Research Quarterly)*, 44(4): 375-382. S45486
- Oshima, M., Kato, Y., Masuda, R., Kimura, S. & Yamashita, Y.(2009). Effect of turbulence on feeding intensity and survival of Japanese flounder *Paralichthys olivaceus* pelagic larvae. *Journal of Fish Biology*, 75(7): 1639-1647. S45454
- Paull, G. C., Filby, A. L. & Tyler, C. R.(2009). Growth rate during early life affects sexual differentiation in roach (*Rutilus rutilus*). *Environmental Biology of Fishes*, 85(4): 277-284. S44862
- Plantalech Manel-La, N., Thorstad, E. B., Davidsen, J. G., Okland, F., Sivertsgård, R., Mckinley, R. S. & Finstad, B. (2009). Vertical movements of Atlantic salmon post-smolts relative to measures of salinity and water temperature during the first phase of the marine migration. *Fisheries Management and Ecology*, 16(2): 147-154. S44828
- Sassa, C.(2010). Feeding ecology of *Symbolophorus californiensis* larvae (Teleostei:

- Myctophidae) in the southern transition region of the western North Pacific. *Journal of the Marine Biological Association of the United Kingdom*, 90(6): 1249-1256. S45388
- Senko, J., Koch, V., Megill, W. M., Carthy, R. R., Templeton, R. P. & Nichols, W. J.(2010). Fine scale daily movements and habitat use of East Pacific green turtles at a shallow coastal lagoon in Baja California Sur, Mexico. *Journal of Experimental Marine Biology and Ecology*, 391(1-2): 92-100. S45373
- Shephard, S., Beukers-Stewart, B., Hiddink, J. G., Brand, A. R. & Kaiser, M. J.(2010). Strengthening recruitment of exploited scallops *Pecten maximus* with ocean warming. *Marine Biology*, 157(1): 91-97. S45509
- Stevenson, D. E. & Hibpshman, R. E.(2010). Distribution and food habits of two similar species of *Bothrocara* (Perciformes: Zoarcidae) in the eastern Bering Sea. *Environmental Biology of Fishes*, 87(3): 251-262. S45027
- Svensson, P. A., Blount, J. D., Forsgren, E. & Amundsen, T.(2009). Female ornamentation and egg carotenoids of six sympatric gobies. *Journal of Fish Biology*, 75(10): 2779-2787. S45022
- Sykes, G. E. & Shrimpton, J. M.(2010). Effect of temperature and current manipulation on smolting in Chinook salmon (*Oncorhynchus tshawytscha*): the relationship between migratory behaviour and physiological development. *Canadian Journal of Fisheries and Aquatic Sciences*, 67(1): 191-201. S45086
- Tabouret, H., Bareille, G., Claverie, F., Pecheyran, C., Prouzet, P. & Donard, O. F. X.(2010). Simultaneous use of strontium:calcium and barium:calcium ratios in otoliths as markers of habitat: Application to the European eel (*Anguilla anguilla*) in the Adour basin, South West France. *Marine Environmental Research*, 70(1): 35-45. S45343
- Takahashi, M., Watanabe, Y., Yatsu, A. & Nishida, H.(2009). Contrasting responses in larval and juvenile growth to a climate-ocean regime shift between anchovy and sardine. *Canadian Journal of Fisheries and Aquatic Sciences*, 66(6): 972-982. S44923
- Tavernetti, R., Morgan, S. & Yu, Q.(2009). Effect of biological fouling on passive collectors used to estimate fish recruitment. *Journal of Fish Biology*, 75(3): 699-706. S45452
- Tomiyama, T., Ebe, K., Kawata, G. & Fujii, T.(2010). Post-release predation on hatchery-reared Japanese flounder *Paralichthys olivaceus* in the coast of Fukushima, Japan. *Journal of Fish Biology*, 75(10): 2629-2641. S45050
- Van Parijs, S. M., Clark, C. W., Sousa-Lima, R. S., Parks, S. E., Rankin, S., Risch, D., Van Opzeeland, I. C.(2009). Management and research applications of real-time and archival passive acoustic sensors over varying temporal and spatial. *Marine Ecology Progress Series*, 395: 21-36. S45459
- Wada, K. & Ueno, Y.(1999). Homing behavior of chum salmon determined by an archival tag. *さけ・ます調査報告*, (48): 143-172. S44832

- Wang, P., Gui, F.-K. & Wu, C.-W.(2010). Classification of fish swimming speed. *Journal of Fish Sciences of China*, 17(3): 1137-1146. S45427
- Warren, M. A., Gregory, R. S., Laurel, B. J. & Snelgrove, P. V. R.(2010). Increasing density of juvenile Atlantic (*Gadus morhua*) and Greenland cod (*G. ogac*) in association with spatial expansion and recovery of eelgrass (*Zostera marina*) in a coastal nursery habitat. *Journal of Experimental Marine Biology and Ecology*, 394(1-2): 154-160. S45491
- Weiss, M., Thatje, S., Heilmayer, O., Anger, K., Brey, T. & Keller, M.(2009). Influence of temperature on the larval development of the edible crab, *Cancer pagurus*. *Journal of the Marine Biological Association of the United Kingdom*, 89(4): 753-759. S45520
- Wynne, M. J. & Schneider, C. W.(2010). Addendum to the synoptic review of red algal genera. *Botanica Marina*, 53(4): 291-299. S45400
- Yasue, N. & Takasuka, A.(2009). Seasonal variability in growth of larval Japanese anchovy *Engraulis japonicus* driven by fluctuations in sea temperature in the Kii Channel, Japan. *Journal of Fish Biology*, 74(10): 2250-2268. S45589
- Yerramilli, D. & Johnsen, S.(2010). Spatial vision in the purple sea urchin *Strongylocentrotus purpuratus* (Echinoidea). *Journal of Experimental Biology*, 213(2): 249-255. S45235
- Yuan, X., Yang, H., Wang, L., Zhou, Y. & Gabr, H. R.(2009). Bioenergetic responses of sub-adult sea cucumber *Apostichopus japonicus* (Selenka) (Echinodermata: Holothuroidea) to temperature with special discussion regarding its southernmost distribution limit in China. *Journal of Thermal Biology*, 34(6): 315-319. S45519
- Zhang, H., Scarpa, J. & Hare, M. P.(2010). Differential fertilization success between two populations of eastern oyster, *Crassostrea virginica*. *Biological Bulletin*, 219(2): 142-150. S45586
- Zippay, M. L. & Hofmann, G. E. (2010). Effect of pH on gene expression and thermal tolerance of early life history stages of Red Abalone (*Haliotis rufescens*). *Journal of Shellfish Research*, 29(2): 429-439. S45327

生物多様性

- Okada, T. & Ogami, S. (1998). 稀少水生生物保存対策推進事業報告書 (アオギス) . 水産庁委託事業 平成 10 年度 稀少水生生物保存対策推進事業報告書 大分県, 平成 10 年度: 124-127. S45034
- Wakitani, S. & Okada, T. (1999). 稀少水生生物保存対策推進事業報告書 (アオギス) . 水産庁委託事業 平成 11 年度 稀少水生生物保存対策推進事業報告書 大分県, 平成 11 年度: 97-101. S45035
- Wakitani, S. & Tokumaru, Y. (2000). 稀少水生生物保存対策推進事業報告書 (アオギス) .

- 水産庁委託事業 平成 12 年度 稀少水生生物保存対策推進事業報告書 大分県, 平成 12 年度: S45036
- Wakitani, S. & Tokumaru, Y. (2001). 稀少水生生物保存対策推進事業報告書 (アオギス). 水産庁委託事業 平成 13 年度 稀少水生生物保存対策推進事業報告書 大分県, 平成 13 年度: S45037
- Athanasiadis, A. & Neto, A. I.(2010). On the occurrence of *Mesophyllum expansum* (Philippi) Cabioch et Mendoza (Melobesioideae, Corallinales, Rhodophyta) in the Mediterranean Sea, the Canary Isles and the Azores. *Botanica Marina*, 53(4): 333-341. S45399
- Badosa, A., Frisch, D., Arechederra, A., Serrano, L. & Green, A. J.(2010). Recovery of zooplankton diversity in a restored Mediterranean temporary marsh in Doñana National Park (SW Spain). *Hydrobiologia*, 654(1): 67-82. S45374
- Dupont, S., Dorey, N. & Thorndyke, M.(2010). What meta-analysis can tell us about vulnerability of marine biodiversity to ocean acidification? *Estuarine Coastal and Shelf Science*, 89(2): 182-185. S45344
- Hendriks, I. E., Duarte, C. M. & Álvarez, M.(2010). Vulnerability of marine biodiversity to ocean acidification: A meta-analysis. *Estuarine Coastal and Shelf Science*, 86(2): 157-164. S44993
- Holland, N. D. & Holland, L. Z.(2010). Laboratory spawning and development of the Bahama Lancelet, *Asymmetron lucayanum* (Cephalochordata): Fertilization through feeding larvae. *Biological Bulletin*, 219(2): 132-141. S45436
- Kooistra, W. H. C. F., Sarno, D., Balzano, S., Gu, H., Andersen, R. A. & Zingone, A.(2008). Global diversity and biogeography of *Skeletonema* Species (Bacillariophyta). *Protist*, 159(2): 177-193. S45062
- Motomura, H., Sakurai, Y. & Shinohara, G.(2009). First records of a scorpionfish, *Scorpaenodes albaiensis*, from East Asia, with a synopsis of *S. minor* (Actinopterygii: Scorpaeniformes: Scorpaenidae). *Species Diversity*, 14(2): 75-87. S45367
- Motomura, H. & Senou, H.(2009). New records of the dwarf scorpionfish, *Sebastapistes fowleri* (Actinopterygii: Scorpaeniformes: Scorpaenidae), from East Asia, and notes on Australian records of the species. *Species Diversity*, 14(1): 1-8. S45366
- Naumann, B. T. & Crawford, S. S.(2009). Is it possible to identify habitat for a rare species? Shortjaw Cisco (*Coregonus zenithicus*) in Lake Huron as a case study. *Environmental Biology of Fishes*, 86(2): 341-348. S44877
- Nishikawa, T.(1981). Considerations on the taxonomic status of the lancelets of the genus *Branchiostoma* from the Japanese waters. *Publications of the Seto Marine Biological Laboratory*, 26(1/3): 135-156. S45215
- Ong, L. & Holland, K. N.(2010). Pattern versus process: broadening the view of marine invasive species. *Marine Biology*, 157(10): 2127-2128. S45409

- Priede, I. G., Godbold, J. A. , King, N. J., Collins, M. A., Bailey, D. M., Gordon, J. D. M.(2010). Deep-sea demersal fish species richness in the Porcupine Seabight, NE Atlantic Ocean: global and regional patterns. *Mar. Ecol.*, 31(1): 247-260. S45069
- Stefansdottir, L., Solmundsson, J., Marteinsdottir, G., Kristinsson, K. & Jonasson, J. P.(2010). Groundfish species diversity and assemblage structure in Icelandic waters during recent years of warming. *Fisheries Oceanography*, 19(1): 42-62. S44994
- Vetter, E. W., Smith, C. R. & De Leo, F. C.(2010). Hawaiian hotspots: enhanced megafaunal abundance and diversity in submarine canyons on the oceanic islands of Hawaii. *Mar. Ecol.*, 31(1): 183-199. S45068

単行書

- 新魚類解剖図鑑．木村清志 (監)．緑書房，東京，2010，216pp.10118
- 新魚病図鑑．畑井喜司雄・小川和夫 (監)．緑書房，東京，2006，295pp.10117
- 化学物質規制・管理実務便覧．化学物質管理実務研究会(編)．新日本法規出版，名古屋，2004，1697pp.9988
- 改訂水産海洋ハンドブック．竹内俊郎・中田英昭・和田時夫・上田 宏(編)．生物研究社，東京，2010，629pp.10157
- 電力開発計画新鑑 平成 22 年度版．日刊電気通信社 ，東京，2010，144pp.10171
- 環形動物多毛類(Vol.2)．今島実．生物研究社，東京，2001，542pp.10165
- 環形動物多毛類(Vol.3)．今島実．生物研究社，東京，2007，499pp.10166
- 日本の絶滅のおそれのある野生生物：レッドデータブック 改訂 汽水・淡水魚類(Vol.4)．環境庁自然保護局野生生物課(編)．自然環境研究センター，東京，2003，230pp.10035
- 新しい漁業のデザイン：沖合漁業の問題とその改善 (水産学シリーズ 163).上野康弘・熊沢泰生・稲田博史 編,日本水産学会(監)．恒星社厚生閣，東京，2010，163pp.10032
- 魚介類アレルギーの科学(水産学シリーズ 164)．塩見一雄・佐伯宏樹．恒星社厚生閣，東京，2010，138pp.10036
- 生鮮マグロ類の高品質管理：漁獲から流通まで (水産学シリーズ 165).今野久仁彦・落合芳博・福田裕(編)，日本水産学会 (監)．恒星社厚生閣，東京，2010，144pp.10037
- 漁灯を活かす技術・制度の再構築へ (水産学シリーズ 166)．稲田博史 ・有元貴文・長島徳雄・飯田浩二(編)．恒星社厚生閣，東京，2010，174pp.10163
- 魚をとりながら増やす (ベルソーブックス 1)．松宮義晴．成山堂書店，東京，2000，174pp.10127
- 魚の発酵食品 改訂版 (ベルソーブックス 3)．藤井建夫．成山堂書店，東京，2001，152pp.10128
- 世界の湖と水環境 (ベルソーブックス 5)．倉田亮．成山堂書店，東京，2001，182pp.10129
- 熱帯アジアの海を歩く (ベルソーブックス 6)．北窓時男．成山堂書店，東京，2001，182pp.10130
- 音で海を見る (ベルソーブックス 7)．古澤昌彦．成山堂書店，東京，2001，182pp.10131
- 貝殻・貝の歯・ゴカイの歯 (ベルソーブックス 8)．大越健嗣．成山堂書店，東京，2001，156pp.10132
- 魚介類に寄生する生物 改訂版(ベルソーブックス 9)．長澤和也．成山堂書店，東京，2002，186pp.10133
- うなぎを増やす 改訂版 (ベルソーブックス 10).廣瀬慶二.成山堂書店，東京，2005，148pp.10134

- 藻場を見守り育てる最新のサケ学 (ベルソープックス 11) . 帰山雅秀 . 成山堂書店 , 東京 , 2002 , 128pp.10135
- 海苔という生き物 (ベルソープックス 12) . 能登谷正浩 . 成山堂書店 , 東京 , 2002 , 178pp.10136
- 魚貝類とアレルギー (ベルソープックス 13) . 塩見一雄 . 成山堂書店 , 東京 , 2003 , 164pp.10137
- 海藻の食文化(ベルソープックス 14) . 今田節子 . 成山堂書店 , 東京 , 2003 , 188pp.10138
- マグロは絶滅危惧種か(ベルソープックス 15) . 魚住雄二 . 成山堂書店 , 東京 , 2003 , 178pp.10139
- さかなの寄生虫を調べる (ベルソープックス 16) . 長澤和也 . 成山堂書店 , 東京 , 2003 , 176pp.10140
- 魚の卵のはなし (ベルソープックス 17) . 平井明夫 . 成山堂書店 , 東京 , 2003 , 182pp.10141
- カツオの産業と文化 (ベルソープックス 18) . 若林良和 . 成山堂書店 , 東京 , 2004 , 188pp.10142
- 環境ホルモンと水生生物 (ベルソープックス 19) . 川合真一郎 . 成山堂書店 , 東京 , 2004 , 170pp.10143
- エビ・カニはなぜ赤い : 機能性色素カロテノイド (ベルソープックス 20) . 松野隆男 . 成山堂書店 , 東京 , 2004 , 158pp.10144
- 水生動物の音の世界(ベルソープックス 21) . 竹村 暘 . 成山堂書店 , 東京 , 2005 , 188pp.10145
- よくわかるクジラ論争 : 捕鯨の未来をひらく (ベルソープックス 22) . 小松正之 . 成山堂書店 , 東京 , 2005 , 196pp.10146
- さしみの科学 : おいしさのひみつ (ベルソープックス 23) . 畑江敬子 . 成山堂書店 , 東京 , 2005 , 148pp.10147
- 江戸の俳諧にみる魚食文化 (ベルソープックス 24) . 磯 直道 . 成山堂書店 , 東京 , 2006 , 172pp.10148
- 魚の変態の謎を解く (ベルソープックス 25) . 乾 靖夫 . 成山堂書店 , 東京 , 2006 , 142pp.10149
- 魚の心をさぐる : 魚の心理と行動(ベルソープックス 26) . 益田玲爾 . 成山堂書店 , 東京 , 2006 , 144pp.10150
- 魚のウロコのはなし(ベルソープックス 27) . 吉富友恭 . 成山堂書店 , 東京 , 2007 , 128pp.10151
- 海のギャングサメの真実を追う(ベルソープックス 28) . 中野秀樹 . 成山堂書店 , 東京 , 2007 , 148pp.10152
- 沿岸漁業の歴史(ベルソープックス 29) . 山口 徹 . 成山堂書店 , 東京 , 2007 , 200pp.10153
- 海洋微生物と共生 : サンゴ礁・海底熱水孔の生き物たち (ベルソープックス 31) . 石田 祐三郎 . 成山堂書店 , 東京 , 2007 , 170pp.10154
- 藻場とさかな : 魚類生産学入門 (ベルソープックス 32) . 小路 淳 . 成山堂書店 , 東京 ,

2009, 178pp.10155

水環境の今と未来：藻類と植物のできるこゝろ．神戸大学水圏光合成生物研究グループ
編．生物研究社，東京，2009，120pp.10161

カジメ属の生態学と藻場造成．能登谷正浩．恒星社厚生閣，東京，2009，145pp.10122
藻場を見守り育てる知恵と技術(磯焼け対策シリーズ 3)．藤田大介・村瀬 昇・桑原久
実．成山堂書店，東京，2009，278pp.10075

海の森づくり．松田恵明．緑書房，東京，2010，167pp.10119

干潟の実験生態学．Reise, Karsten．生物研究社，東京，2000，175pp.10159

環境保全科学入門：環境の保全と修復．須藤 隆・西村 修・藤本尚志・山田一裕．生
物研究社，東京，2003，133pp.10158

ダム湖の陸水学．Kent W.Thornton., Kent W.Thornton., Forrest E.Payne.(編)．生物研究社，
東京，2004，244pp.10167

河川事業は海をどう変えたか．宇野木早苗．生物研究社，東京，2005，116pp.10160

光と海洋の一次生産．Platt.Trevor., Sathyendranath.Shubha．生物研究社，東京，2009，
174pp.10162

稚魚：生残と変態の生理生態学．田中 克・田川正朋・中山耕至．京都大学学術出版会，
京都，2009，387pp.10121

魚類生態学の基礎．塚本勝巳(編)．恒星社厚生閣，東京，2010，317pp.10124

水産資源のデータ解析入門(水産総合研究センター叢書)．赤嶺達郎．恒星社厚生閣，
東京，2010，178pp.10123

水産利用化学の基礎．渡部終五(編)．恒星社厚生閣，東京，2010，211pp.10125

水産資源解析の基礎．赤嶺達郎．恒星社厚生閣，東京，2007，115pp.10126

水産増殖研究：生産効果の考え方．野中忠(編)．生物研究社，東京，2003，367pp.10156

水産資源学を語る．田中昌一．恒星社厚生閣，東京，2001，153pp.10164

鯨類生態学読本．加藤秀弘・大隅清治(編)．生物研究社，東京，2006，219pp.10168

サメ：軟骨魚類の不思議な生態．矢野和成．東海大学出版会，東京，1998，223pp.10184

Fish Neuroendocrinology, Volume 28: Fish Physiology．Nicholas Bernier., Glen Van Der
Kraak., Anthony Farrell., Colin Brauner.(Eds.) Academic Press, Amsterdam, 2009，
529pp.10187

Standard guide for conducting static acute toxicity tests starting with embryos of four species of
saltwater bivalve mollusks (Designation E724-98).ASTM International. United States,
2004, 21pp.10059